Ce	ertific	atio	n Nı	un	nb	er	
S	anita	arian	Cod	de	į		
				Ī			



Program Code 644

Regular

Follow-up 2

Mo.	Day	Yr.		

Purpose

CABINET FOR HEALTH AND FAMILY SERVICES **DEPARTMENT FOR PUBLIC HEALTH**

FAR DIFFCING STUDIO INSPECTION REPORT

	EARTIERCING STODIO INSTECTION REPORT			ĺ
Owner _	Est. Name	Survey	4	ſ
Address	ZipPhone	Other	5	ĺ

Disinfection

- 01 High level disinfection available and used, if applicable
- 02 Ear Piercing instrument disinfected, if applicable

Studio Postings and Record Keeping

- 03 Studio certification posted
- 04 Artist registration posted, records maintained and available for review
- 05 Printed advisory and aftercare instruction
- 06 Consent records for minors maintained
- 07 Inventory of pre-sterilized, studs maintained and available for review
- 08 Client records maintained and available for review

Storage and Equipment

- 09 Ear piercing instrument proper construction
- 10 Ear piercing instrument maintained and in good repair
- 11 Antiseptic towelettes available and used
- 12 Disposal gloves used
- 13 Surgical or disposable marking device available and used
- 14 Adequate storage for supplies
- 15 Reuse of single use articles

Water

16 Water source approved, proper container, if applicable

Personnel

- 17 Personnel with infections restricted
- 18 Hands cleansed, hygienic practices, antibacterial gel
- 19 Clothing clean

Handwashing Facilities

- 20 Handwashing facilities clean, good repair and proper height, if applicable
- 21 Available soap, disposable towels and waste container

Sewage

- 22 Approved liquid waste container, if applicable
- 23 Proper disposal of liquid waste

Disposal of contaminated waste

- 24 Approved waste containers
- 25 Proper waste disposal

REQUIRES ALL VIOLATIONS TO BE CORRECTED WITHIN 24 HOURS

REMARKS:	

Based on an inspection this day, the items circled above identify the violations found in the operation of your establishment, in accordance with the Kentucky Tattoo and Body Piercing Law and Regulation, 902 KAR 45:070: the violations must be corrected within 24 hours. Failure to comply with any time limits for corrections may result in suspension of your certification. An opportunity for an appeal from any notice or inspection findings will be provided if you file a written request for a conference with the department within the period of time established by the regulation.



Received By:	
Title:	
Inspected By:	
	HEALTH DEPT.

FOLLOW-UP
REQUIRED