

Table 2-M
Resident Infant Deaths by Race: Number and Infant Mortality Rate
Kentucky, Districts, and Counties, 1998

| DISTRICTS & COUNTIES | TOTAL | | WHITE | | BLACK | |
|-------------------------|------------|-------------|------------|------------|-----------|-------------|
| | NUMBER | RATE | NUMBER | RATE | NUMBER | RATE |
| KENTUCKY | 410 | 7.6 | 337 | 6.9 | 71 | 14.7 |
| DISTRICT 1 | 24 | 10.3 | 19 | 9.1 | 5 | 22.8 |
| BALLARD | 2 | 21.5 | 2 | 22.7 | 0 | 0.0 |
| CALLOWAY | 4 | 10.3 | 4 | 11.0 | 0 | 0.0 |
| CARLISLE | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| FULTON | 4 | 34.5 | 3 | 38.5 | 1 | 26.3 |
| GRAVES | 4 | 7.8 | 3 | 6.0 | 1 | 71.4 |
| HICKMAN | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| MCCRACKEN | 5 | 6.0 | 2 | 2.9 | 3 | 21.9 |
| MARSHALL | 5 | 18.1 | 5 | 18.2 | 0 | 0.0 |
| DISTRICT 2 | 25 | 8.0 | 15 | 5.7 | 9 | 20.0 |
| CALDWELL | 3 | 19.7 | 3 | 21.0 | 0 | 0.0 |
| CHRISTIAN | 8 | 5.6 | 3 | 2.9 | 5 | 14.4 |
| CRITTENDEN | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| HOPKINS | 10 | 15.8 | 6 | 10.6 | 3 | 55.6 |
| LIVINGSTON | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| LYON | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| MUHLENBERG | 3 | 7.3 | 2 | 5.0 | 1 | 71.4 |
| TODD | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| TRIGG | 1 | 7.5 | 1 | 8.8 | 0 | 0.0 |
| DISTRICT 3 | 18 | 6.5 | 15 | 5.7 | 3 | 18.9 |
| DAVISS | 12 | 9.0 | 10 | 8.1 | 2 | 22.0 |
| HANCOCK | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| HENDERSON | 4 | 7.1 | 3 | 5.8 | 1 | 24.4 |
| MCLEAN | 1 | 7.7 | 1 | 7.8 | 0 | 0.0 |
| OHIO | 1 | 3.5 | 1 | 3.6 | 0 | 0.0 |
| UNION | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| WEBSTER | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |

Table 2-M
Resident Infant Deaths by Race: Number and Infant Mortality Rate
Kentucky, Districts, and Counties, 1998

| DISTRICTS & COUNTIES | TOTAL | | WHITE | | BLACK | |
|-------------------------|------------|------------|------------|------------|-----------|-------------|
| | NUMBER | RATE | NUMBER | RATE | NUMBER | RATE |
| KENTUCKY | 410 | 7.6 | 337 | 6.9 | 71 | 14.7 |
| DISTRICT 4 | 24 | 7.4 | 23 | 7.7 | 1 | 4.8 |
| ALLEN | 4 | 17.7 | 4 | 17.8 | 0 | 0.0 |
| BARREN | 1 | 2.2 | 1 | 2.4 | 0 | 0.0 |
| BUTLER | 1 | 6.0 | 1 | 6.0 | 0 | 0.0 |
| EDMONSON | 2 | 19.6 | 2 | 20.0 | 0 | 0.0 |
| HART | 1 | 4.5 | 1 | 4.8 | 0 | 0.0 |
| LOGAN | 5 | 14.7 | 5 | 16.0 | 0 | 0.0 |
| METCALFE | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| MONROE | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| SIMPSON | 2 | 9.2 | 2 | 10.3 | 0 | 0.0 |
| WARREN | 8 | 6.5 | 7 | 6.5 | 1 | 7.9 |
| DISTRICT 5 | 26 | 7.7 | 21 | 6.9 | 4 | 13.2 |
| BRECKINRIDGE | 1 | 4.4 | 1 | 4.6 | 0 | 0.0 |
| GRAYSON | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| HARDIN | 14 | 9.6 | 10 | 8.3 | 4 | 19.0 |
| LARUE | 1 | 6.7 | 0 | 0.0 | 0 | 0.0 |
| MARION | 2 | 8.6 | 2 | 9.3 | 0 | 0.0 |
| MEADE | 3 | 9.4 | 3 | 9.7 | 0 | 0.0 |
| NELSON | 5 | 9.0 | 5 | 9.7 | 0 | 0.0 |
| WASHINGTON | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| DISTRICT 6 | 78 | 6.5 | 41 | 4.4 | 37 | 15.6 |
| BULLITT | 1 | 1.3 | 1 | 1.3 | 0 | 0.0 |
| HENRY | 1 | 4.8 | 1 | 4.9 | 0 | 0.0 |
| JEFFERSON | 68 | 7.0 | 32 | 4.4 | 36 | 15.5 |
| OLDHAM | 1 | 2.0 | 1 | 2.0 | 0 | 0.0 |
| SHELBY | 5 | 10.8 | 4 | 9.4 | 1 | 27.8 |
| SPENCER | 2 | 12.7 | 2 | 12.9 | 0 | 0.0 |
| TRIMBLE | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |

Table 2-M
Resident Infant Deaths by Race: Number and Infant Mortality Rate
Kentucky, Districts, and Counties, 1998

| DISTRICTS & COUNTIES | TOTAL | | WHITE | | BLACK | |
|-------------------------|------------|-------------|------------|-------------|-----------|-------------|
| | NUMBER | RATE | NUMBER | RATE | NUMBER | RATE |
| KENTUCKY | 410 | 7.6 | 337 | 6.9 | 71 | 14.7 |
| DISTRICT 7 | 42 | 7.3 | 41 | 7.4 | 1 | 6.1 |
| BOONE | 8 | 6.2 | 8 | 6.4 | 0 | 0.0 |
| CAMPBELL | 8 | 6.1 | 8 | 6.3 | 0 | 0.0 |
| CARROLL | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| GALLATIN | 2 | 17.4 | 2 | 17.9 | 0 | 0.0 |
| GRANT | 4 | 11.8 | 4 | 11.9 | 0 | 0.0 |
| KENTON | 15 | 6.5 | 14 | 6.5 | 1 | 8.7 |
| OWEN | 1 | 7.5 | 1 | 7.6 | 0 | 0.0 |
| PENDLETON | 4 | 20.6 | 4 | 20.6 | 0 | 0.0 |
| DISTRICT 8 | 8 | 11.0 | 8 | 11.3 | 0 | 0.0 |
| BRACKEN | 2 | 18.0 | 2 | 18.3 | 0 | 0.0 |
| FLEMING | 1 | 5.6 | 1 | 5.7 | 0 | 0.0 |
| LEWIS | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| MASON | 4 | 16.8 | 4 | 17.8 | 0 | 0.0 |
| ROBERTSON | 1 | 34.5 | 1 | 34.5 | 0 | 0.0 |
| DISTRICT 9 | 7 | 7.5 | 7 | 7.7 | 0 | 0.0 |
| BATH | 1 | 6.9 | 1 | 6.9 | 0 | 0.0 |
| MENIFEE | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| MONTGOMERY | 2 | 6.7 | 2 | 6.9 | 0 | 0.0 |
| MORGAN | 1 | 6.8 | 1 | 6.9 | 0 | 0.0 |
| ROWAN | 3 | 11.7 | 3 | 11.9 | 0 | 0.0 |
| DISTRICT 10 | 17 | 10.9 | 17 | 11.1 | 0 | 0.0 |
| BOYD | 7 | 12.5 | 7 | 12.9 | 0 | 0.0 |
| CARTER | 5 | 13.6 | 5 | 13.7 | 0 | 0.0 |
| ELLIOTT | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| GREENUP | 5 | 12.2 | 5 | 12.4 | 0 | 0.0 |
| LAWRENCE | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |

Table 2-M
Resident Infant Deaths by Race: Number and Infant Mortality Rate
Kentucky, Districts, and Counties, 1998

| DISTRICTS & COUNTIES | TOTAL | | WHITE | | BLACK | |
|-------------------------|------------|-------------|------------|-------------|-----------|-------------|
| | NUMBER | RATE | NUMBER | RATE | NUMBER | RATE |
| KENTUCKY | 410 | 7.6 | 337 | 6.9 | 71 | 14.7 |
| DISTRICT 11 | 11 | 5.3 | 11 | 5.4 | 0 | 0.0 |
| FLOYD | 4 | 7.6 | 4 | 7.7 | 0 | 0.0 |
| JOHNSON | 2 | 6.3 | 2 | 6.3 | 0 | 0.0 |
| MAGOFFIN | 1 | 6.1 | 1 | 6.2 | 0 | 0.0 |
| MARTIN | 2 | 9.9 | 2 | 9.9 | 0 | 0.0 |
| PIKE | 2 | 2.3 | 2 | 2.3 | 0 | 0.0 |
| DISTRICT 12 | 15 | 10.1 | 15 | 10.2 | 0 | 0.0 |
| BREATHITT | 1 | 5.8 | 1 | 5.8 | 0 | 0.0 |
| KNOTT | 4 | 19.2 | 4 | 19.6 | 0 | 0.0 |
| LEE | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| LESLIE | 1 | 6.1 | 1 | 6.1 | 0 | 0.0 |
| LETCHER | 5 | 18.2 | 5 | 18.3 | 0 | 0.0 |
| OWSLEY | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| PERRY | 4 | 9.8 | 4 | 10.0 | 0 | 0.0 |
| WOLFE | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| DISTRICT 13 | 29 | 9.2 | 29 | 9.3 | 0 | 0.0 |
| BELL | 6 | 14.9 | 6 | 15.0 | 0 | 0.0 |
| CLAY | 6 | 20.1 | 6 | 20.3 | 0 | 0.0 |
| HARLAN | 3 | 7.1 | 3 | 7.4 | 0 | 0.0 |
| JACKSON | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| KNOX | 3 | 6.7 | 3 | 6.8 | 0 | 0.0 |
| LAUREL | 4 | 5.0 | 4 | 5.1 | 0 | 0.0 |
| ROCKCASTLE | 1 | 5.0 | 1 | 5.0 | 0 | 0.0 |
| WHITLEY | 6 | 14.3 | 6 | 14.4 | 0 | 0.0 |

Table 2-M
Resident Infant Deaths by Race: Number and Infant Mortality Rate
Kentucky, Districts, and Counties, 1998

| DISTRICTS & COUNTIES | TOTAL | | WHITE | | BLACK | |
|-------------------------|------------|------------|------------|------------|-----------|-------------|
| | NUMBER | RATE | NUMBER | RATE | NUMBER | RATE |
| KENTUCKY | 410 | 7.6 | 337 | 6.9 | 71 | 14.7 |
| DISTRICT 14 | 20 | 8.3 | 20 | 8.4 | 0 | 0.0 |
| ADAIR | 1 | 4.2 | 1 | 4.3 | 0 | 0.0 |
| CASEY | 2 | 10.1 | 2 | 10.1 | 0 | 0.0 |
| CLINTON | 1 | 7.0 | 1 | 7.0 | 0 | 0.0 |
| CUMBERLAND | 1 | 14.1 | 1 | 14.1 | 0 | 0.0 |
| GREEN | 1 | 8.0 | 1 | 8.2 | 0 | 0.0 |
| MCCREARY | 2 | 8.9 | 2 | 8.9 | 0 | 0.0 |
| PULASKI | 6 | 8.8 | 6 | 8.9 | 0 | 0.0 |
| RUSSELL | 1 | 5.3 | 1 | 5.4 | 0 | 0.0 |
| TAYLOR | 3 | 10.9 | 3 | 11.3 | 0 | 0.0 |
| WAYNE | 2 | 7.7 | 2 | 7.7 | 0 | 0.0 |
| DISTRICT 15 | 66 | 7.2 | 55 | 6.7 | 11 | 13.1 |
| ANDERSON | 3 | 12.0 | 3 | 12.3 | 0 | 0.0 |
| BOURBON | 1 | 4.1 | 1 | 4.5 | 0 | 0.0 |
| BOYLE | 1 | 3.3 | 1 | 3.6 | 0 | 0.0 |
| CLARK | 6 | 13.0 | 5 | 11.4 | 1 | 50.0 |
| ESTILL | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| FAYETTE | 20 | 5.6 | 13 | 4.5 | 7 | 11.7 |
| FRANKLIN | 4 | 6.5 | 3 | 5.3 | 1 | 21.7 |
| GARRARD | 2 | 11.8 | 2 | 12.3 | 0 | 0.0 |
| HARRISON | 1 | 4.0 | 1 | 4.1 | 0 | 0.0 |
| JESSAMINE | 7 | 12.8 | 7 | 13.1 | 0 | 0.0 |
| LINCOLN | 2 | 6.7 | 2 | 6.9 | 0 | 0.0 |
| MADISON | 11 | 12.0 | 9 | 10.3 | 2 | 54.1 |
| MERCER | 1 | 3.9 | 1 | 4.1 | 0 | 0.0 |
| NICHOLAS | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| POWELL | 3 | 15.1 | 3 | 15.1 | 0 | 0.0 |
| SCOTT | 2 | 4.4 | 2 | 4.6 | 0 | 0.0 |
| WOODFORD | 2 | 7.0 | 2 | 7.4 | 0 | 0.0 |