

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	267	4.9	210	3.9	552	10.1	223	4.6	171	3.5	458	9.4	42	8.7	37	7.7	90	18.5
DISTRICT 01	19	8.2	19	8.2	34	14.5	17	8.1	17	8.1	30	14.3	2	9.1	2	9.1	4	18.1
BALLARD	2	21.5	2	21.5	3	31.9	2	22.7	2	22.7	3	33.7	0	0.0	0	0.0	0	0.0
CALLOWAY	4	10.3	4	10.3	7	17.9	4	11.0	4	11.0	7	19.1	0	0.0	0	0.0	0	0.0
CARLISLE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
FULTON	3	25.9	3	25.9	3	25.9	3	38.5	3	38.5	3	38.5	0	0.0	0	0.0	0	0.0
GRAVES	3	5.8	3	5.8	4	7.8	2	4.0	2	4.0	3	6.0	1	71.4	1	71.4	1	71.4
HICKMAN	0	0.0	0	0.0	1	19.6	0	0.0	0	0.0	1	22.2	0	0.0	0	0.0	0	0.0
MCCRACKEN	2	2.4	2	2.4	9	10.8	1	1.5	1	1.5	6	8.7	1	7.3	1	7.3	3	21.6
MARSHALL	5	18.1	5	18.1	7	25.2	5	18.2	5	18.2	7	25.3	0	0.0	0	0.0	0	0.0
DISTRICT 02	18	5.7	15	4.8	27	8.6	12	4.5	10	3.8	19	7.2	5	11.1	4	8.9	6	13.3
CALDWELL	3	19.7	3	19.7	8	51.0	3	21.0	3	21.0	7	47.6	0	0.0	0	0.0	0	0.0
CHRISTIAN	4	2.8	4	2.8	7	4.9	2	1.9	2	1.9	3	2.9	2	5.7	2	5.7	4	11.4
CRITTENDEN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HOPKINS	8	12.7	5	7.9	6	9.5	5	8.8	3	5.3	4	7.0	2	37.0	1	18.5	1	18.5
LIVINGSTON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
LYON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MUHLENBERG	2	4.8	2	4.8	4	9.6	1	2.5	1	2.5	3	7.5	1	71.4	1	71.4	1	71.4
TODD	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRIGG	1	7.5	1	7.5	2	14.9	1	8.8	1	8.8	2	17.5	0	0.0	0	0.0	0	0.0
DISTRICT 03	11	3.9	9	3.2	29	10.3	8	3.1	6	2.3	23	8.7	3	18.9	3	18.9	6	37.0
DAVISS	8	6.0	6	4.5	12	8.9	6	4.8	4	3.2	10	8.0	2	22.0	2	22.0	2	22.0
HANCOCK	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HENDERSON	2	3.6	2	3.6	7	12.3	1	1.9	1	1.9	3	5.8	1	24.4	1	24.4	4	90.9
MCLEAN	1	7.7	1	7.7	4	30.1	1	7.8	1	7.8	4	30.3	0	0.0	0	0.0	0	0.0
OHIO	0	0.0	0	0.0	3	10.4	0	0.0	0	0.0	3	10.6	0	0.0	0	0.0	0	0.0
UNION	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
WEBSTER	0	0.0	0	0.0	3	16.3	0	0.0	0	0.0	3	16.9	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births.

Perinatal Deaths per 1,000 Total Births.

Note: Resident Maternal Deaths - Hardin (1), Hopkins (1), Jefferson (1).

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	267	4.9	210	3.9	552	10.1	223	4.6	171	3.5	458	9.4	42	8.7	37	7.7	90	18.5
DISTRICT 04	16	4.9	9	2.8	30	9.2	15	5.0	9	3.0	26	8.7	1	4.8	0	0.0	4	18.8
ALLEN	3	13.3	3	13.3	4	17.6	3	13.3	3	13.3	4	17.7	0	0.0	0	0.0	0	0.0
BARREN	0	0.0	0	0.0	1	2.2	0	0.0	0	0.0	1	2.3	0	0.0	0	0.0	0	0.0
BUTLER	1	6.0	1	6.0	4	23.5	1	6.0	1	6.0	4	23.7	0	0.0	0	0.0	0	0.0
EDMONSON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HART	0	0.0	0	0.0	1	4.5	0	0.0	0	0.0	1	4.7	0	0.0	0	0.0	0	0.0
LOGAN	4	11.7	1	2.9	3	8.7	4	12.8	1	3.2	2	6.4	0	0.0	0	0.0	1	37.0
METCALFE	0	0.0	0	0.0	1	7.5	0	0.0	0	0.0	1	7.5	0	0.0	0	0.0	0	0.0
MONROE	0	0.0	0	0.0	1	6.3	0	0.0	0	0.0	1	6.6	0	0.0	0	0.0	0	0.0
SIMPSON	1	4.6	0	0.0	0	0.0	1	5.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
WARREN	7	5.7	4	3.3	15	12.1	6	5.6	4	3.7	12	11.1	1	7.9	0	0.0	3	23.3
DISTRICT 05	17	5.0	14	4.1	42	12.3	14	4.6	11	3.6	36	11.7	2	6.6	2	6.6	5	16.4
BRECKINRIDGE	1	4.4	0	0.0	1	4.4	1	4.6	0	0.0	1	4.5	0	0.0	0	0.0	0	0.0
GRAYSON	0	0.0	0	0.0	2	6.2	0	0.0	0	0.0	2	6.3	0	0.0	0	0.0	0	0.0
HARDIN	10	6.9	10	6.9	24	16.3	8	6.6	8	6.6	19	15.6	2	9.5	2	9.5	5	23.4
LARUE	1	6.7	1	6.7	3	19.7	0	0.0	0	0.0	2	14.1	0	0.0	0	0.0	0	0.0
MARION	1	4.3	1	4.3	3	12.8	1	4.6	1	4.6	3	13.8	0	0.0	0	0.0	0	0.0
MEADE	1	3.1	1	3.1	5	15.5	1	3.2	1	3.2	5	16.0	0	0.0	0	0.0	0	0.0
NELSON	3	5.4	1	1.8	4	7.2	3	5.8	1	1.9	4	7.8	0	0.0	0	0.0	0	0.0
WASHINGTON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 06	45	3.8	37	3.1	126	10.4	24	2.6	18	1.9	78	8.3	21	8.9	19	8.0	48	20.0
BULLITT	1	1.3	1	1.3	8	10.5	1	1.3	1	1.3	8	10.6	0	0.0	0	0.0	0	0.0
HENRY	0	0.0	0	0.0	1	4.8	0	0.0	0	0.0	1	4.9	0	0.0	0	0.0	0	0.0
JEFFERSON	41	4.2	34	3.5	111	11.3	21	2.9	16	2.2	65	8.9	20	8.6	18	7.8	46	19.6
OLDHAM	0	0.0	0	0.0	1	2.0	0	0.0	0	0.0	1	2.0	0	0.0	0	0.0	0	0.0
SHELBY	3	6.5	2	4.3	5	10.7	2	4.7	1	2.3	3	7.0	1	27.8	1	27.8	2	54.1
SPENCER	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRIMBLE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births.

Perinatal Deaths per 1,000 Total Births.

Note: Resident Maternal Deaths - Hardin (1), Hopkins (1), Jefferson (1).

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	267	4.9	210	3.9	552	10.1	223	4.6	171	3.5	458	9.4	42	8.7	37	7.7	90	18.5
DISTRICT 07	27	4.7	24	4.2	53	9.1	27	4.9	24	4.3	51	9.1	0	0.0	0	0.0	2	12.1
BOONE	7	5.4	6	4.7	15	11.6	7	5.6	6	4.8	15	12.0	0	0.0	0	0.0	0	0.0
CAMPBELL	5	3.8	4	3.1	8	6.1	5	4.0	4	3.2	7	5.5	0	0.0	0	0.0	1	35.7
CARROLL	0	0.0	0	0.0	1	8.8	0	0.0	0	0.0	1	9.1	0	0.0	0	0.0	0	0.0
GALLATIN	1	8.7	1	8.7	4	33.9	1	8.9	1	8.9	4	34.8	0	0.0	0	0.0	0	0.0
GRANT	2	5.9	2	5.9	3	8.8	2	5.9	2	5.9	3	8.9	0	0.0	0	0.0	0	0.0
KENTON	10	4.4	9	3.9	18	7.8	10	4.6	9	4.2	17	7.8	0	0.0	0	0.0	1	8.6
OWEN	0	0.0	0	0.0	2	14.7	0	0.0	0	0.0	2	14.9	0	0.0	0	0.0	0	0.0
PENDLETON	2	10.3	2	10.3	2	10.3	2	10.3	2	10.3	2	10.3	0	0.0	0	0.0	0	0.0
DISTRICT 08	6	8.2	5	6.9	5	6.9	6	8.4	5	7.0	5	7.0	0	0.0	0	0.0	0	0.0
BRACKEN	1	9.0	1	9.0	1	9.0	1	9.2	1	9.2	1	9.2	0	0.0	0	0.0	0	0.0
FLEMING	1	5.6	1	5.6	1	5.6	1	5.7	1	5.7	1	5.7	0	0.0	0	0.0	0	0.0
LEWIS	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MASON	3	12.6	3	12.6	3	12.6	3	13.3	3	13.3	3	13.3	0	0.0	0	0.0	0	0.0
ROBERTSON	1	34.5	0	0.0	0	0.0	1	34.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 09	6	6.5	5	5.4	10	10.7	6	6.6	5	5.5	9	9.8	0	0.0	0	0.0	1	71.4
BATH	1	6.9	1	6.9	2	13.8	1	6.9	1	6.9	2	13.8	0	0.0	0	0.0	0	0.0
MENIFEE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MONTGOMERY	2	6.7	1	3.3	3	9.9	2	6.9	1	3.4	2	6.9	0	0.0	0	0.0	1	100.0
MORGAN	1	6.8	1	6.8	2	13.6	1	6.9	1	6.9	2	13.7	0	0.0	0	0.0	0	0.0
ROWAN	2	7.8	2	7.8	3	11.6	2	7.9	2	7.9	3	11.8	0	0.0	0	0.0	0	0.0
DISTRICT 10	11	7.1	9	5.8	17	10.8	11	7.2	9	5.9	17	11.0	0	0.0	0	0.0	0	0.0
BOYD	4	7.2	3	5.4	6	10.7	4	7.4	3	5.5	6	11.0	0	0.0	0	0.0	0	0.0
CARTER	4	10.9	4	10.9	7	18.9	4	10.9	4	10.9	7	19.0	0	0.0	0	0.0	0	0.0
ELLIOTT	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
GREENUP	3	7.3	2	4.9	3	7.3	3	7.4	2	5.0	3	7.4	0	0.0	0	0.0	0	0.0
LAWRENCE	0	0.0	0	0.0	1	5.9	0	0.0	0	0.0	1	6.0	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births.

Perinatal Deaths per 1,000 Total Births.

Note: Resident Maternal Deaths - Hardin (1), Hopkins (1), Jefferson (1).

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	267	4.9	210	3.9	552	10.1	223	4.6	171	3.5	458	9.4	42	8.7	37	7.7	90	18.5
DISTRICT 11	7	3.4	3	1.4	19	9.1	7	3.4	3	1.5	19	9.2	0	0.0	0	0.0	0	0.0
FLOYD	2	3.8	0	0.0	3	5.7	2	3.8	0	0.0	3	5.7	0	0.0	0	0.0	0	0.0
JOHNSON	1	3.2	1	3.2	5	15.6	1	3.2	1	3.2	5	15.6	0	0.0	0	0.0	0	0.0
MAGOFFIN	1	6.1	0	0.0	1	6.1	1	6.2	0	0.0	1	6.1	0	0.0	0	0.0	0	0.0
MARTIN	2	9.9	1	4.9	2	9.8	2	9.9	1	5.0	2	9.9	0	0.0	0	0.0	0	0.0
PIKE	1	1.2	1	1.2	8	9.2	1	1.2	1	1.2	8	9.3	0	0.0	0	0.0	0	0.0
DISTRICT 12	9	6.0	9	6.0	19	12.7	9	6.1	9	6.1	19	12.8	0	0.0	0	0.0	0	0.0
BREATHITT	1	5.8	1	5.8	1	5.8	1	5.8	1	5.8	1	5.8	0	0.0	0	0.0	0	0.0
KNOTT	2	9.6	2	9.6	5	23.7	2	9.8	2	9.8	5	24.2	0	0.0	0	0.0	0	0.0
LEE	0	0.0	0	0.0	2	22.2	0	0.0	0	0.0	2	22.2	0	0.0	0	0.0	0	0.0
LESLIE	1	6.1	1	6.1	2	12.1	1	6.1	1	6.1	2	12.1	0	0.0	0	0.0	0	0.0
LETCHER	1	3.6	1	3.6	1	3.6	1	3.7	1	3.7	1	3.7	0	0.0	0	0.0	0	0.0
OWSLEY	0	0.0	0	0.0	1	14.7	0	0.0	0	0.0	1	14.9	0	0.0	0	0.0	0	0.0
PERRY	4	9.8	4	9.8	6	14.6	4	10.0	4	10.0	6	14.9	0	0.0	0	0.0	0	0.0
WOLFE	0	0.0	0	0.0	1	9.3	0	0.0	0	0.0	1	9.3	0	0.0	0	0.0	0	0.0
DISTRICT 13	21	6.6	12	3.8	34	10.7	21	6.7	12	3.8	34	10.8	0	0.0	0	0.0	0	0.0
BELL	3	7.4	3	7.4	7	17.2	3	7.5	3	7.5	7	17.3	0	0.0	0	0.0	0	0.0
CLAY	6	20.1	5	16.7	9	29.7	6	20.3	5	16.9	9	30.1	0	0.0	0	0.0	0	0.0
HARLAN	3	7.1	1	2.4	3	7.1	3	7.4	1	2.5	3	7.4	0	0.0	0	0.0	0	0.0
JACKSON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
KNOX	1	2.2	0	0.0	2	4.4	1	2.3	0	0.0	2	4.5	0	0.0	0	0.0	0	0.0
LAUREL	3	3.8	1	1.3	6	7.5	3	3.8	1	1.3	6	7.5	0	0.0	0	0.0	0	0.0
ROCKCASTLE	1	5.0	1	5.0	3	14.7	1	5.0	1	5.0	3	14.7	0	0.0	0	0.0	0	0.0
WHITLEY	4	9.5	1	2.4	4	9.4	4	9.6	1	2.4	4	9.5	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births.
Perinatal Deaths per 1,000 Total Births.
Note: Resident Maternal Deaths - Hardin (1), Hopkins (1), Jefferson (1).

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1998

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	267	4.9	210	3.9	552	10.1	223	4.6	171	3.5	458	9.4	42	8.7	37	7.7	90	18.5
DISTRICT 14	14	5.8	9	3.7	26	10.7	14	5.9	9	3.8	26	10.9	0	0.0	0	0.0	0	0.0
ADAIR	0	0.0	0	0.0	2	8.3	0	0.0	0	0.0	2	8.5	0	0.0	0	0.0	0	0.0
CASEY	2	10.1	2	10.1	2	10.1	2	10.1	2	10.1	2	10.1	0	0.0	0	0.0	0	0.0
CLINTON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CUMBERLAND	1	14.1	1	14.1	1	14.1	1	14.1	1	14.1	1	14.1	0	0.0	0	0.0	0	0.0
GREEN	1	8.0	1	8.0	2	15.9	1	8.2	1	8.2	2	16.3	0	0.0	0	0.0	0	0.0
MCCREARY	1	4.4	0	0.0	0	0.0	1	4.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
PULASKI	4	5.9	1	1.5	8	11.6	4	5.9	1	1.5	8	11.7	0	0.0	0	0.0	0	0.0
RUSSELL	1	5.3	1	5.3	2	10.6	1	5.4	1	5.4	2	10.7	0	0.0	0	0.0	0	0.0
TAYLOR	3	10.9	2	7.2	2	7.2	3	11.3	2	7.5	2	7.5	0	0.0	0	0.0	0	0.0
WAYNE	1	3.8	1	3.8	7	26.2	1	3.9	1	3.9	7	26.4	0	0.0	0	0.0	0	0.0
DISTRICT 15	40	4.4	31	3.4	81	8.8	32	3.9	24	2.9	66	8.0	8	9.6	7	8.4	14	16.6
ANDERSON	1	4.0	1	4.0	2	8.0	1	4.1	1	4.1	2	8.2	0	0.0	0	0.0	0	0.0
BOURBON	0	0.0	0	0.0	2	8.1	0	0.0	0	0.0	1	4.5	0	0.0	0	0.0	1	43.5
BOYLE	1	3.3	0	0.0	5	16.0	1	3.6	0	0.0	4	14.4	0	0.0	0	0.0	1	31.3
CLARK	4	8.7	2	4.3	5	10.8	4	9.1	2	4.6	3	6.8	0	0.0	0	0.0	1	47.6
ESTILL	0	0.0	0	0.0	1	5.2	0	0.0	0	0.0	1	5.2	0	0.0	0	0.0	0	0.0
FAYETTE	12	3.4	10	2.8	25	7.0	7	2.4	6	2.1	18	6.2	5	8.4	4	6.7	7	11.7
FRANKLIN	3	4.8	2	3.2	7	11.2	2	3.6	1	1.8	6	10.6	1	21.7	1	21.7	1	21.7
GARRARD	2	11.8	1	5.9	2	11.8	2	12.3	1	6.2	2	12.3	0	0.0	0	0.0	0	0.0
HARRISON	1	4.0	1	4.0	2	8.0	1	4.1	1	4.1	2	8.3	0	0.0	0	0.0	0	0.0
JESSAMINE	5	9.1	5	9.1	7	12.7	5	9.4	5	9.4	7	13.1	0	0.0	0	0.0	0	0.0
LINCOLN	0	0.0	0	0.0	4	13.2	0	0.0	0	0.0	4	13.6	0	0.0	0	0.0	0	0.0
MADISON	6	6.5	4	4.3	11	11.9	4	4.6	2	2.3	8	9.1	2	54.1	2	54.1	3	78.9
MERCER	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
NICHOLAS	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
POWELL	3	15.1	3	15.1	6	29.7	3	15.1	3	15.1	6	29.7	0	0.0	0	0.0	0	0.0
SCOTT	1	2.2	1	2.2	1	2.2	1	2.3	1	2.3	1	2.3	0	0.0	0	0.0	0	0.0
WOODFORD	1	3.5	1	3.5	1	3.5	1	3.7	1	3.7	1	3.7	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births.

Perinatal Deaths per 1,000 Total Births.

Note: Resident Maternal Deaths - Hardin (1), Hopkins (1), Jefferson (1).