

**Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999**

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	248	4.6	186	3.4	537	9.8	208	4.3	159	3.3	451	9.2	39	7.9	26	5.2	83	16.5
DISTRICT 01	6	2.6	4	1.7	13	5.6	6	2.9	4	1.9	13	6.2	0	0.0	0	0.0	0	0.0
BALLARD	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CALLOWAY	0	0.0	0	0.0	1	2.9	0	0.0	0	0.0	1	3.1	0	0.0	0	0.0	0	0.0
CARLISLE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
FULTON	0	0.0	0	0.0	2	19.6	0	0.0	0	0.0	2	25.3	0	0.0	0	0.0	0	0.0
GRAVES	1	2.1	1	2.1	4	8.3	1	2.2	1	2.2	4	8.8	0	0.0	0	0.0	0	0.0
HICKMAN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MCCRACKEN	4	4.8	2	2.4	4	4.7	4	5.8	2	2.9	4	5.8	0	0.0	0	0.0	0	0.0
MARSHALL	1	3.1	1	3.1	2	6.2	1	3.1	1	3.1	2	6.3	0	0.0	0	0.0	0	0.0
DISTRICT 02	9	2.8	6	1.8	21	6.4	9	3.4	6	2.2	17	6.3	0	0.0	0	0.0	4	8.0
CALDWELL	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CHRISTIAN	4	2.6	3	2.0	15	9.8	4	3.8	3	2.8	11	10.3	0	0.0	0	0.0	4	9.9
CRITTENDEN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HOPKINS	3	5.2	2	3.4	4	6.9	3	5.7	2	3.8	4	7.5	0	0.0	0	0.0	0	0.0
LIVINGSTON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
LYON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MUHLENBERG	1	2.3	0	0.0	0	0.0	1	2.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TODD	1	5.7	1	5.7	2	11.4	1	6.3	1	6.3	2	12.4	0	0.0	0	0.0	0	0.0
TRIGG	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 03	16	5.7	13	4.6	30	10.5	16	6.0	13	4.9	29	10.8	0	0.0	0	0.0	1	7.3
DAVISS	7	5.4	4	3.1	13	9.9	7	5.7	4	3.3	12	9.8	0	0.0	0	0.0	1	13.7
HANCOCK	0	0.0	0	0.0	1	8.9	0	0.0	0	0.0	1	9.1	0	0.0	0	0.0	0	0.0
HENDERSON	4	6.5	4	6.5	6	9.7	4	7.0	4	7.0	6	10.4	0	0.0	0	0.0	0	0.0
MCLEAN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
OHIO	0	0.0	0	0.0	2	6.7	0	0.0	0	0.0	2	6.7	0	0.0	0	0.0	0	0.0
UNION	1	5.2	1	5.2	3	15.4	1	5.6	1	5.6	3	16.8	0	0.0	0	0.0	0	0.0
WEBSTER	4	22.6	4	22.6	5	28.1	4	23.5	4	23.5	5	29.2	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births,
Perinatal Deaths per 1,000 Total Births.

**Rate Undefined - No Births Reported in This Cohort.

Note: Resident Maternal Deaths - Jefferson (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	248	4.6	186	3.4	537	9.8	208	4.3	159	3.3	451	9.2	39	7.9	26	5.2	83	16.5
DISTRICT 04	13	3.9	9	2.7	34	10.1	11	3.5	8	2.6	27	8.7	2	9.1	1	4.5	7	31.0
ALLEN	1	3.8	0	0.0	3	11.2	1	3.8	0	0.0	3	11.3	0	0.0	0	0.0	0	0.0
BARREN	1	2.1	1	2.1	3	6.4	0	0.0	0	0.0	2	4.6	1	37.0	1	37.0	1	37.0
BUTLER	1	6.1	0	0.0	2	12.0	1	6.2	0	0.0	2	12.2	0	0.0	0	0.0	0	0.0
EDMONSON	2	15.0	2	15.0	2	15.0	2	15.0	2	15.0	2	15.0	0	0.0	0	0.0	0	0.0
HART	1	4.4	1	4.4	2	8.8	1	4.6	1	4.6	2	9.1	0	0.0	0	0.0	0	0.0
LOGAN	1	2.9	1	2.9	3	8.5	1	3.1	1	3.1	2	6.3	0	0.0	0	0.0	1	34.5
METCALFE	2	16.0	1	8.0	3	23.6	2	16.0	1	8.0	3	23.6	0	0.0	0	0.0	0	0.0
MONROE	0	0.0	0	0.0	3	20.5	0	0.0	0	0.0	1	7.2	0	0.0	0	0.0	2	285.7
SIMPSON	2	8.1	1	4.0	2	8.0	1	4.7	1	4.7	2	9.3	1	29.4	0	0.0	0	0.0
WARREN	2	1.6	2	1.6	11	8.9	2	1.8	2	1.8	8	7.3	0	0.0	0	0.0	3	25.4
DISTRICT 05	19	5.5	16	4.6	44	12.6	14	4.5	12	3.9	35	11.2	5	16.9	4	13.5	9	29.9
BRECKINRIDGE	2	8.4	1	4.2	7	28.6	1	4.3	0	0.0	6	25.1	1	166.7	1	166.7	1	166.7
GRAYSON	0	0.0	0	0.0	2	6.8	0	0.0	0	0.0	2	6.9	0	0.0	0	0.0	0	0.0
HARDIN	12	8.0	10	6.6	18	11.9	8	6.4	7	5.6	12	9.5	4	19.3	3	14.5	6	28.6
LARUE	1	6.0	1	6.0	6	34.9	1	6.2	1	6.2	5	30.1	0	0.0	0	0.0	1	166.7
MARION	1	3.8	1	3.8	2	7.7	1	4.2	1	4.2	2	8.4	0	0.0	0	0.0	0	0.0
MEADE	2	6.4	2	6.4	3	9.6	2	6.6	2	6.6	3	9.9	0	0.0	0	0.0	0	0.0
NELSON	0	0.0	0	0.0	3	5.3	0	0.0	0	0.0	2	3.8	0	0.0	0	0.0	1	28.6
WASHINGTON	1	7.8	1	7.8	3	23.1	1	8.9	1	8.9	3	26.3	0	0.0	0	0.0	0	0.0
DISTRICT 06	55	4.6	45	3.8	131	10.9	34	3.7	29	3.2	80	8.7	20	8.0	15	6.0	48	19.0
BULLITT	2	2.8	1	1.4	6	8.3	2	2.8	1	1.4	6	8.4	0	0.0	0	0.0	0	0.0
HENRY	2	10.2	2	10.2	3	15.2	2	10.4	2	10.4	3	15.5	0	0.0	0	0.0	0	0.0
JEFFERSON	49	5.0	40	4.1	115	11.7	28	3.9	24	3.4	64	8.9	20	8.2	15	6.2	48	19.4
OLDHAM	1	1.9	1	1.9	4	7.5	1	1.9	1	1.9	4	7.7	0	0.0	0	0.0	0	0.0
SHELBY	1	2.5	1	2.5	3	7.4	1	2.7	1	2.7	3	8.1	0	0.0	0	0.0	0	0.0
SPENCER	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRIMBLE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births,
Perinatal Deaths per 1,000 Total Births.

**Rate Undefined - No Births Reported in This Cohort.

Note: Resident Maternal Deaths - Jefferson (1)

**Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999**

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	248	4.6	186	3.4	537	9.8	208	4.3	159	3.3	451	9.2	39	7.9	26	5.2	83	16.5
DISTRICT 07	28	4.7	20	3.3	39	6.5	26	4.5	19	3.3	37	6.4	2	12.9	1	6.5	2	12.8
BOONE	8	5.9	7	5.2	9	6.6	8	6.1	7	5.3	9	6.9	0	0.0	0	0.0	0	0.0
CAMPBELL	5	3.7	3	2.2	6	4.5	5	3.8	3	2.3	6	4.6	0	0.0	0	0.0	0	0.0
CARROLL	1	7.7	1	7.7	1	7.7	1	7.9	1	7.9	1	7.9	0	0.0	0	0.0	0	0.0
GALLATIN	0	0.0	0	0.0	1	8.6	0	0.0	0	0.0	1	8.8	0	0.0	0	0.0	0	0.0
GRANT	0	0.0	0	0.0	3	7.4	0	0.0	0	0.0	3	7.4	0	0.0	0	0.0	0	0.0
KENTON	12	5.1	8	3.4	17	7.1	10	4.5	7	3.1	15	6.7	2	19.6	1	9.8	2	19.4
OWEN	2	16.9	1	8.5	1	8.5	2	17.1	1	8.5	1	8.5	0	0.0	0	0.0	0	0.0
PENDLETON	0	0.0	0	0.0	1	5.9	0	0.0	0	0.0	1	5.9	0	0.0	0	0.0	0	0.0
DISTRICT 08	2	2.8	1	1.4	4	5.5	2	2.9	1	1.4	4	5.7	0	0.0	0	0.0	0	0.0
BRACKEN	1	9.4	0	0.0	0	0.0	1	9.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
FLEMING	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
LEWIS	0	0.0	0	0.0	2	12.0	0	0.0	0	0.0	2	12.0	0	0.0	0	0.0	0	0.0
MASON	1	4.2	1	4.2	2	8.4	1	4.5	1	4.5	2	9.0	0	0.0	0	0.0	0	0.0
ROBERTSON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 09	4	3.9	2	2.0	11	10.7	4	4.0	2	2.0	11	10.8	0	0.0	0	0.0	0	0.0
BATH	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MENIFEE	0	0.0	0	0.0	1	11.8	0	0.0	0	0.0	1	11.8	0	0.0	0	0.0	0	0.0
MONTGOMERY	3	8.5	2	5.6	5	14.0	3	8.6	2	5.7	5	14.2	0	0.0	0	0.0	0	0.0
MORGAN	1	6.0	0	0.0	2	11.9	1	6.1	0	0.0	2	12.0	0	0.0	0	0.0	0	0.0
ROWAN	0	0.0	0	0.0	3	11.8	0	0.0	0	0.0	3	12.0	0	0.0	0	0.0	0	0.0
DISTRICT 10	9	5.7	4	2.5	17	10.7	8	5.2	4	2.6	17	10.9	1	76.9	0	0.0	0	0.0
BOYD	2	3.7	2	3.7	8	14.7	2	3.8	2	3.8	8	15.2	0	0.0	0	0.0	0	0.0
CARTER	1	2.7	0	0.0	0	0.0	1	2.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
ELLIOTT	1	14.3	0	0.0	2	27.8	1	14.3	0	0.0	2	27.8	0	0.0	0	0.0	0	0.0
GREENUP	5	12.7	2	5.1	4	10.1	4	10.3	2	5.2	4	10.3	1	1000.0	0	0.0	0	0.0
LAWRENCE	0	0.0	0	0.0	3	15.2	0	0.0	0	0.0	3	15.3	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births,
Perinatal Deaths per 1,000 Total Births.

**Rate Undefined - No Births Reported in This Cohort.

Note: Resident Maternal Deaths - Jefferson (1)

**Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999**

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	248	4.6	186	3.4	537	9.8	208	4.3	159	3.3	451	9.2	39	7.9	26	5.2	83	16.5
DISTRICT 11	10	4.9	8	3.9	28	13.5	10	4.9	8	3.9	28	13.5	0	0.0	0	0.0	0	0.0
FLOYD	4	7.4	3	5.5	8	14.6	4	7.4	3	5.6	8	14.7	0	0.0	0	0.0	0	0.0
JOHNSON	0	0.0	0	0.0	1	3.2	0	0.0	0	0.0	1	3.2	0	0.0	0	0.0	0	0.0
MAGOFFIN	3	14.4	3	14.4	5	23.7	3	14.4	3	14.4	5	23.8	0	0.0	0	0.0	0	0.0
MARTIN	1	5.2	1	5.2	6	30.3	1	5.2	1	5.2	6	30.3	0	0.0	0	0.0	0	0.0
PIKE	2	2.5	1	1.2	8	9.9	2	2.5	1	1.3	8	10.0	0	0.0	0	0.0	0	0.0
DISTRICT 12	7	4.7	5	3.3	14	9.3	7	4.7	5	3.4	14	9.3	0	0.0	0	0.0	0	0.0
BREATHITT	1	5.4	0	0.0	3	16.0	1	5.5	0	0.0	3	16.1	0	0.0	0	0.0	0	0.0
KNOTT	0	0.0	0	0.0	1	4.9	0	0.0	0	0.0	1	4.9	0	0.0	0	0.0	0	0.0
LEE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
LESLIE	2	12.3	2	12.3	2	12.3	2	12.3	2	12.3	2	12.3	0	0.0	0	0.0	0	0.0
LETCHER	1	3.2	1	3.2	3	9.5	1	3.2	1	3.2	3	9.5	0	0.0	0	0.0	0	0.0
OWSLEY	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
PERRY	3	7.9	2	5.2	2	5.2	3	8.0	2	5.3	2	5.3	0	0.0	0	0.0	0	0.0
WOLFE	0	0.0	0	0.0	3	27.0	0	0.0	0	0.0	3	27.0	0	0.0	0	0.0	0	0.0
DISTRICT 13	13	4.1	8	2.5	28	8.7	10	3.2	6	1.9	26	8.2	3	83.3	2	55.6	2	55.6
BELL	1	2.8	1	2.8	7	19.2	0	0.0	0	0.0	6	16.8	1	142.9	1	142.9	1	142.9
CLAY	1	3.3	1	3.3	2	6.6	0	0.0	0	0.0	1	3.4	1	166.7	1	166.7	1	166.7
HARLAN	5	11.4	3	6.8	4	9.1	5	11.8	3	7.1	4	9.4	0	0.0	0	0.0	0	0.0
JACKSON	0	0.0	0	0.0	2	10.8	0	0.0	0	0.0	2	10.9	0	0.0	0	0.0	0	0.0
KNOX	3	6.5	3	6.5	5	10.8	3	6.6	3	6.6	5	10.9	0	0.0	0	0.0	0	0.0
LAUREL	2	2.7	0	0.0	7	9.3	2	2.7	0	0.0	7	9.5	0	0.0	0	0.0	0	0.0
ROCKCASTLE	0	0.0	0	0.0	1	5.2	0	0.0	0	0.0	1	5.2	0	0.0	0	0.0	0	0.0
WHITLEY	1	1.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	**	0	0.0	0	0.0

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births,
Perinatal Deaths per 1,000 Total Births.

**Rate Undefined - No Births Reported in This Cohort.

Note: Resident Maternal Deaths - Jefferson (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	248	4.6	186	3.4	537	9.8	208	4.3	159	3.3	451	9.2	39	7.9	26	5.2	83	16.5
DISTRICT 14	13	5.6	10	4.3	28	11.9	13	5.7	10	4.4	28	12.1	0	0.0	0	0.0	0	0.0
ADAIR	7	35.7	6	30.6	9	45.2	7	36.8	6	31.6	9	46.6	0	0.0	0	0.0	0	0.0
CASEY	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINTON	1	7.9	1	7.9	1	7.9	1	7.9	1	7.9	1	7.9	0	0.0	0	0.0	0	0.0
CUMBERLAND	2	28.2	1	14.1	2	27.8	2	29.4	1	14.7	2	29.0	0	0.0	0	0.0	0	0.0
GREEN	0	0.0	0	0.0	1	9.9	0	0.0	0	0.0	1	10.1	0	0.0	0	0.0	0	0.0
MCCREARY	0	0.0	0	0.0	3	13.3	0	0.0	0	0.0	3	13.3	0	0.0	0	0.0	0	0.0
PULASKI	1	1.4	1	1.4	6	8.3	1	1.4	1	1.4	6	8.4	0	0.0	0	0.0	0	0.0
RUSSELL	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TAYLOR	1	3.5	1	3.5	3	10.5	1	3.7	1	3.7	3	11.0	0	0.0	0	0.0	0	0.0
WAYNE	1	4.2	0	0.0	3	12.4	1	4.3	0	0.0	3	12.7	0	0.0	0	0.0	0	0.0
DISTRICT 15	44	4.9	35	3.9	95	10.5	38	4.7	32	4.0	85	10.5	6	7.1	3	3.6	10	11.7
ANDERSON	2	8.0	2	8.0	4	15.9	2	8.1	2	8.1	4	16.1	0	0.0	0	0.0	0	0.0
BOURBON	0	0.0	0	0.0	1	4.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	58.8
BOYLE	1	3.4	1	3.4	3	10.1	0	0.0	0	0.0	1	3.7	1	41.7	1	41.7	2	80.0
CLARK	2	4.6	1	2.3	4	9.2	2	4.9	1	2.5	3	7.3	0	0.0	0	0.0	1	38.5
ESTILL	1	5.0	1	5.0	3	14.8	1	5.0	1	5.0	3	14.8	0	0.0	0	0.0	0	0.0
FAYETTE	19	5.6	17	5.1	43	12.7	16	5.9	15	5.5	37	13.6	3	5.2	2	3.4	6	10.3
FRANKLIN	5	8.2	2	3.3	7	11.3	3	5.6	2	3.7	7	13.0	2	29.9	0	0.0	0	0.0
GARRARD	1	5.6	0	0.0	0	0.0	1	5.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HARRISON	2	8.5	2	8.5	4	16.9	2	8.7	2	8.7	4	17.2	0	0.0	0	0.0	0	0.0
JESSAMINE	2	3.5	2	3.5	3	5.3	2	3.7	2	3.7	3	5.5	0	0.0	0	0.0	0	0.0
LINCOLN	0	0.0	0	0.0	3	9.6	0	0.0	0	0.0	3	9.8	0	0.0	0	0.0	0	0.0
MADISON	5	5.1	4	4.1	11	11.2	5	5.4	4	4.3	11	11.9	0	0.0	0	0.0	0	0.0
MERCER	0	0.0	0	0.0	1	3.7	0	0.0	0	0.0	1	3.9	0	0.0	0	0.0	0	0.0
NICHOLAS	0	0.0	0	0.0	1	9.4	0	0.0	0	0.0	1	9.5	0	0.0	0	0.0	0	0.0
POWELL	2	11.0	1	5.5	1	5.5	2	11.0	1	5.5	1	5.5	0	0.0	0	0.0	0	0.0
SCOTT	2	4.0	2	4.0	4	7.9	2	4.2	2	4.2	4	8.3	0	0.0	0	0.0	0	0.0
WOODFORD	0	0.0	0	0.0	2	7.1	0	0.0	0	0.0	2	7.5	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births,
Perinatal Deaths per 1,000 Total Births.

**Rate Undefined - No Births Reported in This Cohort.

Note: Resident Maternal Deaths - Jefferson (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births,
Perinatal Deaths per 1,000 Total Births.

**Rate Undefined - No Births Reported in This Cohort.

Note: Resident Maternal Deaths - Jefferson (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births,
Perinatal Deaths per 1,000 Total Births.

**Rate Undefined - No Births Reported in This Cohort.

Note: Resident Maternal Deaths - Jefferson (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births,
Perinatal Deaths per 1,000 Total Births.

**Rate Undefined - No Births Reported in This Cohort.

Note: Resident Maternal Deaths - Jefferson (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births,
Perinatal Deaths per 1,000 Total Births.

**Rate Undefined - No Births Reported in This Cohort.

Note: Resident Maternal Deaths - Jefferson (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999

*Crude rate: Neonatal and Under 1 Week per 1,000 Live Births,
Perinatal Deaths per 1,000 Total Births.

**Rate Undefined - No Births Reported in This Cohort.

Note: Resident Maternal Deaths - Jefferson (1)