

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	880	22.2	408	10.3	3,037	76.7	112	2.8	614	30.1	88	4.3	461	24.0	322	8.1
DISTRICT 01	44	23.1	24	12.6	147	77.1	8	4.2	28	28.2	3	3.0	24	26.3	14	7.3
BALLARD	1	11.8	2	23.5	5	58.8	0	0.0	0	0.0	0	0.0	2	47.7	2	23.5
CALLOWAY	12	36.1	1	3.0	15	45.1	4	12.0	6	34.9	0	0.0	3	18.6	1	3.0
CARLISLE	0	0.0	0	0.0	3	55.8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
FULTON	1	13.4	1	13.4	5	67.2	0	0.0	1	24.9	1	24.9	1	29.2	2	26.9
GRAVES	7	19.3	8	22.1	30	82.8	1	2.8	8	42.6	0	0.0	5	28.6	1	2.8
HICKMAN	5	97.3	1	19.5	4	77.8	0	0.0	1	36.9	0	0.0	0	0.0	0	0.0
MCCRACKEN	14	21.7	6	9.3	58	90.0	2	3.1	8	23.5	2	5.9	8	26.4	7	10.9
MARSHALL	4	13.2	5	16.5	27	89.3	1	3.3	4	25.9	0	0.0	5	33.8	1	3.3
DISTRICT 02	44	20.5	13	6.1	153	71.4	2	0.9	34	31.8	4	3.7	20	18.6	14	6.5
CALDWELL	3	22.4	1	7.5	13	97.3	0	0.0	2	28.5	1	14.3	1	15.7	1	7.5
CHRISTIAN	7	9.7	3	4.2	48	66.7	1	1.4	10	29.3	1	2.9	8	21.2	0	0.0
CRITTENDEN	2	21.0	1	10.5	5	52.4	0	0.0	1	20.4	0	0.0	1	21.6	1	10.5
HOPKINS	17	36.8	2	4.3	33	71.5	0	0.0	9	37.6	0	0.0	6	27.0	4	8.7
LIVINGSTON	1	10.6	1	10.6	6	63.3	0	0.0	5	103.9	0	0.0	1	21.4	2	21.1
LYON	2	24.9	1	12.4	7	87.0	0	0.0	1	28.7	0	0.0	0	0.0	3	37.3
MUHLENBERG	5	15.6	0	0.0	24	75.1	0	0.0	2	12.1	2	12.1	3	19.4	2	6.3
TODD	5	44.3	1	8.9	9	79.8	1	8.9	2	34.5	0	0.0	0	0.0	0	0.0
TRIGG	2	15.9	3	23.8	8	63.6	0	0.0	2	31.1	0	0.0	0	0.0	1	7.9
DISTRICT 03	51	24.7	20	9.7	165	79.9	9	4.4	34	31.9	4	3.8	22	22.0	25	12.1
DAVISS	22	24.1	4	4.4	70	76.8	5	5.5	17	35.7	2	4.2	9	20.6	12	13.2
HANCOCK	1	11.2	2	22.4	7	78.2	1	11.2	0	0.0	0	0.0	1	22.2	0	0.0
HENDERSON	14	31.5	6	13.5	37	83.3	2	4.5	9	39.0	2	8.7	5	23.4	7	15.8
MCLEAN	1	10.1	1	10.1	9	91.1	0	0.0	2	40.1	0	0.0	0	0.0	1	10.1
OHIO	5	22.6	3	13.6	15	67.8	1	4.5	3	26.3	0	0.0	3	28.0	4	18.1
UNION	2	12.1	3	18.2	20	121.3	0	0.0	3	37.3	0	0.0	4	47.4	1	6.1
WEBSTER	6	44.6	1	7.4	7	52.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

*Crude Rate for Female Breast and Cervix Uteri per 100,000 Female Population;
for Prostate per 100,000 Male Population; for All Other Sites per 100,000 Total Population.

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	880	22.2	408	10.3	3,037	76.7	112	2.8	614	30.1	88	4.3	461	24.0	322	8.1
DISTRICT 04	59	24.0	30	12.2	175	71.2	9	3.7	35	27.5	1	0.8	26	21.9	23	9.4
ALLEN	7	41.6	6	35.6	18	106.9	0	0.0	2	23.2	0	0.0	3	36.4	3	17.8
BARREN	8	21.4	6	16.1	29	77.6	1	2.7	5	25.5	0	0.0	4	22.5	3	8.0
BUTLER	2	16.7	2	16.7	15	125.2	0	0.0	2	33.1	0	0.0	0	0.0	1	8.3
EDMONSON	2	17.3	0	0.0	15	129.6	1	8.6	3	51.1	0	0.0	0	0.0	1	8.6
HART	8	47.5	4	23.7	9	53.4	1	5.9	2	23.0	0	0.0	1	12.3	0	0.0
LOGAN	2	7.6	1	3.8	26	98.9	1	3.8	2	14.7	1	7.4	7	55.0	1	3.8
METCALFE	1	10.4	0	0.0	6	62.6	0	0.0	1	20.1	0	0.0	1	21.7	1	10.4
MONROE	4	35.9	0	0.0	7	62.8	0	0.0	5	86.3	0	0.0	2	37.4	0	0.0
SIMPSON	3	18.1	2	12.1	5	30.2	0	0.0	7	82.2	0	0.0	3	37.2	3	18.1
WARREN	22	25.1	9	10.3	45	51.3	5	5.7	6	13.1	0	0.0	5	11.9	10	11.4
DISTRICT 05	42	17.5	21	8.7	171	71.1	4	1.7	27	22.6	6	5.0	19	15.7	11	4.6
BRECKINRIDGE	3	16.9	4	22.6	18	101.6	0	0.0	4	44.9	0	0.0	4	45.4	0	0.0
GRAYSON	2	8.4	5	21.0	19	79.7	1	4.2	3	24.6	2	16.4	0	0.0	1	4.2
HARDIN	14	15.3	5	5.5	57	62.2	2	2.2	8	18.1	0	0.0	10	21.1	6	6.6
LARUE	6	45.7	0	0.0	6	45.7	0	0.0	2	29.8	0	0.0	0	0.0	1	7.6
MARION	3	17.5	1	5.8	15	87.7	0	0.0	1	11.6	0	0.0	0	0.0	1	5.8
MEADE	4	13.7	3	10.3	16	54.8	1	3.4	4	27.3	0	0.0	1	6.9	1	3.4
NELSON	8	21.6	3	8.1	34	92.0	0	0.0	1	5.3	3	15.9	3	16.5	1	2.7
WASHINGTON	2	18.1	0	0.0	6	54.3	0	0.0	4	69.7	1	17.4	1	18.8	0	0.0
DISTRICT 06	169	20.0	94	11.1	678	80.4	21	2.5	138	31.3	20	4.5	103	25.5	71	8.4
BULLITT	4	6.6	3	4.9	27	44.3	1	1.6	8	26.3	2	6.6	3	9.8	4	6.6
HENRY	3	20.0	4	26.7	10	66.6	0	0.0	2	26.3	2	26.3	4	54.0	0	0.0
JEFFERSON	150	22.3	81	12.0	597	88.7	20	3.0	114	32.1	15	4.2	84	26.4	62	9.2
OLDHAM	5	10.9	3	6.5	11	24.0	0	0.0	5	22.6	0	0.0	9	38.0	2	4.4
SHELBY	2	6.5	1	3.3	19	62.2	0	0.0	4	25.2	0	0.0	0	0.0	2	6.5
SPENCER	3	28.7	0	0.0	6	57.4	0	0.0	4	77.2	1	19.3	2	37.9	0	0.0
TRIMBLE	2	25.2	2	25.2	8	101.0	0	0.0	1	24.9	0	0.0	1	25.6	1	12.6

*Crude Rate for Female Breast and Cervix Uteri per 100,000 Female Population;
for Prostate per 100,000 Male Population; for All Other Sites per 100,000 Total Population.

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	880	22.2	408	10.3	3,037	76.7	112	2.8	614	30.1	88	4.3	461	24.0	322	8.1
DISTRICT 07	83	21.8	34	8.9	245	64.4	11	2.9	64	32.7	11	5.6	37	20.1	38	10.0
BOONE	18	21.6	3	3.6	39	46.8	0	0.0	9	21.1	2	4.7	6	14.7	7	8.4
CAMPBELL	24	27.5	10	11.5	60	68.8	7	8.0	17	37.5	4	8.8	11	26.3	14	16.1
CARROLL	2	20.5	1	10.2	7	71.7	0	0.0	1	19.9	0	0.0	1	21.1	0	0.0
GALLATIN	1	13.4	2	26.9	10	134.5	0	0.0	0	0.0	0	0.0	2	53.8	0	0.0
GRANT	3	14.4	3	14.4	17	81.8	0	0.0	7	66.8	0	0.0	2	19.4	0	0.0
KENTON	28	19.0	14	9.5	96	65.2	3	2.0	24	31.5	4	5.2	14	19.7	14	9.5
OWEN	2	19.2	1	9.6	8	76.8	0	0.0	2	38.4	1	19.2	1	19.2	2	19.2
PENDLETON	5	35.8	0	0.0	8	57.3	1	7.2	4	56.2	0	0.0	0	0.0	1	7.2
DISTRICT 08	14	25.6	5	9.2	45	82.4	1	1.8	10	35.9	2	7.2	8	29.9	5	9.2
BRACKEN	1	11.8	2	23.6	7	82.7	0	0.0	1	23.0	0	0.0	1	24.3	0	0.0
FLEMING	4	29.4	0	0.0	11	80.9	1	7.4	1	14.5	0	0.0	0	0.0	0	0.0
LEWIS	6	44.6	1	7.4	10	74.3	0	0.0	3	44.5	0	0.0	1	14.9	0	0.0
MASON	3	17.9	2	11.9	15	89.3	0	0.0	5	57.5	2	23.0	5	61.7	5	29.8
ROBERTSON	0	0.0	0	0.0	2	88.3	0	0.0	0	0.0	0	0.0	1	89.2	0	0.0
DISTRICT 09	12	16.2	4	5.4	59	79.7	3	4.1	10	26.8	0	0.0	5	13.6	4	5.4
BATH	4	37.2	3	27.9	8	74.5	1	9.3	1	18.2	0	0.0	0	0.0	1	9.3
MENIFEE	0	0.0	0	0.0	1	17.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MONTGOMERY	2	9.2	0	0.0	27	124.8	1	4.6	7	62.7	0	0.0	2	19.1	2	9.2
MORGAN	3	22.0	0	0.0	6	44.0	1	7.3	1	16.1	0	0.0	1	13.5	0	0.0
ROWAN	3	13.5	1	4.5	17	76.8	0	0.0	1	8.7	0	0.0	2	18.7	1	4.5

*Crude Rate for Female Breast and Cervix Uteri per 100,000 Female Population;
for Prostate per 100,000 Male Population; for All Other Sites per 100,000 Total Population.

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	880	22.2	408	10.3	3,037	76.7	112	2.8	614	30.1	88	4.3	461	24.0	322	8.1
DISTRICT 10	35	25.9	22	16.3	135	100.0	6	4.4	24	34.8	3	4.3	14	21.2	12	8.9
BOYD	21	43.0	8	16.4	52	106.5	3	6.1	8	32.0	1	4.0	7	29.4	3	6.1
CARTER	4	14.8	5	18.5	27	99.7	1	3.7	2	14.5	0	0.0	3	22.5	2	7.4
ELLIOTT	0	0.0	0	0.0	3	45.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
GREENUP	8	21.8	7	19.1	35	95.3	2	5.4	9	47.5	1	5.3	3	16.9	5	13.6
LAWRENCE	2	12.7	2	12.7	18	114.0	0	0.0	5	62.6	1	12.5	1	12.8	2	12.7
DISTRICT 11	38	23.1	12	7.3	152	92.3	5	3.0	25	29.8	7	8.3	18	22.3	15	9.1
FLOYD	8	18.5	2	4.6	52	120.2	1	2.3	8	36.3	1	4.5	7	33.0	4	9.2
JOHNSON	3	12.5	3	12.5	25	104.2	2	8.3	1	8.2	3	24.5	1	8.5	2	8.3
MAGOFFIN	4	28.5	1	7.1	9	64.1	1	7.1	1	14.2	0	0.0	2	28.7	0	0.0
MARTIN	1	8.4	2	16.8	8	67.2	0	0.0	1	16.5	0	0.0	1	17.1	0	0.0
PIKE	22	30.8	4	5.6	58	81.1	1	1.4	14	38.4	3	8.2	7	20.0	9	12.6
DISTRICT 12	25	20.0	3	2.4	117	93.6	2	1.6	26	41.1	4	6.3	13	21.1	4	3.2
BREATHITT	2	12.7	2	12.7	16	101.6	0	0.0	4	50.4	1	12.6	1	12.8	1	6.3
KNOTT	2	11.2	0	0.0	20	111.6	0	0.0	5	55.1	1	11.0	0	0.0	2	11.2
LEE	1	12.5	0	0.0	5	62.6	0	0.0	2	49.9	0	0.0	3	75.5	0	0.0
LESLIE	0	0.0	0	0.0	8	59.1	1	7.4	2	29.2	1	14.6	1	14.9	0	0.0
LETCHER	9	34.5	0	0.0	16	61.4	1	3.8	3	22.5	0	0.0	4	31.5	1	3.8
OWSLEY	0	0.0	0	0.0	6	111.6	0	0.0	3	113.3	0	0.0	0	0.0	0	0.0
PERRY	10	32.5	1	3.2	36	116.9	0	0.0	3	19.1	1	6.4	3	19.8	0	0.0
WOLFE	1	13.3	0	0.0	10	133.2	0	0.0	4	106.3	0	0.0	1	26.7	0	0.0
DISTRICT 13	50	21.3	29	12.3	206	87.6	7	3.0	35	29.0	5	4.1	42	36.6	17	7.2
BELL	6	20.7	4	13.8	36	124.1	2	6.9	6	39.9	1	6.7	8	57.2	2	6.9
CLAY	3	13.2	3	13.2	14	61.5	1	4.4	0	0.0	0	0.0	4	35.6	0	0.0
HARLAN	9	26.3	5	14.6	26	75.8	0	0.0	1	5.7	0	0.0	6	36.2	3	8.8
JACKSON	3	23.0	1	7.7	17	130.4	0	0.0	3	45.6	0	0.0	2	31.0	1	7.7
KNOX	9	28.1	3	9.4	28	87.6	1	3.1	6	36.4	1	6.1	4	25.8	0	0.0
LAUREL	7	13.5	7	13.5	31	59.6	2	3.8	10	37.8	0	0.0	9	35.2	4	7.7
ROCKCASTLE	5	31.3	2	12.5	17	106.5	0	0.0	2	24.9	2	24.9	5	63.1	3	18.8
WHITLEY	8	22.1	4	11.1	37	102.4	1	2.8	7	37.3	1	5.3	4	23.1	4	11.1

*Crude Rate for Female Breast and Cervix Uteri per 100,000 Female Population;
for Prostate per 100,000 Male Population; for All Other Sites per 100,000 Total Population.

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts, and Counties, 1999

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	880	22.2	408	10.3	3,037	76.7	112	2.8	614	30.1	88	4.3	461	24.0	322	8.1
DISTRICT 14	63	33.1	25	13.1	152	79.8	6	3.2	28	28.7	6	6.1	36	38.9	22	11.6
ADAIR	2	12.2	1	6.1	16	97.2	0	0.0	3	35.8	0	0.0	4	49.5	1	6.1
CASEY	4	26.9	0	0.0	13	87.3	1	6.7	2	26.3	0	0.0	3	41.1	1	6.7
CLINTON	6	63.4	0	0.0	6	63.4	1	10.6	2	40.7	1	20.4	1	22.0	1	10.6
CUMBERLAND	3	43.7	1	14.6	5	72.8	0	0.0	0	0.0	0	0.0	2	61.3	0	0.0
GREEN	4	37.8	0	0.0	5	47.2	0	0.0	2	36.9	0	0.0	2	38.7	2	18.9
MCCREARY	8	47.8	3	17.9	13	77.7	1	6.0	2	23.5	0	0.0	2	24.3	3	17.9
PULASKI	16	28.0	8	14.0	45	78.8	2	3.5	10	34.1	2	6.8	10	36.0	7	12.3
RUSSELL	4	24.8	3	18.6	13	80.4	0	0.0	5	59.9	1	12.0	2	25.6	2	12.4
TAYLOR	11	48.0	5	21.8	19	82.9	0	0.0	0	0.0	2	16.9	2	18.1	3	13.1
WAYNE	5	26.1	4	20.9	17	88.7	1	5.2	2	20.5	0	0.0	8	84.8	2	10.4
DISTRICT 15	151	22.9	72	10.9	437	66.3	18	2.7	96	28.1	12	3.5	74	23.2	47	7.1
ANDERSON	6	31.9	2	10.6	13	69.2	1	5.3	1	10.4	0	0.0	1	10.9	0	0.0
BOURBON	5	25.8	2	10.3	21	108.5	0	0.0	1	10.0	0	0.0	4	42.6	2	10.3
BOYLE	6	21.9	5	18.3	28	102.4	0	0.0	2	14.3	0	0.0	1	7.5	2	7.3
CLARK	7	21.6	4	12.3	16	49.3	2	6.2	3	17.9	0	0.0	3	19.2	1	3.1
ESTILL	4	25.8	5	32.2	15	96.7	0	0.0	3	37.3	0	0.0	0	0.0	3	19.3
FAYETTE	53	21.7	15	6.2	123	50.5	6	2.5	43	33.8	5	3.9	29	24.9	16	6.6
FRANKLIN	13	27.9	6	12.9	41	88.0	0	0.0	6	25.0	1	4.2	3	13.3	4	8.6
GARRARD	5	34.9	1	7.0	9	62.8	1	7.0	2	27.2	0	0.0	4	57.3	1	7.0
HARRISON	6	34.0	3	17.0	8	45.3	0	0.0	3	33.0	2	22.0	2	23.3	0	0.0
JESSAMINE	8	21.4	3	8.0	24	64.3	0	0.0	3	15.8	1	5.3	5	27.3	1	2.7
LINCOLN	5	22.2	5	22.2	22	97.7	0	0.0	1	8.8	0	0.0	3	26.9	5	22.2
MADISON	15	22.2	8	11.8	46	68.0	4	5.9	7	19.8	0	0.0	6	18.5	5	7.4
MERCER	8	38.4	2	9.6	21	100.9	1	4.8	7	64.6	0	0.0	5	50.1	4	19.2
NICHOLAS	2	28.1	1	14.0	7	98.3	1	14.0	1	27.5	0	0.0	1	28.7	1	14.0
POWELL	2	15.1	2	15.1	17	128.4	0	0.0	2	29.9	1	14.9	3	45.8	1	7.6
SCOTT	3	9.3	4	12.4	15	46.5	1	3.1	8	48.5	0	0.0	4	25.4	1	3.1
WOODFORD	3	13.2	4	17.6	11	48.3	1	4.4	3	25.3	2	16.9	0	0.0	0	0.0

*Crude Rate for Female Breast and Cervix Uteri per 100,000 Female Population;
for Prostate per 100,000 Male Population; for All Other Sites per 100,000 Total Population.