

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2001

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	192	3.6	153	2.8	529	9.7	161	374.2	127	2.6	440	9.0	28	5.7	23	4.7	85	17.2
DISTRICT 01	8	3.5	5	2.2	13	5.7	7	12.5	4	2.0	12	5.9	1	4.9	1	4.9	1	4.9
BALLARD	0	0.0	0	0.0	3	32.3	0	0.0	0	0.0	3	33.0	0	0.0	0	0.0	0	0.0
CALLOWAY	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CARLISLE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
FULTON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
GRAVES	3	6.3	3	6.3	3	6.3	3	6.8	3	6.8	3	6.8	0	0.0	0	0.0	0	0.0
HICKMAN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MCCRACKEN	5	6.0	2	2.4	5	6.0	4	5.7	1	1.4	4	5.7	1	8.0	1	8.0	1	8.0
MARSHALL	0	0.0	0	0.0	2	6.4	0	0.0	0	0.0	2	6.4	0	0.0	0	0.0	0	0.0
DISTRICT 02	4	1.2	2	0.6	23	7.1	4	13.6	2	0.8	15	5.6	0	0.0	0	0.0	8	15.6
CALDWELL	0	0.0	0	0.0	1	8.0	0	0.0	0	0.0	1	8.4	0	0.0	0	0.0	0	0.0
CHRISTIAN	0	0.0	0	0.0	11	7.0	0	0.0	0	0.0	3	2.7	0	0.0	0	0.0	8	19.0
CRITTENDEN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HOPKINS	0	0.0	0	0.0	3	5.0	0	0.0	0	0.0	3	5.4	0	0.0	0	0.0	0	0.0
LIVINGSTON	0	0.0	0	0.0	2	22.2	0	0.0	0	0.0	2	22.2	0	0.0	0	0.0	0	0.0
LYON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MUHLENBERG	3	7.8	2	5.2	5	12.8	3	8.0	2	5.3	5	13.2	0	0.0	0	0.0	0	0.0
TODD	1	5.2	0	0.0	0	0.0	1	5.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRIGG	0	0.0	0	0.0	1	8.0	0	0.0	0	0.0	1	9.1	0	0.0	0	0.0	0	0.0
DISTRICT 03	9	3.2	8	2.8	21	7.4	8	21.8	8	3.0	21	7.7	1	8.0	0	0.0	0	0.0
DAVIESS	4	2.9	3	2.2	5	3.6	3	2.3	3	2.3	5	3.8	1	14.7	0	0.0	0	0.0
HANCOCK	0	0.0	0	0.0	1	9.9	0	0.0	0	0.0	1	9.9	0	0.0	0	0.0	0	0.0
HENDERSON	2	3.6	2	3.6	7	12.5	2	3.8	2	3.8	7	13.3	0	0.0	0	0.0	0	0.0
MCLEAN	0	0.0	0	0.0	1	7.9	0	0.0	0	0.0	1	7.9	0	0.0	0	0.0	0	0.0
OHIO	0	0.0	0	0.0	1	3.6	0	0.0	0	0.0	1	3.7	0	0.0	0	0.0	0	0.0
UNION	3	14.2	3	14.2	3	14.2	3	15.7	3	15.7	3	15.7	0	0.0	0	0.0	0	0.0
WEBSTER	0	0.0	0	0.0	3	16.3	0	0.0	0	0.0	3	16.8	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births.

Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Laurel (2)

**Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2001**

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	192	3.6	153	2.8	529	9.7	161	374.2	127	2.6	440	9.0	28	5.7	23	4.7	85	17.2
DISTRICT 04	20	6.1	18	5.5	44	13.4	18	39.6	16	5.3	39	12.8	1	4.7	1	4.7	4	18.5
ALLEN	1	4.5	1	4.5	2	8.9	1	4.5	1	4.5	2	8.9	0	0.0	0	0.0	0	0.0
BARREN	3	6.0	3	6.0	5	9.9	3	6.4	3	6.4	5	10.5	0	0.0	0	0.0	0	0.0
BUTLER	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
EDMONSON	0	0.0	0	0.0	1	7.2	0	0.0	0	0.0	1	7.2	0	0.0	0	0.0	0	0.0
HART	0	0.0	0	0.0	2	9.2	0	0.0	0	0.0	1	4.8	0	0.0	0	0.0	1	142.9
LOGAN	0	0.0	0	0.0	1	2.8	0	0.0	0	0.0	1	3.1	0	0.0	0	0.0	0	0.0
METCALFE	0	0.0	0	0.0	1	8.0	0	0.0	0	0.0	1	8.1	0	0.0	0	0.0	0	0.0
MONROE	1	7.2	1	7.2	1	7.2	1	7.4	1	7.4	1	7.4	0	0.0	0	0.0	0	0.0
SIMPSON	2	9.6	2	9.6	6	28.2	2	10.9	2	10.9	6	32.1	0	0.0	0	0.0	0	0.0
WARREN	13	10.8	11	9.2	25	20.6	11	10.4	9	8.5	21	19.7	1	8.8	1	8.8	3	26.1
DISTRICT 05	15	4.6	13	4.0	36	11.0	11	18.6	9	3.1	29	9.8	4	16.1	4	16.1	7	27.8
BRECKINRIDGE	0	0.0	0	0.0	1	4.9	0	0.0	0	0.0	1	5.0	0	0.0	0	0.0	0	0.0
GRAYSON	0	0.0	0	0.0	1	3.3	0	0.0	0	0.0	1	3.3	0	0.0	0	0.0	0	0.0
HARDIN	11	7.9	9	6.5	19	13.6	9	7.8	7	6.1	14	12.1	2	10.5	2	10.5	5	25.9
LARUE	1	6.1	1	6.1	1	6.1	1	6.4	1	6.4	1	6.4	0	0.0	0	0.0	0	0.0
MARION	1	4.1	1	4.1	4	16.3	1	4.4	1	4.4	4	17.3	0	0.0	0	0.0	0	0.0
MEADE	1	3.2	1	3.2	3	9.5	0	0.0	0	0.0	2	6.5	1	250.0	1	250.0	1	250.0
NELSON	1	2.0	1	2.0	7	14.1	0	0.0	0	0.0	6	12.7	1	52.6	1	52.6	1	52.6
WASHINGTON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 06	44	3.7	32	2.7	126	10.4	30	11.2	21	2.3	81	8.6	14	5.8	11	4.6	45	18.4
BULLITT	5	6.8	3	4.1	4	5.5	4	5.5	2	2.8	3	4.1	1	1000.0	1	1000.0	1	1000.0
HENRY	0	0.0	0	0.0	1	4.6	0	0.0	0	0.0	1	5.0	0	0.0	0	0.0	0	0.0
JEFFERSON	38	3.9	28	2.9	111	11.3	25	3.5	18	2.5	69	9.6	13	5.5	10	4.3	42	17.6
OLDHAM	0	0.0	0	0.0	4	7.4	0	0.0	0	0.0	3	5.7	0	0.0	0	0.0	1	100.0
SHELBY	1	1.9	1	1.9	5	9.6	1	2.1	1	2.1	4	8.5	0	0.0	0	0.0	1	25.0
SPENCER	0	0.0	0	0.0	1	5.7	0	0.0	0	0.0	1	5.7	0	0.0	0	0.0	0	0.0
TRIMBLE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births.

Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Laurel (2)

**Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2001**

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	192	3.6	153	2.8	529	9.7	161	374.2	127	2.6	440	9.0	28	5.7	23	4.7	85	17.2
DISTRICT 07	21	3.8	19	3.4	46	8.3	20	44.0	18	3.4	44	8.3	1	5.1	1	5.1	2	10.2
BOONE	2	1.5	2	1.5	10	7.3	2	1.5	2	1.5	10	7.6	0	0.0	0	0.0	0	0.0
CAMPBELL	4	3.6	2	1.8	5	4.5	4	3.8	2	1.9	5	4.7	0	0.0	0	0.0	0	0.0
CARROLL	1	7.0	1	7.0	2	14.0	1	7.2	1	7.2	2	14.4	0	0.0	0	0.0	0	0.0
GALLATIN	0	0.0	0	0.0	3	30.6	0	0.0	0	0.0	3	31.6	0	0.0	0	0.0	0	0.0
GRANT	3	8.2	3	8.2	3	8.2	3	8.3	3	8.3	3	8.3	0	0.0	0	0.0	0	0.0
KENTON	8	3.8	8	3.8	19	9.1	7	3.6	7	3.6	17	8.7	1	8.1	1	8.1	2	16.1
OWEN	2	15.0	2	15.0	3	22.4	2	15.0	2	15.0	3	22.4	0	0.0	0	0.0	0	0.0
PENDLETON	1	4.5	1	4.5	1	4.5	1	4.6	1	4.6	1	4.6	0	0.0	0	0.0	0	0.0
DISTRICT 08	2	3.1	2	3.1	9	13.8	2	13.6	2	3.2	9	14.2	0	0.0	0	0.0	0	0.0
BRACKEN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
FLEMING	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
LEWIS	1	8.1	1	8.1	6	46.9	1	8.2	1	8.2	6	47.2	0	0.0	0	0.0	0	0.0
MASON	1	5.0	1	5.0	3	14.9	1	5.4	1	5.4	3	16.0	0	0.0	0	0.0	0	0.0
ROBERTSON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 09	5	5.3	4	4.2	16	16.7	5	38.1	4	4.3	16	17.1	0	0.0	0	0.0	0	0.0
BATH	2	13.0	2	13.0	5	31.8	2	13.0	2	13.0	5	31.8	0	0.0	0	0.0	0	0.0
MENIFEE	1	15.6	0	0.0	1	15.4	1	15.6	0	0.0	1	15.4	0	0.0	0	0.0	0	0.0
MONTGOMERY	1	3.1	1	3.1	5	15.4	1	3.2	1	3.2	5	16.0	0	0.0	0	0.0	0	0.0
MORGAN	1	6.3	1	6.3	2	12.5	1	6.3	1	6.3	2	12.5	0	0.0	0	0.0	0	0.0
ROWAN	0	0.0	0	0.0	3	12.0	0	0.0	0	0.0	3	12.3	0	0.0	0	0.0	0	0.0
DISTRICT 10	5	3.2	3	1.9	10	6.4	5	15.3	3	2.0	10	6.5	0	0.0	0	0.0	0	0.0
BOYD	1	1.8	1	1.8	3	5.5	1	1.9	1	1.9	3	5.6	0	0.0	0	0.0	0	0.0
CARTER	1	2.9	1	2.9	2	5.7	1	2.9	1	2.9	2	5.8	0	0.0	0	0.0	0	0.0
ELLIOTT	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
GREENUP	2	5.5	1	2.7	4	10.8	2	5.6	1	2.8	4	11.0	0	0.0	0	0.0	0	0.0
LAWRENCE	1	5.0	0	0.0	1	4.9	1	5.0	0	0.0	1	5.0	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births.

Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Laurel (2)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2001

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	192	3.6	153	2.8	529	9.7	161	374.2	127	2.6	440	9.0	28	5.7	23	4.7	85	17.2
DISTRICT 11	6	3.1	4	2.0	16	8.1	6	16.0	4	2.0	16	8.1	0	0.0	0	0.0	0	0.0
FLOYD	0	0.0	0	0.0	2	3.8	0	0.0	0	0.0	2	3.8	0	0.0	0	0.0	0	0.0
JOHNSON	2	6.5	1	3.3	2	6.5	2	6.6	1	3.3	2	6.5	0	0.0	0	0.0	0	0.0
MAGOFFIN	0	0.0	0	0.0	1	5.3	0	0.0	0	0.0	1	5.4	0	0.0	0	0.0	0	0.0
MARTIN	1	5.5	1	5.5	2	10.9	1	5.5	1	5.5	2	10.9	0	0.0	0	0.0	0	0.0
PIKE	3	3.9	2	2.6	9	11.6	3	3.9	2	2.6	9	11.7	0	0.0	0	0.0	0	0.0
DISTRICT 12	4	2.8	4	2.8	21	14.7	4	24.9	4	2.9	21	14.8	0	0.0	0	0.0	0	0.0
BREATHITT	1	5.9	1	5.9	4	23.3	1	6.0	1	6.0	4	23.7	0	0.0	0	0.0	0	0.0
KNOTT	0	0.0	0	0.0	1	6.3	0	0.0	0	0.0	1	6.3	0	0.0	0	0.0	0	0.0
LEE	0	0.0	0	0.0	2	25.6	0	0.0	0	0.0	2	26.0	0	0.0	0	0.0	0	0.0
LESLIE	1	6.5	1	6.5	4	25.5	1	6.5	1	6.5	4	25.5	0	0.0	0	0.0	0	0.0
LETCHER	1	3.6	1	3.6	7	24.4	1	3.6	1	3.6	7	24.5	0	0.0	0	0.0	0	0.0
OWSLEY	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
PERRY	0	0.0	0	0.0	1	2.5	0	0.0	0	0.0	1	2.5	0	0.0	0	0.0	0	0.0
WOLFE	1	8.8	1	8.8	2	17.5	1	8.8	1	8.8	2	17.5	0	0.0	0	0.0	0	0.0
DISTRICT 13	10	3.1	8	2.5	35	10.7	10	28.6	8	2.5	35	10.8	0	0.0	0	0.0	0	0.0
BELL	1	2.7	0	0.0	2	5.3	1	2.7	0	0.0	2	5.4	0	0.0	0	0.0	0	0.0
CLAY	3	9.0	3	9.0	4	12.0	3	9.2	3	9.2	4	12.2	0	0.0	0	0.0	0	0.0
HARLAN	2	5.3	2	5.3	4	10.6	2	5.5	2	5.5	4	11.0	0	0.0	0	0.0	0	0.0
JACKSON	1	5.7	1	5.7	3	16.9	1	5.7	1	5.7	3	16.9	0	0.0	0	0.0	0	0.0
KNOX	1	2.3	0	0.0	8	17.9	1	2.3	0	0.0	8	18.1	0	0.0	0	0.0	0	0.0
LAUREL	1	1.2	1	1.2	8	9.4	1	1.2	1	1.2	8	9.6	0	0.0	0	0.0	0	0.0
ROCKCASTLE	0	0.0	0	0.0	2	9.8	0	0.0	0	0.0	2	9.9	0	0.0	0	0.0	0	0.0
WHITLEY	1	1.9	1	1.9	4	7.7	1	2.0	1	2.0	4	7.8	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births.

Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Laurel (2)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2001

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	192	3.6	153	2.8	529	9.7	161	374.2	127	2.6	440	9.0	28	5.7	23	4.7	85	17.2
DISTRICT 14	8	3.2	4	1.6	21	8.4	8	25.4	4	1.6	21	8.5	0	0.0	0	0.0	0	0.0
ADAIR	0	0.0	0	0.0	2	9.1	0	0.0	0	0.0	2	9.5	0	0.0	0	0.0	0	0.0
CASEY	0	0.0	0	0.0	2	10.5	0	0.0	0	0.0	2	10.6	0	0.0	0	0.0	0	0.0
CLINTON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CUMBERLAND	0	0.0	0	0.0	1	12.2	0	0.0	0	0.0	1	12.7	0	0.0	0	0.0	0	0.0
GREEN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MCCREARY	2	8.4	1	4.2	3	12.5	2	8.4	1	4.2	3	12.5	0	0.0	0	0.0	0	0.0
PULASKI	3	3.8	1	1.3	4	5.1	3	3.9	1	1.3	4	5.1	0	0.0	0	0.0	0	0.0
RUSSELL	1	5.2	1	5.2	3	15.3	1	5.2	1	5.2	3	15.5	0	0.0	0	0.0	0	0.0
TAYLOR	1	3.6	1	3.6	2	7.1	1	3.8	1	3.8	2	7.6	0	0.0	0	0.0	0	0.0
WAYNE	1	4.1	0	0.0	4	16.3	1	4.1	0	0.0	4	16.3	0	0.0	0	0.0	0	0.0
DISTRICT 15	31	3.3	27	2.9	92	9.7	23	50.8	20	2.4	71	8.4	6	7.0	5	5.8	18	20.6
ANDERSON	0	0.0	0	0.0	1	4.1	0	0.0	0	0.0	1	4.3	0	0.0	0	0.0	0	0.0
BOURBON	0	0.0	0	0.0	2	7.8	0	0.0	0	0.0	2	8.3	0	0.0	0	0.0	0	0.0
BOYLE	2	6.6	2	6.6	3	9.9	2	7.0	2	7.0	3	10.5	0	0.0	0	0.0	0	0.0
CLARK	1	2.4	1	2.4	6	14.0	1	2.5	1	2.5	6	14.9	0	0.0	0	0.0	0	0.0
ESTILL	2	10.2	2	10.2	3	15.2	2	10.3	2	10.3	3	15.3	0	0.0	0	0.0	0	0.0
FAYETTE	13	3.5	9	2.4	32	8.6	7	2.4	4	1.3	17	5.7	5	8.1	4	6.4	13	20.6
FRANKLIN	4	6.5	4	6.5	11	17.7	4	7.3	4	7.3	9	16.3	0	0.0	0	0.0	2	33.9
GARRARD	0	0.0	0	0.0	1	6.3	0	0.0	0	0.0	1	6.5	0	0.0	0	0.0	0	0.0
HARRISON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
JESSAMINE	1	1.9	1	1.9	5	9.4	1	2.0	1	2.0	5	9.7	0	0.0	0	0.0	0	0.0
LINCOLN	2	5.6	2	5.6	4	11.1	1	2.8	1	2.8	3	8.5	1	142.9	1	142.9	1	142.9
MADISON	3	3.0	3	3.0	11	10.9	3	3.2	3	3.2	9	9.5	0	0.0	0	0.0	2	47.6
MERCER	0	0.0	0	0.0	1	3.6	0	0.0	0	0.0	1	3.9	0	0.0	0	0.0	0	0.0
NICHOLAS	1	11.4	1	11.4	1	11.4	1	11.4	1	11.4	1	11.4	0	0.0	0	0.0	0	0.0
POWELL	0	0.0	0	0.0	2	10.5	0	0.0	0	0.0	2	10.5	0	0.0	0	0.0	0	0.0
SCOTT	1	1.9	1	1.9	4	7.5	1	2.0	1	2.0	4	7.9	0	0.0	0	0.0	0	0.0
WOODFORD	1	3.1	1	3.1	5	15.4	0	0.0	0	0.0	4	12.7	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births.

Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Laurel (2)