

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | All Causes | | | Diseases of Heart | | | Malignant Neoplasms | | | Cerebrovascular Diseases | | |
|------------------------------|---------------|---------------|---------------|-------------------|--------------|--------------|---------------------|--------------|--------------|--------------------------|-------------|--------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | AgeAdj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 39,371 | 968.4 | 980.5 | 11,756 | 289.2 | 294.2 | 9,327 | 229.4 | 228.2 | 2,512 | 61.8 | 63.6 |
| DISTRICT 01 | 2,300 | 1193.8 | 947.4 | 783 | 406.4 | 314.5 | 480 | 249.1 | 200.4 | 159 | 82.5 | 62.2 |
| BALLARD | 101 | 1238.0 | 986.1 | 45 | 551.6 | 432.0 | 22 | 269.7 | 215.2 | 4 | 49.0 | 38.1 |
| CALLOWAY | 362 | 1058.3 | 897.3 | 122 | 356.7 | 298.7 | 74 | 216.3 | 191.3 | 22 | 64.3 | 51.4 |
| CARLISLE | 75 | 1403.2 | 985.6 | 29 | 542.6 | 371.2 | 11 | 205.8 | 158.8 | 11 | 205.8 | 136.1 |
| FULTON | 107 | 1374.6 | 1049.9 | 38 | 488.2 | 352.2 | 21 | 269.8 | 219.4 | 8 | 102.8 | 70.1 |
| GRAVES | 471 | 1276.4 | 1017.9 | 133 | 360.4 | 281.9 | 105 | 284.6 | 227.7 | 24 | 65.0 | 48.6 |
| HICKMAN | 71 | 1373.3 | 952.0 | 23 | 444.9 | 307.8 | 9 | 174.1 | 133.5 | 5 | 96.7 | 68.7 |
| MCCRACKEN | 756 | 1166.8 | 937.8 | 275 | 424.4 | 331.6 | 157 | 242.3 | 198.1 | 57 | 88.0 | 67.5 |
| MARSHALL | 357 | 1177.9 | 893.5 | 118 | 389.3 | 292.9 | 81 | 267.3 | 197.0 | 28 | 92.4 | 67.9 |
| DISTRICT 02 | 2,314 | 1077.1 | 1012.1 | 736 | 342.6 | 320.0 | 515 | 239.7 | 225.3 | 168 | 78.2 | 73.0 |
| CALDWELL | 191 | 1480.8 | 1102.6 | 51 | 395.4 | 290.8 | 47 | 364.4 | 259.3 | 11 | 85.3 | 59.8 |
| CHRISTIAN | 565 | 788.6 | 1014.7 | 172 | 240.1 | 311.4 | 123 | 171.7 | 226.3 | 38 | 53.0 | 69.1 |
| CRITTENDEN | 152 | 1637.8 | 1304.3 | 49 | 528.0 | 418.7 | 34 | 366.3 | 284.6 | 15 | 161.6 | 122.1 |
| HOPKINS | 519 | 1120.3 | 955.9 | 169 | 364.8 | 306.7 | 113 | 243.9 | 207.3 | 43 | 92.8 | 78.1 |
| LIVINGSTON | 114 | 1167.0 | 1001.4 | 42 | 429.9 | 365.8 | 19 | 194.5 | 163.4 | 12 | 122.8 | 107.7 |
| LYON | 102 | 1241.5 | 950.2 | 35 | 426.0 | 315.6 | 24 | 292.1 | 234.3 | 2 | 24.3 | 17.2 |
| MUHLENBERG | 391 | 1229.1 | 1023.4 | 122 | 383.5 | 312.7 | 81 | 254.6 | 212.9 | 25 | 78.6 | 63.4 |
| TODD | 120 | 996.0 | 941.5 | 45 | 373.5 | 356.6 | 26 | 215.8 | 200.7 | 7 | 58.1 | 52.9 |
| TRIGG | 160 | 1247.3 | 1046.0 | 51 | 397.6 | 338.9 | 48 | 374.2 | 287.1 | 15 | 116.9 | 101.0 |
| DISTRICT 03 | 2,133 | 1027.6 | 959.5 | 632 | 304.5 | 282.4 | 513 | 247.1 | 228.6 | 152 | 73.2 | 68.1 |
| DAVISS | 898 | 978.3 | 906.6 | 237 | 258.2 | 236.2 | 231 | 251.7 | 232.6 | 61 | 66.5 | 60.9 |
| HANCOCK | 69 | 818.1 | 931.5 | 27 | 320.1 | 363.1 | 13 | 154.1 | 168.6 | 5 | 59.3 | 73.5 |
| HENDERSON | 430 | 959.1 | 940.4 | 131 | 292.2 | 287.9 | 103 | 229.7 | 217.4 | 35 | 78.1 | 80.2 |
| MCLEAN | 126 | 1266.5 | 1101.4 | 46 | 462.4 | 399.8 | 35 | 351.8 | 306.8 | 6 | 60.3 | 51.7 |
| OHIO | 263 | 1141.7 | 995.6 | 92 | 399.4 | 338.6 | 54 | 234.4 | 201.6 | 10 | 43.4 | 39.2 |
| UNION | 181 | 1168.6 | 1131.9 | 57 | 368.0 | 357.2 | 39 | 251.8 | 248.4 | 22 | 142.0 | 137.0 |
| WEBSTER | 166 | 1182.8 | 1023.3 | 42 | 299.3 | 256.1 | 38 | 270.8 | 234.9 | 13 | 92.6 | 77.5 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | All Causes | | | Diseases of Heart | | | Malignant Neoplasms | | | Cerebrovascular Diseases | | |
|------------------------------|---------------|---------------|-----------------|-------------------|---------------|-----------------|------------------------|---------------|----------------|-----------------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | AgeAdj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 39,371 | 968.4 | 980.5 | 11,756 | 289.2 | 294.2 | 9,327 | 229.4 | 228.2 | 2,512 | 61.8 | 63.6 |
| DISTRICT 04 | 2,549 | 991.5 | 980.9 | 786 | 305.7 | 302.3 | 598 | 232.6 | 227.6 | 174 | 67.7 | 67.2 |
| ALLEN | 185 | 1024.6 | 977.9 | 58 | 321.2 | 306.5 | 43 | 238.1 | 224.4 | 10 | 55.4 | 52.6 |
| BARREN | 429 | 1111.6 | 954.1 | 137 | 355.0 | 297.5 | 100 | 259.1 | 226.6 | 28 | 72.6 | 60.6 |
| BUTLER | 122 | 929.1 | 932.9 | 38 | 289.4 | 297.1 | 33 | 251.3 | 245.7 | 10 | 76.2 | 75.3 |
| EDMONSON | 107 | 908.7 | 846.5 | 20 | 169.9 | 155.4 | 30 | 254.8 | 220.0 | 2 | 17.0 | 17.4 |
| HART | 180 | 1035.5 | 981.2 | 54 | 310.6 | 290.1 | 34 | 195.6 | 177.9 | 17 | 97.8 | 91.9 |
| LOGAN | 293 | 1102.1 | 1009.2 | 105 | 394.9 | 360.5 | 75 | 282.1 | 259.6 | 15 | 56.4 | 51.6 |
| METCALFE | 144 | 1423.1 | 1248.8 | 40 | 395.3 | 343.9 | 42 | 415.1 | 351.9 | 4 | 39.5 | 35.7 |
| MONROE | 132 | 1123.9 | 954.8 | 46 | 391.7 | 323.6 | 23 | 195.8 | 167.1 | 10 | 85.1 | 72.2 |
| SIMPSON | 172 | 1045.0 | 982.4 | 62 | 376.7 | 347.2 | 35 | 212.6 | 201.8 | 18 | 109.4 | 100.7 |
| WARREN | 785 | 842.0 | 989.2 | 226 | 242.4 | 288.7 | 183 | 196.3 | 227.5 | 60 | 64.4 | 78.2 |
| DISTRICT 05 | 2,098 | 850.9 | 959.2 | 574 | 232.8 | 267.3 | 492 | 199.5 | 218.1 | 134 | 54.3 | 64.6 |
| BRECKINRIDGE | 189 | 1001.5 | 924.4 | 66 | 349.7 | 324.8 | 46 | 243.8 | 211.4 | 14 | 74.2 | 70.2 |
| GRAYSON | 310 | 1280.8 | 1234.4 | 88 | 363.6 | 353.9 | 61 | 252.0 | 225.9 | 18 | 74.4 | 72.7 |
| HARDIN | 670 | 704.7 | 896.2 | 181 | 190.4 | 248.2 | 161 | 169.3 | 210.8 | 40 | 42.1 | 58.8 |
| LARUE | 133 | 992.9 | 866.8 | 41 | 306.1 | 263.9 | 29 | 216.5 | 186.1 | 8 | 59.7 | 50.8 |
| MARION | 200 | 1086.9 | 1045.9 | 57 | 309.8 | 291.1 | 49 | 266.3 | 263.9 | 13 | 70.6 | 64.9 |
| MEADE | 178 | 659.1 | 968.1 | 42 | 155.5 | 265.4 | 52 | 192.5 | 261.8 | 9 | 33.3 | 54.7 |
| NELSON | 301 | 780.0 | 914.8 | 66 | 171.0 | 204.2 | 71 | 184.0 | 210.4 | 21 | 54.4 | 67.1 |
| WASHINGTON | 117 | 1060.6 | 895.1 | 33 | 299.1 | 248.0 | 23 | 208.5 | 177.8 | 11 | 99.7 | 83.0 |
| DISTRICT 06 | 8,221 | 939.8 | 949.8 | 2,437 | 278.6 | 283.0 | 2,018 | 230.7 | 229.9 | 532 | 60.8 | 62.3 |
| BULLITT | 372 | 590.1 | 931.4 | 99 | 157.0 | 259.9 | 109 | 172.9 | 257.4 | 17 | 27.0 | 49.8 |
| HENRY | 146 | 961.9 | 985.8 | 42 | 276.7 | 283.1 | 38 | 250.4 | 244.7 | 11 | 72.5 | 77.3 |
| JEFFERSON | 7,012 | 1012.0 | 963.4 | 2,084 | 300.8 | 285.8 | 1,714 | 247.4 | 234.2 | 436 | 62.9 | 59.8 |
| OLDHAM | 253 | 527.1 | 843.7 | 61 | 127.1 | 216.0 | 63 | 131.3 | 170.5 | 24 | 50.0 | 96.6 |
| SHELBY | 280 | 820.6 | 933.3 | 99 | 290.2 | 331.8 | 60 | 175.8 | 195.9 | 32 | 93.8 | 110.0 |
| SPENCER | 89 | 682.6 | 919.9 | 33 | 253.1 | 363.1 | 17 | 130.4 | 158.2 | 9 | 69.0 | 106.8 |
| TRIMBLE | 69 | 817.3 | 892.5 | 19 | 225.1 | 247.3 | 17 | 201.4 | 214.1 | 3 | 35.5 | 40.5 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | All Causes | | | Diseases of Heart | | | Malignant Neoplasms | | | Cerebrovascular Diseases | | |
|------------------------------|---------------|---------------|---------------|-------------------|--------------|--------------|---------------------|--------------|--------------|--------------------------|-------------|--------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 39,371 | 968.4 | 980.5 | 11,756 | 289.2 | 294.2 | 9,327 | 229.4 | 228.2 | 2,512 | 61.8 | 63.6 |
| DISTRICT 07 | 3,191 | 803.9 | 937.7 | 862 | 217.2 | 257.5 | 812 | 204.6 | 232.5 | 175 | 44.1 | 54.4 |
| BOONE | 500 | 552.6 | 849.5 | 137 | 151.4 | 245.7 | 141 | 155.8 | 217.6 | 28 | 30.9 | 57.2 |
| CAMPBELL | 806 | 912.2 | 933.8 | 213 | 241.1 | 248.1 | 201 | 227.5 | 231.0 | 50 | 56.6 | 59.1 |
| CARROLL | 113 | 1115.2 | 1121.0 | 34 | 335.5 | 329.0 | 27 | 266.5 | 262.5 | 7 | 69.1 | 74.1 |
| GALLATIN | 75 | 942.1 | 1091.8 | 22 | 276.3 | 321.5 | 15 | 188.4 | 214.6 | 7 | 87.9 | 106.5 |
| GRANT | 210 | 903.7 | 1128.3 | 57 | 245.3 | 306.0 | 60 | 258.2 | 321.5 | 3 | 12.9 | 15.8 |
| KENTON | 1,261 | 833.1 | 937.9 | 324 | 214.1 | 244.5 | 317 | 209.4 | 232.2 | 67 | 44.3 | 51.0 |
| OWEN | 104 | 966.0 | 892.6 | 34 | 315.8 | 287.0 | 23 | 213.6 | 192.1 | 8 | 74.3 | 67.0 |
| PENDLETON | 122 | 835.0 | 990.9 | 41 | 280.6 | 334.8 | 28 | 191.6 | 217.0 | 5 | 34.2 | 44.5 |
| DISTRICT 08 | 578 | 1039.2 | 958.0 | 192 | 345.2 | 316.8 | 125 | 224.7 | 204.2 | 44 | 79.1 | 73.1 |
| BRACKEN | 88 | 1042.5 | 999.6 | 40 | 473.9 | 456.7 | 11 | 130.3 | 123.6 | 4 | 47.4 | 47.0 |
| FLEMING | 147 | 1039.6 | 991.4 | 53 | 374.8 | 353.6 | 39 | 275.8 | 257.0 | 12 | 84.9 | 80.8 |
| LEWIS | 119 | 855.9 | 864.4 | 34 | 244.6 | 247.1 | 26 | 187.0 | 182.6 | 10 | 71.9 | 74.4 |
| MASON | 182 | 1080.5 | 926.4 | 53 | 314.7 | 264.5 | 41 | 243.4 | 209.4 | 14 | 83.1 | 69.5 |
| ROBERTSON | 42 | 1830.9 | 1350.7 | 12 | 523.1 | 367.1 | 8 | 348.7 | 233.8 | 4 | 174.4 | 129.1 |
| DISTRICT 09 | 684 | 883.9 | 923.7 | 203 | 262.3 | 276.0 | 140 | 180.9 | 184.9 | 33 | 42.6 | 45.5 |
| BATH | 127 | 1118.5 | 983.9 | 34 | 299.4 | 260.3 | 22 | 193.7 | 173.8 | 9 | 79.3 | 67.7 |
| MENIFEE | 71 | 1069.0 | 1127.4 | 23 | 346.3 | 371.5 | 16 | 240.9 | 233.4 | 3 | 45.2 | 45.2 |
| MONTGOMERY | 222 | 963.5 | 951.3 | 72 | 312.5 | 307.9 | 54 | 234.4 | 228.5 | 10 | 43.4 | 43.8 |
| MORGAN | 104 | 734.0 | 794.5 | 28 | 197.6 | 223.4 | 25 | 176.5 | 180.6 | 2 | 14.1 | 15.6 |
| ROWAN | 160 | 721.6 | 868.1 | 46 | 207.5 | 256.0 | 23 | 103.7 | 119.5 | 9 | 40.6 | 49.9 |
| DISTRICT 10 | 1,501 | 1103.1 | 1022.4 | 401 | 294.7 | 272.6 | 369 | 271.2 | 239.7 | 119 | 87.5 | 83.0 |
| BOYD | 578 | 1162.3 | 1010.1 | 150 | 301.6 | 257.3 | 136 | 273.5 | 227.7 | 44 | 88.5 | 79.7 |
| CARTER | 306 | 1132.3 | 1139.1 | 80 | 296.0 | 299.0 | 81 | 299.7 | 290.7 | 25 | 92.5 | 97.0 |
| ELLIOTT | 76 | 1121.4 | 1037.6 | 17 | 250.8 | 230.0 | 26 | 383.7 | 347.0 | 2 | 29.5 | 29.0 |
| GREENUP | 367 | 996.7 | 928.6 | 104 | 282.4 | 259.6 | 87 | 236.3 | 203.9 | 33 | 89.6 | 85.1 |
| LAWRENCE | 174 | 1106.7 | 1114.8 | 50 | 318.0 | 331.7 | 39 | 248.1 | 240.3 | 15 | 95.4 | 95.2 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | All Causes | | | Diseases of Heart | | | Malignant Neoplasms | | | Cerebrovascular Diseases | | |
|------------------------------|---------------|---------------|-----------------|-------------------|---------------|-----------------|------------------------|---------------|----------------|-----------------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | AgeAdj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 39,371 | 968.4 | 980.5 | 11,756 | 289.2 | 294.2 | 9,327 | 229.4 | 228.2 | 2,512 | 61.8 | 63.6 |
| DISTRICT 11 | 1,736 | 1088.2 | 1131.0 | 554 | 347.3 | 368.2 | 397 | 248.9 | 245.9 | 87 | 54.5 | 60.0 |
| FLOYD | 441 | 1041.3 | 1052.0 | 130 | 307.0 | 313.0 | 99 | 233.8 | 227.3 | 22 | 51.9 | 54.3 |
| JOHNSON | 263 | 1120.5 | 1105.3 | 83 | 353.6 | 351.8 | 64 | 272.7 | 261.9 | 9 | 38.3 | 37.6 |
| MAGOFFIN | 141 | 1066.6 | 1195.7 | 32 | 242.1 | 273.9 | 36 | 272.3 | 292.4 | 7 | 53.0 | 60.3 |
| MARTIN | 138 | 1095.6 | 1331.1 | 46 | 365.2 | 469.9 | 36 | 285.8 | 323.5 | 6 | 47.6 | 51.8 |
| PIKE | 753 | 1109.2 | 1148.4 | 263 | 387.4 | 413.6 | 162 | 238.6 | 232.7 | 43 | 63.3 | 72.8 |
| DISTRICT 12 | 1,417 | 1180.8 | 1198.6 | 480 | 400.0 | 411.0 | 334 | 278.3 | 274.2 | 59 | 49.2 | 50.9 |
| BREATHITT | 184 | 1148.3 | 1212.0 | 70 | 436.8 | 476.3 | 41 | 255.9 | 250.2 | 7 | 43.7 | 45.1 |
| KNOTT | 173 | 980.0 | 1032.5 | 62 | 351.2 | 377.8 | 39 | 220.9 | 229.3 | 11 | 62.3 | 69.2 |
| LEE | 104 | 1315.6 | 1169.2 | 39 | 493.4 | 435.4 | 24 | 303.6 | 277.7 | 5 | 63.3 | 57.5 |
| LESLIE | 133 | 1080.0 | 1144.8 | 30 | 243.6 | 255.4 | 37 | 300.4 | 314.9 | 7 | 56.8 | 61.6 |
| LETCHER | 310 | 1239.1 | 1213.8 | 96 | 383.7 | 383.8 | 80 | 319.8 | 301.8 | 15 | 60.0 | 60.8 |
| OWSLEY | 86 | 1771.0 | 1535.4 | 24 | 494.2 | 417.5 | 22 | 453.0 | 380.7 | 2 | 41.2 | 35.6 |
| PERRY | 342 | 1168.1 | 1238.9 | 128 | 437.2 | 471.7 | 75 | 256.2 | 258.0 | 9 | 30.7 | 33.2 |
| WOLFE | 85 | 1222.5 | 1182.6 | 31 | 445.9 | 429.4 | 16 | 230.1 | 221.9 | 3 | 43.1 | 43.3 |
| DISTRICT 13 | 2,593 | 1084.0 | 1082.8 | 819 | 342.4 | 344.2 | 621 | 259.6 | 252.1 | 155 | 64.8 | 66.0 |
| BELL | 356 | 1191.7 | 1101.0 | 108 | 361.5 | 330.0 | 100 | 334.8 | 303.6 | 21 | 70.3 | 65.2 |
| CLAY | 219 | 893.7 | 1045.9 | 71 | 289.7 | 343.5 | 48 | 195.9 | 226.4 | 6 | 24.5 | 29.1 |
| HARLAN | 435 | 1331.0 | 1218.2 | 119 | 364.1 | 331.4 | 88 | 269.3 | 240.1 | 23 | 70.4 | 64.8 |
| JACKSON | 150 | 1098.8 | 1166.0 | 51 | 373.6 | 399.7 | 30 | 219.8 | 224.7 | 14 | 102.6 | 112.4 |
| KNOX | 336 | 1059.4 | 1012.0 | 114 | 359.4 | 341.4 | 88 | 277.5 | 264.8 | 22 | 69.4 | 67.5 |
| LAUREL | 511 | 951.7 | 1059.0 | 168 | 312.9 | 363.2 | 128 | 238.4 | 246.0 | 30 | 55.9 | 64.4 |
| ROCKCASTLE | 173 | 1040.4 | 986.5 | 52 | 312.7 | 296.8 | 45 | 270.6 | 255.1 | 10 | 60.1 | 54.9 |
| WHITLEY | 413 | 1132.6 | 1103.4 | 136 | 373.0 | 361.2 | 94 | 257.8 | 246.3 | 29 | 79.5 | 77.0 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | All Causes | | | Diseases of Heart | | | Malignant Neoplasms | | | Cerebrovascular Diseases | | |
|------------------------------|---------------|---------------|-----------------|-------------------|---------------|-----------------|------------------------|---------------|----------------|-----------------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | AgeAdj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 39,371 | 968.4 | 980.5 | 11,756 | 289.2 | 294.2 | 9,327 | 229.4 | 228.2 | 2,512 | 61.8 | 63.6 |
| DISTRICT 14 | 2,169 | 1113.7 | 987.2 | 662 | 339.9 | 300.1 | 508 | 260.8 | 224.0 | 138 | 70.9 | 62.5 |
| ADAIR | 161 | 931.1 | 832.7 | 50 | 289.2 | 254.9 | 37 | 214.0 | 188.8 | 12 | 69.4 | 61.2 |
| CASEY | 184 | 1170.0 | 1017.1 | 50 | 317.9 | 270.1 | 44 | 279.8 | 237.6 | 7 | 44.5 | 38.2 |
| CLINTON | 112 | 1164.7 | 1011.2 | 39 | 405.6 | 351.1 | 23 | 239.2 | 201.9 | 10 | 104.0 | 88.6 |
| CUMBERLAND | 113 | 1572.1 | 1144.6 | 54 | 751.3 | 535.9 | 15 | 208.7 | 150.0 | 6 | 83.5 | 58.6 |
| GREEN | 143 | 1229.9 | 938.7 | 37 | 318.2 | 235.3 | 35 | 301.0 | 234.7 | 8 | 68.8 | 51.1 |
| MCCREARY | 162 | 949.8 | 1099.0 | 38 | 222.8 | 273.2 | 44 | 258.0 | 285.6 | 7 | 41.0 | 50.4 |
| PULASKI | 611 | 1076.2 | 954.9 | 200 | 352.3 | 311.7 | 155 | 273.0 | 233.9 | 34 | 59.9 | 52.7 |
| RUSSELL | 189 | 1146.0 | 934.1 | 56 | 339.6 | 278.1 | 51 | 309.2 | 237.5 | 11 | 66.7 | 51.4 |
| TAYLOR | 274 | 1189.5 | 1042.7 | 73 | 316.9 | 277.7 | 52 | 225.8 | 188.8 | 33 | 143.3 | 125.4 |
| WAYNE | 220 | 1102.8 | 1073.0 | 65 | 325.8 | 325.3 | 52 | 260.7 | 241.7 | 10 | 50.1 | 48.5 |
| DISTRICT 15 | 5,887 | 850.0 | 948.2 | 1,635 | 236.1 | 267.7 | 1,405 | 202.9 | 222.6 | 383 | 55.3 | 63.5 |
| ANDERSON | 164 | 838.3 | 951.6 | 50 | 255.6 | 297.2 | 38 | 194.2 | 217.0 | 9 | 46.0 | 54.4 |
| BOURBON | 201 | 1031.9 | 946.9 | 63 | 323.4 | 290.1 | 43 | 220.8 | 202.8 | 12 | 61.6 | 56.7 |
| BOYLE | 339 | 1227.7 | 1125.7 | 92 | 333.2 | 301.9 | 79 | 286.1 | 260.1 | 25 | 90.5 | 82.5 |
| CLARK | 304 | 909.9 | 936.2 | 90 | 269.4 | 276.1 | 71 | 212.5 | 210.9 | 14 | 41.9 | 42.9 |
| ESTILL | 191 | 1239.7 | 1160.2 | 56 | 363.5 | 333.5 | 49 | 318.0 | 295.3 | 13 | 84.4 | 79.6 |
| FAYETTE | 1,994 | 765.7 | 918.0 | 527 | 202.4 | 249.0 | 494 | 189.7 | 226.5 | 129 | 49.5 | 60.8 |
| FRANKLIN | 452 | 937.6 | 952.2 | 133 | 275.9 | 278.6 | 112 | 232.3 | 229.2 | 32 | 66.4 | 68.9 |
| GARRARD | 132 | 865.0 | 873.1 | 36 | 235.9 | 238.0 | 26 | 170.4 | 166.1 | 8 | 52.4 | 53.6 |
| HARRISON | 193 | 1069.4 | 1003.3 | 59 | 326.9 | 301.7 | 39 | 216.1 | 203.9 | 15 | 83.1 | 77.7 |
| JESSAMINE | 311 | 777.2 | 968.7 | 66 | 164.9 | 212.2 | 76 | 189.9 | 232.6 | 31 | 77.5 | 101.6 |
| LINCOLN | 241 | 1007.4 | 1018.1 | 84 | 351.1 | 362.1 | 56 | 234.1 | 229.2 | 11 | 46.0 | 45.9 |
| MADISON | 522 | 720.9 | 901.0 | 149 | 205.8 | 265.8 | 121 | 167.1 | 203.3 | 34 | 47.0 | 61.5 |
| MERCER | 217 | 1038.4 | 913.2 | 67 | 320.6 | 281.7 | 54 | 258.4 | 224.7 | 13 | 62.2 | 54.2 |
| NICHOLAS | 83 | 1215.8 | 1009.6 | 18 | 263.7 | 217.3 | 12 | 175.8 | 147.7 | 3 | 43.9 | 34.2 |
| POWELL | 140 | 1053.1 | 1267.8 | 40 | 300.9 | 379.3 | 33 | 248.2 | 290.4 | 5 | 37.6 | 45.4 |
| SCOTT | 221 | 640.2 | 851.6 | 57 | 165.1 | 233.1 | 59 | 170.9 | 215.8 | 12 | 34.8 | 50.1 |
| WOODFORD | 182 | 780.1 | 932.7 | 48 | 205.7 | 250.2 | 43 | 184.3 | 206.3 | 17 | 72.9 | 97.8 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Chronic Lower Respiratory Diseases | | | Unintentional Injuries | | | Diabetes Mellitus | | | Influenza and Pneumonia | | |
|------------------------------|---------------------------------------|---------------|-----------------|---------------------------|---------------|-----------------|-------------------|---------------|-----------------|----------------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 2,254 | 55.4 | 56.1 | 1,889 | 46.5 | 46.5 | 1,048 | 25.8 | 25.9 | 997 | 24.5 | 25.3 |
| DISTRICT 01 | 131 | 68.0 | 53.0 | 99 | 51.4 | 49.3 | 53 | 27.5 | 22.2 | 59 | 30.6 | 23.1 |
| BALLARD | 2 | 24.5 | 18.2 | 5 | 61.3 | 57.2 | 3 | 36.8 | 28.2 | 3 | 36.8 | 28.4 |
| CALLOWAY | 22 | 64.3 | 54.6 | 13 | 38.0 | 32.6 | 7 | 20.5 | 18.6 | 13 | 38.0 | 30.9 |
| CARLISLE | 6 | 112.3 | 68.9 | 2 | 37.4 | 34.7 | 0 | 0.0 | 0.0 | 1 | 18.7 | 11.0 |
| FULTON | 1 | 12.8 | 10.3 | 5 | 64.2 | 61.0 | 5 | 64.2 | 49.3 | 1 | 12.8 | 8.0 |
| GRAVES | 34 | 92.1 | 72.1 | 25 | 67.8 | 66.3 | 15 | 40.7 | 31.9 | 12 | 32.5 | 25.3 |
| HICKMAN | 4 | 77.4 | 51.7 | 2 | 38.7 | 35.1 | 4 | 77.4 | 53.2 | 4 | 77.4 | 41.1 |
| MCCRACKEN | 37 | 57.1 | 45.9 | 30 | 46.3 | 43.4 | 14 | 21.6 | 18.2 | 16 | 24.7 | 18.4 |
| MARSHALL | 25 | 82.5 | 59.4 | 17 | 56.1 | 57.4 | 5 | 16.5 | 11.9 | 9 | 29.7 | 21.5 |
| DISTRICT 02 | 116 | 54.0 | 50.2 | 108 | 50.3 | 49.7 | 64 | 29.8 | 28.0 | 53 | 24.7 | 22.7 |
| CALDWELL | 12 | 93.0 | 65.8 | 9 | 69.8 | 62.2 | 10 | 77.5 | 62.8 | 5 | 38.8 | 35.0 |
| CHRISTIAN | 35 | 48.8 | 64.3 | 30 | 41.9 | 48.7 | 18 | 25.1 | 31.8 | 18 | 25.1 | 32.2 |
| CRITTENDEN | 8 | 86.2 | 64.6 | 9 | 97.0 | 90.7 | 7 | 75.4 | 65.4 | 3 | 32.3 | 24.3 |
| HOPKINS | 23 | 49.6 | 41.7 | 21 | 45.3 | 45.8 | 13 | 28.1 | 23.3 | 7 | 15.1 | 12.3 |
| LIVINGSTON | 8 | 81.9 | 68.3 | 6 | 61.4 | 61.4 | 0 | 0.0 | 0.0 | 1 | 10.2 | 7.2 |
| LYON | 3 | 36.5 | 29.4 | 2 | 24.3 | 24.3 | 5 | 60.9 | 44.6 | 2 | 24.3 | 17.1 |
| MUHLENBERG | 14 | 44.0 | 35.8 | 21 | 66.0 | 64.6 | 4 | 12.6 | 10.6 | 11 | 34.6 | 27.3 |
| TODD | 4 | 33.2 | 32.5 | 5 | 41.5 | 39.9 | 3 | 24.9 | 22.4 | 4 | 33.2 | 30.6 |
| TRIGG | 9 | 70.2 | 59.6 | 5 | 39.0 | 38.6 | 4 | 31.2 | 27.5 | 2 | 15.6 | 14.3 |
| DISTRICT 03 | 113 | 54.4 | 50.5 | 90 | 43.4 | 42.3 | 58 | 27.9 | 25.8 | 43 | 20.7 | 19.4 |
| DAVISS | 51 | 55.6 | 51.0 | 41 | 44.7 | 43.5 | 32 | 34.9 | 32.3 | 16 | 17.4 | 16.0 |
| HANCOCK | 2 | 23.7 | 25.1 | 5 | 59.3 | 66.5 | 0 | 0.0 | 0.0 | 2 | 23.7 | 31.0 |
| HENDERSON | 23 | 51.3 | 49.6 | 13 | 29.0 | 29.3 | 12 | 26.8 | 24.9 | 14 | 31.2 | 32.3 |
| MCLEAN | 4 | 40.2 | 35.5 | 5 | 50.3 | 43.1 | 1 | 10.1 | 9.6 | 2 | 20.1 | 17.7 |
| OHIO | 14 | 60.8 | 53.7 | 13 | 56.4 | 53.5 | 6 | 26.0 | 22.0 | 1 | 4.3 | 3.5 |
| UNION | 6 | 38.7 | 37.4 | 6 | 38.7 | 33.4 | 2 | 12.9 | 12.5 | 5 | 32.3 | 31.1 |
| WEBSTER | 13 | 92.6 | 78.4 | 7 | 49.9 | 49.0 | 5 | 35.6 | 29.7 | 3 | 21.4 | 17.3 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Chronic Lower Respiratory Diseases | | | Unintentional Injuries | | | Diabetes Mellitus | | | Influenza and Pneumonia | | |
|------------------------------|---------------------------------------|---------------|-----------------|---------------------------|---------------|-----------------|-------------------|---------------|-----------------|----------------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 2,254 | 55.4 | 56.1 | 1,889 | 46.5 | 46.5 | 1,048 | 25.8 | 25.9 | 997 | 24.5 | 25.3 |
| DISTRICT 04 | 121 | 47.1 | 46.1 | 118 | 45.9 | 46.0 | 69 | 26.8 | 26.6 | 76 | 29.6 | 29.5 |
| ALLEN | 7 | 38.8 | 35.6 | 7 | 38.8 | 39.4 | 6 | 33.2 | 31.4 | 4 | 22.2 | 21.7 |
| BARREN | 25 | 64.8 | 53.5 | 23 | 59.6 | 58.5 | 5 | 13.0 | 11.0 | 21 | 54.4 | 46.0 |
| BUTLER | 2 | 15.2 | 15.7 | 9 | 68.5 | 69.8 | 4 | 30.5 | 28.9 | 0 | 0.0 | 0.0 |
| EDMONSON | 10 | 84.9 | 79.0 | 5 | 42.5 | 45.9 | 7 | 59.4 | 53.9 | 5 | 42.5 | 42.4 |
| HART | 6 | 34.5 | 34.6 | 8 | 46.0 | 45.4 | 7 | 40.3 | 37.2 | 3 | 17.3 | 16.9 |
| LOGAN | 21 | 79.0 | 71.6 | 9 | 33.9 | 32.0 | 8 | 30.1 | 28.0 | 11 | 41.4 | 37.3 |
| METCALFE | 9 | 88.9 | 77.3 | 8 | 79.1 | 79.9 | 4 | 39.5 | 34.5 | 6 | 59.3 | 51.7 |
| MONROE | 6 | 51.1 | 42.5 | 4 | 34.1 | 37.2 | 3 | 25.5 | 20.3 | 9 | 76.6 | 62.4 |
| SIMPSON | 4 | 24.3 | 22.3 | 7 | 42.5 | 43.2 | 4 | 24.3 | 22.3 | 1 | 6.1 | 6.0 |
| WARREN | 31 | 33.3 | 39.2 | 38 | 40.8 | 43.7 | 21 | 22.5 | 26.6 | 16 | 17.2 | 21.1 |
| DISTRICT 05 | 108 | 43.8 | 50.3 | 121 | 49.1 | 50.9 | 58 | 23.5 | 26.8 | 80 | 32.4 | 38.2 |
| BRECKINRIDGE | 12 | 63.6 | 59.0 | 6 | 31.8 | 33.8 | 4 | 21.2 | 19.9 | 8 | 42.4 | 42.0 |
| GRAYSON | 18 | 74.4 | 69.5 | 18 | 74.4 | 74.7 | 13 | 53.7 | 53.7 | 17 | 70.2 | 69.3 |
| HARDIN | 35 | 36.8 | 48.2 | 33 | 34.7 | 37.3 | 14 | 14.7 | 19.7 | 22 | 23.1 | 32.3 |
| LARUE | 5 | 37.3 | 31.4 | 9 | 67.2 | 64.8 | 3 | 22.4 | 19.1 | 4 | 29.9 | 25.5 |
| MARION | 11 | 59.8 | 59.1 | 8 | 43.5 | 43.3 | 4 | 21.7 | 20.9 | 9 | 48.9 | 45.3 |
| MEADE | 7 | 25.9 | 42.8 | 14 | 51.8 | 63.1 | 6 | 22.2 | 26.5 | 5 | 18.5 | 25.3 |
| NELSON | 19 | 49.2 | 57.8 | 24 | 62.2 | 64.9 | 10 | 25.9 | 30.9 | 9 | 23.3 | 29.2 |
| WASHINGTON | 1 | 9.1 | 7.7 | 9 | 81.6 | 72.1 | 4 | 36.3 | 30.5 | 6 | 54.4 | 44.7 |
| DISTRICT 06 | 504 | 57.6 | 58.1 | 291 | 33.3 | 33.6 | 211 | 24.1 | 24.2 | 203 | 23.2 | 24.0 |
| BULLITT | 31 | 49.2 | 89.6 | 20 | 31.7 | 36.7 | 12 | 19.0 | 25.8 | 7 | 11.1 | 21.0 |
| HENRY | 7 | 46.1 | 49.0 | 6 | 39.5 | 40.8 | 6 | 39.5 | 39.5 | 6 | 39.5 | 43.2 |
| JEFFERSON | 422 | 60.9 | 57.5 | 233 | 33.6 | 33.2 | 185 | 26.7 | 25.2 | 171 | 24.7 | 23.6 |
| OLDHAM | 20 | 41.7 | 82.3 | 12 | 25.0 | 27.7 | 5 | 10.4 | 15.2 | 4 | 8.3 | 14.0 |
| SHELBY | 13 | 38.1 | 42.4 | 17 | 49.8 | 51.6 | 1 | 2.9 | 2.6 | 9 | 26.4 | 32.8 |
| SPENCER | 3 | 23.0 | 31.7 | 2 | 15.3 | 15.8 | 1 | 7.7 | 12.6 | 4 | 30.7 | 47.5 |
| TRIMBLE | 8 | 94.8 | 105.1 | 1 | 11.8 | 11.1 | 1 | 11.8 | 13.1 | 2 | 23.7 | 27.0 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Chronic Lower Respiratory Diseases | | | Unintentional Injuries | | | Diabetes Mellitus | | | Influenza and Pneumonia | | |
|------------------------------|---------------------------------------|---------------|-----------------|---------------------------|---------------|-----------------|-------------------|---------------|-----------------|----------------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 2,254 | 55.4 | 56.1 | 1,889 | 46.5 | 46.5 | 1,048 | 25.8 | 25.9 | 997 | 24.5 | 25.3 |
| DISTRICT 07 | 169 | 42.6 | 50.0 | 127 | 32.0 | 33.9 | 122 | 30.7 | 35.8 | 79 | 19.9 | 24.4 |
| BOONE | 28 | 30.9 | 46.6 | 15 | 16.6 | 18.7 | 17 | 18.8 | 30.4 | 10 | 11.1 | 18.0 |
| CAMPBELL | 38 | 43.0 | 43.9 | 23 | 26.0 | 26.0 | 49 | 55.5 | 56.3 | 18 | 20.4 | 21.2 |
| CARROLL | 6 | 59.2 | 60.3 | 6 | 59.2 | 60.5 | 6 | 59.2 | 58.8 | 4 | 39.5 | 41.9 |
| GALLATIN | 7 | 87.9 | 104.8 | 4 | 50.2 | 55.5 | 0 | 0.0 | 0.0 | 1 | 12.6 | 15.4 |
| GRANT | 12 | 51.6 | 69.6 | 13 | 55.9 | 62.4 | 8 | 34.4 | 42.7 | 6 | 25.8 | 33.4 |
| KENTON | 65 | 42.9 | 48.5 | 50 | 33.0 | 34.6 | 38 | 25.1 | 28.1 | 36 | 23.8 | 27.9 |
| OWEN | 7 | 65.0 | 58.7 | 9 | 83.6 | 80.8 | 2 | 18.6 | 17.2 | 1 | 9.3 | 8.3 |
| PENDLETON | 6 | 41.1 | 55.6 | 7 | 47.9 | 49.8 | 2 | 13.7 | 17.3 | 3 | 20.5 | 28.0 |
| DISTRICT 08 | 31 | 55.7 | 51.0 | 33 | 59.3 | 57.1 | 14 | 25.2 | 23.1 | 18 | 32.4 | 29.7 |
| BRACKEN | 6 | 71.1 | 67.0 | 4 | 47.4 | 45.9 | 2 | 23.7 | 23.1 | 4 | 47.4 | 44.6 |
| FLEMING | 7 | 49.5 | 48.3 | 9 | 63.6 | 64.0 | 1 | 7.1 | 7.3 | 4 | 28.3 | 28.0 |
| LEWIS | 7 | 50.3 | 50.9 | 3 | 21.6 | 20.4 | 6 | 43.2 | 43.4 | 2 | 14.4 | 14.6 |
| MASON | 10 | 59.4 | 50.2 | 15 | 89.1 | 82.9 | 3 | 17.8 | 15.2 | 7 | 41.6 | 35.3 |
| ROBERTSON | 1 | 43.6 | 30.9 | 2 | 87.2 | 83.2 | 2 | 87.2 | 78.8 | 1 | 43.6 | 32.4 |
| DISTRICT 09 | 41 | 53.0 | 55.6 | 52 | 67.2 | 67.2 | 22 | 28.4 | 29.1 | 24 | 31.0 | 33.2 |
| BATH | 8 | 70.5 | 59.6 | 9 | 79.3 | 77.5 | 5 | 44.0 | 38.0 | 7 | 61.6 | 51.7 |
| MENIFEE | 6 | 90.3 | 107.2 | 5 | 75.3 | 78.6 | 3 | 45.2 | 52.9 | 0 | 0.0 | 0.0 |
| MONTGOMERY | 8 | 34.7 | 34.6 | 16 | 69.4 | 68.5 | 7 | 30.4 | 29.8 | 7 | 30.4 | 30.7 |
| MORGAN | 7 | 49.4 | 51.1 | 6 | 42.3 | 40.0 | 3 | 21.2 | 21.0 | 7 | 49.4 | 53.3 |
| ROWAN | 12 | 54.1 | 65.6 | 16 | 72.2 | 72.2 | 4 | 18.0 | 24.2 | 3 | 13.5 | 17.9 |
| DISTRICT 10 | 102 | 75.0 | 68.0 | 87 | 63.9 | 64.3 | 45 | 33.1 | 30.1 | 33 | 24.3 | 23.2 |
| BOYD | 39 | 78.4 | 66.2 | 38 | 76.4 | 74.0 | 18 | 36.2 | 31.7 | 12 | 24.1 | 21.7 |
| CARTER | 20 | 74.0 | 72.2 | 16 | 59.2 | 60.7 | 6 | 22.2 | 22.2 | 1 | 3.7 | 3.4 |
| ELLIOTT | 8 | 118.0 | 106.1 | 6 | 88.5 | 93.9 | 4 | 59.0 | 55.2 | 0 | 0.0 | 0.0 |
| GREENUP | 24 | 65.2 | 60.5 | 16 | 43.5 | 46.5 | 9 | 24.4 | 22.7 | 12 | 32.6 | 32.0 |
| LAWRENCE | 11 | 70.0 | 69.9 | 11 | 70.0 | 68.3 | 8 | 50.9 | 48.8 | 8 | 50.9 | 55.7 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Chronic Lower Respiratory Diseases | | | Unintentional Injuries | | | Diabetes Mellitus | | | Influenza and Pneumonia | | |
|------------------------------|---------------------------------------|---------------|-----------------|---------------------------|---------------|-----------------|-------------------|---------------|-----------------|----------------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 2,254 | 55.4 | 56.1 | 1,889 | 46.5 | 46.5 | 1,048 | 25.8 | 25.9 | 997 | 24.5 | 25.3 |
| DISTRICT 11 | 107 | 67.1 | 70.3 | 120 | 75.2 | 75.5 | 54 | 33.9 | 34.6 | 39 | 24.4 | 27.1 |
| FLOYD | 32 | 75.6 | 77.5 | 33 | 77.9 | 76.3 | 13 | 30.7 | 31.7 | 11 | 26.0 | 27.7 |
| JOHNSON | 13 | 55.4 | 54.6 | 19 | 81.0 | 82.3 | 7 | 29.8 | 29.5 | 6 | 25.6 | 25.1 |
| MAGOFFIN | 6 | 45.4 | 53.7 | 8 | 60.5 | 58.3 | 7 | 53.0 | 59.9 | 4 | 30.3 | 36.2 |
| MARTIN | 9 | 71.5 | 94.2 | 8 | 63.5 | 61.3 | 4 | 31.8 | 36.5 | 5 | 39.7 | 66.1 |
| PIKE | 47 | 69.2 | 70.4 | 52 | 76.6 | 77.9 | 23 | 33.9 | 33.3 | 13 | 19.1 | 20.7 |
| DISTRICT 12 | 87 | 72.5 | 74.7 | 98 | 81.7 | 80.5 | 35 | 29.2 | 28.2 | 38 | 31.7 | 33.1 |
| BREATHITT | 12 | 74.9 | 83.2 | 15 | 93.6 | 91.9 | 3 | 18.7 | 20.6 | 7 | 43.7 | 47.5 |
| KNOTT | 10 | 56.6 | 58.9 | 18 | 102.0 | 98.5 | 4 | 22.7 | 23.5 | 3 | 17.0 | 18.9 |
| LEE | 5 | 63.3 | 52.2 | 3 | 38.0 | 33.7 | 1 | 12.7 | 10.3 | 2 | 25.3 | 22.9 |
| LESLIE | 6 | 48.7 | 50.9 | 6 | 48.7 | 49.1 | 3 | 24.4 | 22.7 | 4 | 32.5 | 37.8 |
| LETCHER | 25 | 99.9 | 99.7 | 20 | 79.9 | 78.2 | 12 | 48.0 | 42.7 | 3 | 12.0 | 11.9 |
| OWSLEY | 5 | 103.0 | 81.1 | 7 | 144.2 | 155.9 | 1 | 20.6 | 16.9 | 4 | 82.4 | 62.8 |
| PERRY | 17 | 58.1 | 66.5 | 21 | 71.7 | 72.1 | 9 | 30.7 | 32.7 | 12 | 41.0 | 45.6 |
| WOLFE | 7 | 100.7 | 97.8 | 8 | 115.1 | 112.7 | 2 | 28.8 | 26.0 | 3 | 43.1 | 41.8 |
| DISTRICT 13 | 148 | 61.9 | 61.5 | 130 | 54.3 | 54.8 | 64 | 26.8 | 26.7 | 50 | 20.9 | 21.3 |
| BELL | 21 | 70.3 | 63.2 | 17 | 56.9 | 56.9 | 6 | 20.1 | 19.0 | 6 | 20.1 | 18.6 |
| CLAY | 19 | 77.5 | 94.2 | 12 | 49.0 | 52.1 | 4 | 16.3 | 18.2 | 6 | 24.5 | 30.0 |
| HARLAN | 37 | 113.2 | 102.4 | 26 | 79.6 | 81.3 | 16 | 49.0 | 43.2 | 11 | 33.7 | 31.2 |
| JACKSON | 8 | 58.6 | 62.7 | 11 | 80.6 | 83.2 | 2 | 14.7 | 14.5 | 9 | 65.9 | 72.3 |
| KNOX | 16 | 50.4 | 47.2 | 10 | 31.5 | 33.0 | 9 | 28.4 | 26.4 | 3 | 9.5 | 8.6 |
| LAUREL | 26 | 48.4 | 51.2 | 22 | 41.0 | 41.6 | 14 | 26.1 | 31.8 | 3 | 5.6 | 7.1 |
| ROCKCASTLE | 6 | 36.1 | 34.0 | 14 | 84.2 | 80.2 | 5 | 30.1 | 28.2 | 5 | 30.1 | 28.9 |
| WHITLEY | 15 | 41.1 | 39.8 | 18 | 49.4 | 51.6 | 8 | 21.9 | 21.2 | 7 | 19.2 | 18.5 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Chronic Lower Respiratory Diseases | | | Unintentional Injuries | | | Diabetes Mellitus | | | Influenza and Pneumonia | | |
|------------------------------|---------------------------------------|---------------|-----------------|---------------------------|---------------|-----------------|-------------------|---------------|-----------------|----------------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 2,254 | 55.4 | 56.1 | 1,889 | 46.5 | 46.5 | 1,048 | 25.8 | 25.9 | 997 | 24.5 | 25.3 |
| DISTRICT 14 | 146 | 75.0 | 64.6 | 120 | 61.6 | 59.7 | 46 | 23.6 | 20.5 | 48 | 24.6 | 22.1 |
| ADAIR | 10 | 57.8 | 50.3 | 7 | 40.5 | 39.0 | 1 | 5.8 | 5.2 | 4 | 23.1 | 20.4 |
| CASEY | 21 | 133.5 | 114.5 | 12 | 76.3 | 75.5 | 3 | 19.1 | 16.5 | 7 | 44.5 | 37.9 |
| CLINTON | 6 | 62.4 | 54.7 | 6 | 62.4 | 59.9 | 3 | 31.2 | 26.2 | 2 | 20.8 | 18.0 |
| CUMBERLAND | 4 | 55.6 | 38.0 | 6 | 83.5 | 81.1 | 5 | 69.6 | 49.5 | 1 | 13.9 | 9.2 |
| GREEN | 4 | 34.4 | 26.3 | 8 | 68.8 | 61.0 | 5 | 43.0 | 31.1 | 4 | 34.4 | 25.5 |
| MCCREARY | 15 | 87.9 | 105.3 | 10 | 58.6 | 63.7 | 6 | 35.2 | 41.8 | 3 | 17.6 | 22.0 |
| PULASKI | 37 | 65.2 | 56.2 | 29 | 51.1 | 50.3 | 16 | 28.2 | 24.2 | 10 | 17.6 | 15.7 |
| RUSSELL | 13 | 78.8 | 59.4 | 11 | 66.7 | 65.7 | 1 | 6.1 | 4.8 | 6 | 36.4 | 30.4 |
| TAYLOR | 14 | 60.8 | 50.2 | 18 | 78.1 | 73.6 | 4 | 17.4 | 15.8 | 4 | 17.4 | 15.0 |
| WAYNE | 22 | 110.3 | 103.1 | 13 | 65.2 | 65.6 | 2 | 10.0 | 9.7 | 7 | 35.1 | 34.7 |
| DISTRICT 15 | 330 | 47.6 | 54.1 | 295 | 42.6 | 43.3 | 133 | 19.2 | 21.3 | 154 | 22.2 | 25.5 |
| ANDERSON | 15 | 76.7 | 88.8 | 11 | 56.2 | 62.7 | 1 | 5.1 | 4.8 | 3 | 15.3 | 17.1 |
| BOURBON | 15 | 77.0 | 68.9 | 17 | 87.3 | 89.5 | 6 | 30.8 | 28.2 | 4 | 20.5 | 19.4 |
| BOYLE | 16 | 57.9 | 52.2 | 17 | 61.6 | 60.6 | 8 | 29.0 | 26.1 | 10 | 36.2 | 32.4 |
| CLARK | 10 | 29.9 | 30.6 | 20 | 59.9 | 61.2 | 6 | 18.0 | 17.5 | 8 | 23.9 | 25.7 |
| ESTILL | 11 | 71.4 | 67.5 | 5 | 32.5 | 30.6 | 7 | 45.4 | 41.6 | 3 | 19.5 | 17.7 |
| FAYETTE | 112 | 43.0 | 52.8 | 85 | 32.6 | 35.3 | 43 | 16.5 | 19.3 | 43 | 16.5 | 20.2 |
| FRANKLIN | 28 | 58.1 | 60.1 | 15 | 31.1 | 31.1 | 14 | 29.0 | 29.6 | 18 | 37.3 | 39.1 |
| GARRARD | 7 | 45.9 | 47.0 | 5 | 32.8 | 32.7 | 10 | 65.5 | 66.0 | 5 | 32.8 | 33.8 |
| HARRISON | 13 | 72.0 | 69.0 | 9 | 49.9 | 50.9 | 3 | 16.6 | 15.1 | 5 | 27.7 | 26.4 |
| JESSAMINE | 21 | 52.5 | 68.1 | 17 | 42.5 | 43.8 | 4 | 10.0 | 13.1 | 8 | 20.0 | 24.8 |
| LINCOLN | 15 | 62.7 | 60.9 | 12 | 50.2 | 49.3 | 4 | 16.7 | 16.2 | 7 | 29.3 | 32.4 |
| MADISON | 25 | 34.5 | 44.4 | 33 | 45.6 | 43.8 | 8 | 11.0 | 13.7 | 21 | 29.0 | 38.5 |
| MERCER | 7 | 33.5 | 29.5 | 13 | 62.2 | 60.4 | 6 | 28.7 | 24.8 | 8 | 38.3 | 34.4 |
| NICHOLAS | 9 | 131.8 | 102.9 | 11 | 161.1 | 150.5 | 2 | 29.3 | 22.2 | 3 | 43.9 | 34.2 |
| POWELL | 7 | 52.7 | 67.2 | 9 | 67.7 | 65.7 | 4 | 30.1 | 38.8 | 3 | 22.6 | 31.1 |
| SCOTT | 12 | 34.8 | 47.3 | 10 | 29.0 | 32.7 | 5 | 14.5 | 19.9 | 5 | 14.5 | 20.1 |
| WOODFORD | 7 | 30.0 | 38.7 | 6 | 25.7 | 27.8 | 2 | 8.6 | 9.7 | 0 | 0.0 | 0.0 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Alzheimer's Disease | | | Nephritis, Nephrotic Syndrome and Nephrosis | | | Septicemia | | | Intentional Self-Harm (Suicide) | | |
|------------------------------|---------------------|---------------|-----------------|--|---------------|-----------------|------------|---------------|-----------------|------------------------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 970 | 23.9 | 25.0 | 822 | 20.2 | 20.6 | 711 | 17.5 | 17.8 | 510 | 12.5 | 12.4 |
| DISTRICT 01 | 63 | 32.7 | 23.8 | 31 | 16.1 | 12.0 | 23 | 11.9 | 9.5 | 36 | 18.7 | 18.1 |
| BALLARD | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 12.3 | 11.2 |
| CALLOWAY | 11 | 32.2 | 25.4 | 7 | 20.5 | 16.5 | 2 | 5.8 | 5.3 | 10 | 29.2 | 30.9 |
| CARLISLE | 1 | 18.7 | 13.9 | 1 | 18.7 | 11.0 | 1 | 18.7 | 13.9 | 1 | 18.7 | 21.3 |
| FULTON | 1 | 12.8 | 8.0 | 2 | 25.7 | 16.9 | 1 | 12.8 | 9.0 | 3 | 38.5 | 38.5 |
| GRAVES | 20 | 54.2 | 38.5 | 8 | 21.7 | 15.8 | 5 | 13.6 | 10.8 | 8 | 21.7 | 22.0 |
| HICKMAN | 1 | 19.3 | 10.3 | 1 | 19.3 | 13.5 | 0 | 0.0 | 0.0 | 1 | 19.3 | 20.7 |
| MCCRACKEN | 19 | 29.3 | 21.9 | 8 | 12.3 | 9.3 | 10 | 15.4 | 12.3 | 10 | 15.4 | 14.1 |
| MARSHALL | 10 | 33.0 | 23.9 | 4 | 13.2 | 9.7 | 4 | 13.2 | 10.2 | 2 | 6.6 | 6.6 |
| DISTRICT 02 | 64 | 29.8 | 27.5 | 63 | 29.3 | 27.3 | 45 | 20.9 | 19.7 | 20 | 9.3 | 9.3 |
| CALDWELL | 9 | 69.8 | 48.4 | 6 | 46.5 | 32.5 | 1 | 7.8 | 5.4 | 0 | 0.0 | 0.0 |
| CHRISTIAN | 6 | 8.4 | 11.2 | 15 | 20.9 | 27.0 | 12 | 16.7 | 22.2 | 10 | 14.0 | 15.5 |
| CRITTENDEN | 2 | 21.5 | 16.4 | 3 | 32.3 | 24.8 | 2 | 21.5 | 16.8 | 1 | 10.8 | 10.1 |
| HOPKINS | 15 | 32.4 | 26.1 | 14 | 30.2 | 25.8 | 10 | 21.6 | 18.4 | 4 | 8.6 | 8.4 |
| LIVINGSTON | 1 | 10.2 | 8.2 | 3 | 30.7 | 27.1 | 2 | 20.5 | 16.2 | 0 | 0.0 | 0.0 |
| LYON | 9 | 109.5 | 83.0 | 6 | 73.0 | 53.6 | 2 | 24.3 | 17.1 | 0 | 0.0 | 0.0 |
| MUHLENBERG | 15 | 47.2 | 36.9 | 8 | 25.1 | 21.0 | 9 | 28.3 | 23.0 | 4 | 12.6 | 12.4 |
| TODD | 3 | 24.9 | 23.2 | 3 | 24.9 | 22.4 | 3 | 24.9 | 23.9 | 1 | 8.3 | 8.9 |
| TRIGG | 4 | 31.2 | 29.0 | 5 | 39.0 | 35.3 | 4 | 31.2 | 28.6 | 0 | 0.0 | 0.0 |
| DISTRICT 03 | 68 | 32.8 | 30.5 | 32 | 15.4 | 14.3 | 35 | 16.9 | 15.7 | 30 | 14.5 | 14.2 |
| DAVISS | 29 | 31.6 | 28.8 | 10 | 10.9 | 9.9 | 13 | 14.2 | 13.2 | 12 | 13.1 | 13.3 |
| HANCOCK | 1 | 11.9 | 15.5 | 2 | 23.7 | 31.0 | 1 | 11.9 | 12.5 | 1 | 11.9 | 9.6 |
| HENDERSON | 9 | 20.1 | 20.4 | 8 | 17.8 | 17.6 | 12 | 26.8 | 26.2 | 7 | 15.6 | 14.6 |
| MCLEAN | 10 | 100.5 | 88.1 | 3 | 30.2 | 26.6 | 3 | 30.2 | 25.1 | 0 | 0.0 | 0.0 |
| OHIO | 11 | 47.8 | 40.7 | 3 | 13.0 | 11.2 | 3 | 13.0 | 11.2 | 4 | 17.4 | 17.2 |
| UNION | 6 | 38.7 | 36.9 | 2 | 12.9 | 12.2 | 1 | 6.5 | 6.2 | 2 | 12.9 | 8.8 |
| WEBSTER | 2 | 14.3 | 11.2 | 4 | 28.5 | 23.4 | 2 | 14.3 | 12.2 | 4 | 28.5 | 26.4 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Alzheimer's Disease | | | Nephritis, Nephrotic Syndrome and Nephrosis | | | Septicemia | | | Intentional Self-Harm (Suicide) | | |
|------------------------------|---------------------|---------------|-----------------|--|---------------|-----------------|------------|---------------|-----------------|------------------------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 970 | 23.9 | 25.0 | 822 | 20.2 | 20.6 | 711 | 17.5 | 17.8 | 510 | 12.5 | 12.4 |
| DISTRICT 04 | 69 | 26.8 | 26.8 | 45 | 17.5 | 17.3 | 33 | 12.8 | 12.6 | 40 | 15.6 | 15.5 |
| ALLEN | 2 | 11.1 | 10.7 | 6 | 33.2 | 31.3 | 2 | 11.1 | 11.0 | 2 | 11.1 | 10.5 |
| BARREN | 8 | 20.7 | 16.7 | 9 | 23.3 | 19.6 | 6 | 15.5 | 12.9 | 3 | 7.8 | 7.7 |
| BUTLER | 0 | 0.0 | 0.0 | 2 | 15.2 | 16.4 | 1 | 7.6 | 6.4 | 1 | 7.6 | 7.5 |
| EDMONSON | 6 | 51.0 | 48.7 | 1 | 8.5 | 8.2 | 1 | 8.5 | 8.7 | 3 | 25.5 | 27.8 |
| HART | 8 | 46.0 | 46.8 | 3 | 17.3 | 15.7 | 3 | 17.3 | 15.7 | 2 | 11.5 | 11.7 |
| LOGAN | 8 | 30.1 | 27.0 | 4 | 15.0 | 13.3 | 3 | 11.3 | 9.9 | 3 | 11.3 | 11.4 |
| METCALFE | 2 | 19.8 | 17.8 | 2 | 19.8 | 18.3 | 4 | 39.5 | 33.5 | 1 | 9.9 | 10.0 |
| MONROE | 0 | 0.0 | 0.0 | 3 | 25.5 | 20.5 | 0 | 0.0 | 0.0 | 3 | 25.5 | 24.8 |
| SIMPSON | 4 | 24.3 | 22.3 | 6 | 36.5 | 32.4 | 3 | 18.2 | 17.0 | 6 | 36.5 | 36.9 |
| WARREN | 31 | 33.3 | 41.2 | 9 | 9.7 | 11.3 | 10 | 10.7 | 12.8 | 16 | 17.2 | 18.4 |
| DISTRICT 05 | 40 | 16.2 | 19.5 | 58 | 23.5 | 27.2 | 34 | 13.8 | 15.6 | 36 | 14.6 | 14.8 |
| BRECKINRIDGE | 0 | 0.0 | 0.0 | 7 | 37.1 | 33.1 | 3 | 15.9 | 14.2 | 5 | 26.5 | 26.7 |
| GRAYSON | 5 | 20.7 | 21.8 | 10 | 41.3 | 40.4 | 5 | 20.7 | 17.8 | 6 | 24.8 | 26.1 |
| HARDIN | 15 | 15.8 | 22.0 | 12 | 12.6 | 16.4 | 11 | 11.6 | 15.3 | 11 | 11.6 | 12.0 |
| LARUE | 5 | 37.3 | 31.8 | 2 | 14.9 | 13.0 | 5 | 37.3 | 32.2 | 3 | 22.4 | 22.5 |
| MARION | 5 | 27.2 | 26.0 | 7 | 38.0 | 38.1 | 1 | 5.4 | 5.4 | 3 | 16.3 | 16.7 |
| MEADE | 3 | 11.1 | 21.7 | 5 | 18.5 | 32.5 | 1 | 3.7 | 6.5 | 4 | 14.8 | 15.1 |
| NELSON | 4 | 10.4 | 13.3 | 12 | 31.1 | 38.0 | 7 | 18.1 | 22.5 | 3 | 7.8 | 7.6 |
| WASHINGTON | 3 | 27.2 | 23.4 | 3 | 27.2 | 21.3 | 1 | 9.1 | 8.8 | 1 | 9.1 | 10.6 |
| DISTRICT 06 | 170 | 19.4 | 20.3 | 155 | 17.7 | 17.9 | 177 | 20.2 | 20.5 | 96 | 11.0 | 10.8 |
| BULLITT | 5 | 7.9 | 15.9 | 6 | 9.5 | 13.3 | 4 | 6.3 | 10.8 | 9 | 14.3 | 13.6 |
| HENRY | 1 | 6.6 | 7.5 | 1 | 6.6 | 6.5 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| JEFFERSON | 155 | 22.4 | 21.4 | 142 | 20.5 | 19.4 | 162 | 23.4 | 22.2 | 74 | 10.7 | 10.4 |
| OLDHAM | 3 | 6.3 | 13.4 | 2 | 4.2 | 8.8 | 4 | 8.3 | 15.4 | 4 | 8.3 | 7.6 |
| SHELBY | 3 | 8.8 | 10.7 | 4 | 11.7 | 14.6 | 3 | 8.8 | 9.8 | 2 | 5.9 | 5.6 |
| SPENCER | 1 | 7.7 | 12.3 | 0 | 0.0 | 0.0 | 1 | 7.7 | 12.3 | 7 | 53.7 | 52.4 |
| TRIMBLE | 2 | 23.7 | 27.0 | 0 | 0.0 | 0.0 | 3 | 35.5 | 40.1 | 0 | 0.0 | 0.0 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Alzheimer's Disease | | | Nephritis, Nephrotic Syndrome and Nephrosis | | | Septicemia | | | Intentional Self-Harm (Suicide) | | |
|------------------------------|---------------------|---------------|-----------------|--|---------------|-----------------|------------|---------------|-----------------|------------------------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 970 | 23.9 | 25.0 | 822 | 20.2 | 20.6 | 711 | 17.5 | 17.8 | 510 | 12.5 | 12.4 |
| DISTRICT 07 | 107 | 27.0 | 33.9 | 63 | 15.9 | 19.2 | 72 | 18.1 | 21.5 | 41 | 10.3 | 10.3 |
| BOONE | 19 | 21.0 | 40.1 | 13 | 14.4 | 24.6 | 10 | 11.1 | 16.9 | 5 | 5.5 | 5.2 |
| CAMPBELL | 31 | 35.1 | 36.6 | 6 | 6.8 | 7.1 | 17 | 19.2 | 19.9 | 11 | 12.4 | 12.4 |
| CARROLL | 6 | 59.2 | 64.4 | 0 | 0.0 | 0.0 | 2 | 19.7 | 21.3 | 0 | 0.0 | 0.0 |
| GALLATIN | 1 | 12.6 | 15.9 | 4 | 50.2 | 55.2 | 1 | 12.6 | 11.6 | 2 | 25.1 | 27.7 |
| GRANT | 7 | 30.1 | 42.5 | 10 | 43.0 | 58.6 | 1 | 4.3 | 3.8 | 2 | 8.6 | 8.1 |
| KENTON | 42 | 27.7 | 33.0 | 27 | 17.8 | 20.6 | 37 | 24.4 | 27.7 | 18 | 11.9 | 11.7 |
| OWEN | 0 | 0.0 | 0.0 | 2 | 18.6 | 17.2 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| PENDLETON | 1 | 6.8 | 8.9 | 1 | 6.8 | 9.3 | 4 | 27.4 | 33.8 | 3 | 20.5 | 20.5 |
| DISTRICT 08 | 9 | 16.2 | 15.0 | 13 | 23.4 | 21.5 | 8 | 14.4 | 13.1 | 7 | 12.6 | 12.6 |
| BRACKEN | 0 | 0.0 | 0.0 | 4 | 47.4 | 44.4 | 0 | 0.0 | 0.0 | 1 | 11.8 | 12.5 |
| FLEMING | 1 | 7.1 | 7.3 | 3 | 21.2 | 20.3 | 2 | 14.1 | 13.9 | 3 | 21.2 | 21.8 |
| LEWIS | 1 | 7.2 | 6.8 | 5 | 36.0 | 37.7 | 1 | 7.2 | 7.7 | 2 | 14.4 | 15.1 |
| MASON | 5 | 29.7 | 24.0 | 1 | 5.9 | 5.1 | 3 | 17.8 | 15.5 | 1 | 5.9 | 5.1 |
| ROBERTSON | 2 | 87.2 | 62.0 | 0 | 0.0 | 0.0 | 2 | 87.2 | 68.5 | 0 | 0.0 | 0.0 |
| DISTRICT 09 | 22 | 28.4 | 30.7 | 11 | 14.2 | 14.8 | 15 | 19.4 | 20.2 | 6 | 7.8 | 7.6 |
| BATH | 4 | 35.2 | 28.6 | 4 | 35.2 | 30.7 | 4 | 35.2 | 29.2 | 0 | 0.0 | 0.0 |
| MENIFEE | 2 | 30.1 | 31.5 | 3 | 45.2 | 44.8 | 1 | 15.1 | 18.2 | 1 | 15.1 | 16.5 |
| MONTGOMERY | 9 | 39.1 | 39.4 | 1 | 4.3 | 4.3 | 3 | 13.0 | 12.6 | 4 | 17.4 | 16.8 |
| MORGAN | 2 | 14.1 | 16.3 | 1 | 7.1 | 9.0 | 3 | 21.2 | 21.1 | 1 | 7.1 | 6.4 |
| ROWAN | 5 | 22.5 | 30.3 | 2 | 9.0 | 11.4 | 4 | 18.0 | 20.7 | 0 | 0.0 | 0.0 |
| DISTRICT 10 | 42 | 30.9 | 30.3 | 19 | 14.0 | 13.1 | 29 | 21.3 | 19.8 | 20 | 14.7 | 14.4 |
| BOYD | 25 | 50.3 | 44.3 | 13 | 26.1 | 22.6 | 13 | 26.1 | 22.5 | 5 | 10.1 | 9.2 |
| CARTER | 6 | 22.2 | 24.2 | 2 | 7.4 | 8.1 | 8 | 29.6 | 30.9 | 4 | 14.8 | 14.9 |
| ELLIOTT | 1 | 14.8 | 11.6 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 2 | 29.5 | 27.7 |
| GREENUP | 8 | 21.7 | 24.4 | 4 | 10.9 | 9.6 | 4 | 10.9 | 9.8 | 5 | 13.6 | 15.0 |
| LAWRENCE | 2 | 12.7 | 14.2 | 0 | 0.0 | 0.0 | 4 | 25.4 | 26.7 | 4 | 25.4 | 23.4 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Alzheimer's Disease | | | Nephritis, Nephrotic Syndrome and Nephrosis | | | Septicemia | | | Intentional Self-Harm (Suicide) | | |
|------------------------------|---------------------|---------------|-----------------|--|---------------|-----------------|------------|---------------|-----------------|------------------------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 970 | 23.9 | 25.0 | 822 | 20.2 | 20.6 | 711 | 17.5 | 17.8 | 510 | 12.5 | 12.4 |
| DISTRICT 11 | 18 | 11.3 | 13.2 | 44 | 27.6 | 29.5 | 27 | 16.9 | 17.8 | 19 | 11.9 | 11.6 |
| FLOYD | 7 | 16.5 | 18.0 | 10 | 23.6 | 25.0 | 4 | 9.4 | 8.9 | 3 | 7.1 | 7.1 |
| JOHNSON | 5 | 21.3 | 22.0 | 8 | 34.1 | 33.2 | 3 | 12.8 | 12.6 | 3 | 12.8 | 12.3 |
| MAGOFFIN | 2 | 15.1 | 18.0 | 3 | 22.7 | 26.6 | 2 | 15.1 | 16.9 | 1 | 7.6 | 7.5 |
| MARTIN | 1 | 7.9 | 11.2 | 8 | 63.5 | 81.4 | 1 | 7.9 | 11.2 | 1 | 7.9 | 7.3 |
| PIKE | 3 | 4.4 | 5.1 | 15 | 22.1 | 23.4 | 17 | 25.0 | 26.7 | 11 | 16.2 | 15.3 |
| DISTRICT 12 | 18 | 15.0 | 16.6 | 22 | 18.3 | 18.6 | 33 | 27.5 | 29.2 | 22 | 18.3 | 17.7 |
| BREATHITT | 0 | 0.0 | 0.0 | 2 | 12.5 | 12.1 | 5 | 31.2 | 35.2 | 2 | 12.5 | 12.5 |
| KNOTT | 0 | 0.0 | 0.0 | 2 | 11.3 | 11.5 | 4 | 22.7 | 23.8 | 1 | 5.7 | 5.0 |
| LEE | 1 | 12.7 | 9.9 | 3 | 38.0 | 32.8 | 3 | 38.0 | 35.1 | 3 | 38.0 | 33.4 |
| LESLIE | 2 | 16.2 | 19.6 | 4 | 32.5 | 35.3 | 5 | 40.6 | 47.2 | 3 | 24.4 | 24.3 |
| LETCHER | 7 | 28.0 | 29.9 | 5 | 20.0 | 19.2 | 2 | 8.0 | 7.5 | 5 | 20.0 | 18.2 |
| OWSLEY | 1 | 20.6 | 15.4 | 1 | 20.6 | 16.8 | 1 | 20.6 | 15.4 | 1 | 20.6 | 23.5 |
| PERRY | 6 | 20.5 | 24.7 | 4 | 13.7 | 13.9 | 9 | 30.7 | 33.2 | 7 | 23.9 | 23.5 |
| WOLFE | 1 | 14.4 | 12.9 | 1 | 14.4 | 12.9 | 4 | 57.5 | 58.5 | 0 | 0.0 | 0.0 |
| DISTRICT 13 | 51 | 21.3 | 22.0 | 70 | 29.3 | 29.5 | 53 | 22.2 | 22.4 | 30 | 12.5 | 12.4 |
| BELL | 6 | 20.1 | 18.2 | 6 | 20.1 | 18.7 | 7 | 23.4 | 22.3 | 4 | 13.4 | 14.2 |
| CLAY | 5 | 20.4 | 27.3 | 7 | 28.6 | 34.8 | 5 | 20.4 | 26.0 | 3 | 12.2 | 11.5 |
| HARLAN | 6 | 18.4 | 16.5 | 18 | 55.1 | 48.7 | 5 | 15.3 | 14.4 | 4 | 12.2 | 12.1 |
| JACKSON | 4 | 29.3 | 32.8 | 1 | 7.3 | 8.4 | 3 | 22.0 | 23.8 | 0 | 0.0 | 0.0 |
| KNOX | 6 | 18.9 | 17.9 | 10 | 31.5 | 30.8 | 5 | 15.8 | 14.9 | 6 | 18.9 | 18.3 |
| LAUREL | 10 | 18.6 | 23.1 | 15 | 27.9 | 31.0 | 14 | 26.1 | 31.1 | 5 | 9.3 | 9.1 |
| ROCKCASTLE | 6 | 36.1 | 36.4 | 4 | 24.1 | 22.9 | 1 | 6.0 | 5.5 | 1 | 6.0 | 5.8 |
| WHITLEY | 8 | 21.9 | 21.8 | 9 | 24.7 | 24.2 | 13 | 35.6 | 34.9 | 7 | 19.2 | 18.8 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Alzheimer's Disease | | | Nephritis, Nephrotic Syndrome and Nephrosis | | | Septicemia | | | Intentional Self-Harm (Suicide) | | |
|------------------------------|---------------------|---------------|-----------------|--|---------------|-----------------|------------|---------------|-----------------|------------------------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 970 | 23.9 | 25.0 | 822 | 20.2 | 20.6 | 711 | 17.5 | 17.8 | 510 | 12.5 | 12.4 |
| DISTRICT 14 | 43 | 22.1 | 19.9 | 51 | 26.2 | 22.8 | 47 | 24.1 | 21.8 | 28 | 14.4 | 14.2 |
| ADAIR | 0 | 0.0 | 0.0 | 6 | 34.7 | 29.9 | 8 | 46.3 | 40.9 | 4 | 23.1 | 23.8 |
| CASEY | 2 | 12.7 | 10.9 | 6 | 38.2 | 31.8 | 6 | 38.2 | 34.3 | 2 | 12.7 | 12.7 |
| CLINTON | 2 | 20.8 | 18.0 | 5 | 52.0 | 46.1 | 0 | 0.0 | 0.0 | 1 | 10.4 | 11.4 |
| CUMBERLAND | 2 | 27.8 | 18.4 | 3 | 41.7 | 27.9 | 2 | 27.8 | 18.7 | 1 | 13.9 | 17.1 |
| GREEN | 2 | 17.2 | 13.2 | 6 | 51.6 | 37.0 | 5 | 43.0 | 39.5 | 0 | 0.0 | 0.0 |
| MCCREARY | 0 | 0.0 | 0.0 | 3 | 17.6 | 20.7 | 1 | 5.9 | 6.2 | 1 | 5.9 | 6.2 |
| PULASKI | 20 | 35.2 | 32.2 | 7 | 12.3 | 10.1 | 10 | 17.6 | 15.7 | 8 | 14.1 | 14.1 |
| RUSSELL | 2 | 12.1 | 9.6 | 6 | 36.4 | 29.1 | 3 | 18.2 | 14.8 | 3 | 18.2 | 16.8 |
| TAYLOR | 6 | 26.0 | 23.0 | 6 | 26.0 | 22.9 | 10 | 43.4 | 39.4 | 4 | 17.4 | 18.9 |
| WAYNE | 7 | 35.1 | 37.4 | 3 | 15.0 | 14.5 | 2 | 10.0 | 11.0 | 4 | 20.1 | 19.0 |
| DISTRICT 15 | 186 | 26.9 | 31.5 | 145 | 20.9 | 23.7 | 80 | 11.6 | 13.1 | 79 | 11.4 | 11.1 |
| ANDERSON | 3 | 15.3 | 17.6 | 5 | 25.6 | 30.1 | 2 | 10.2 | 12.3 | 1 | 5.1 | 4.9 |
| BOURBON | 6 | 30.8 | 26.7 | 6 | 30.8 | 27.8 | 2 | 10.3 | 9.8 | 3 | 15.4 | 14.5 |
| BOYLE | 15 | 54.3 | 48.5 | 15 | 54.3 | 48.8 | 3 | 10.9 | 9.7 | 3 | 10.9 | 11.0 |
| CLARK | 19 | 56.9 | 63.6 | 8 | 23.9 | 24.7 | 5 | 15.0 | 15.4 | 7 | 21.0 | 21.5 |
| ESTILL | 3 | 19.5 | 18.9 | 7 | 45.4 | 43.0 | 3 | 19.5 | 19.1 | 3 | 19.5 | 19.7 |
| FAYETTE | 56 | 21.5 | 27.1 | 37 | 14.2 | 17.4 | 27 | 10.4 | 12.4 | 28 | 10.8 | 10.3 |
| FRANKLIN | 17 | 35.3 | 38.0 | 7 | 14.5 | 14.7 | 3 | 6.2 | 6.5 | 4 | 8.3 | 8.1 |
| GARRARD | 2 | 13.1 | 13.9 | 5 | 32.8 | 33.7 | 5 | 32.8 | 33.8 | 3 | 19.7 | 20.2 |
| HARRISON | 5 | 27.7 | 25.6 | 1 | 5.5 | 5.0 | 3 | 16.6 | 15.3 | 1 | 5.5 | 6.0 |
| JESSAMINE | 15 | 37.5 | 51.4 | 8 | 20.0 | 24.5 | 4 | 10.0 | 12.0 | 4 | 10.0 | 11.1 |
| LINCOLN | 6 | 25.1 | 27.8 | 5 | 20.9 | 19.3 | 4 | 16.7 | 16.7 | 0 | 0.0 | 0.0 |
| MADISON | 4 | 5.5 | 7.6 | 20 | 27.6 | 35.2 | 8 | 11.0 | 15.0 | 7 | 9.7 | 10.2 |
| MERCER | 6 | 28.7 | 25.0 | 3 | 14.4 | 12.5 | 1 | 4.8 | 4.1 | 0 | 0.0 | 0.0 |
| NICHOLAS | 1 | 14.6 | 10.3 | 4 | 58.6 | 49.8 | 2 | 29.3 | 22.8 | 1 | 14.6 | 15.8 |
| POWELL | 4 | 30.1 | 41.6 | 3 | 22.6 | 31.0 | 2 | 15.0 | 18.0 | 4 | 30.1 | 29.7 |
| SCOTT | 15 | 43.5 | 63.6 | 4 | 11.6 | 16.6 | 0 | 0.0 | 0.0 | 8 | 23.2 | 22.3 |
| WOODFORD | 9 | 38.6 | 50.6 | 7 | 30.0 | 36.5 | 6 | 25.7 | 33.6 | 2 | 8.6 | 7.3 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Chronic Liver Disease & Cirrhosis | | | Pneumonitis Due to Solids & Liquids | | | Aortic Aneurysm and Dissection | | | Parkinson's Disease | | | Assault (Homicide) | | |
|------------------------------|--------------------------------------|---------------|-----------------|--|---------------|-----------------|-----------------------------------|---------------|-----------------|---------------------|---------------|-----------------|--------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 376 | 9.2 | 9.1 | 310 | 7.6 | 7.9 | 231 | 5.7 | 5.8 | 222 | 5.5 | 5.7 | 218 | 5.4 | 5.3 |
| DISTRICT 01 | 12 | 6.2 | 5.6 | 13 | 6.7 | 5.0 | 16 | 8.3 | 7.0 | 9 | 4.7 | 3.4 | 8 | 4.2 | 4.3 |
| BALLARD | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 12.3 | 9.1 | 0 | 0.0 | 0.0 |
| CALLOWAY | 3 | 8.8 | 7.1 | 2 | 5.8 | 4.8 | 2 | 5.8 | 4.8 | 0 | 0.0 | 0.0 | 1 | 2.9 | 3.1 |
| CARLISLE | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 18.7 | 17.5 |
| FULTON | 1 | 12.8 | 15.5 | 2 | 25.7 | 16.0 | 1 | 12.8 | 9.0 | 0 | 0.0 | 0.0 | 2 | 25.7 | 26.6 |
| GRAVES | 0 | 0.0 | 0.0 | 2 | 5.4 | 4.4 | 2 | 5.4 | 5.1 | 1 | 2.7 | 1.9 | 3 | 8.1 | 8.3 |
| HICKMAN | 2 | 38.7 | 27.9 | 3 | 58.0 | 37.4 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| MCCRACKEN | 3 | 4.6 | 4.4 | 0 | 0.0 | 0.0 | 7 | 10.8 | 9.0 | 1 | 1.5 | 1.1 | 1 | 1.5 | 1.8 |
| MARSHALL | 3 | 9.9 | 8.5 | 4 | 13.2 | 9.7 | 4 | 13.2 | 10.8 | 6 | 19.8 | 14.5 | 0 | 0.0 | 0.0 |
| DISTRICT 02 | 20 | 9.3 | 9.3 | 11 | 5.1 | 4.8 | 13 | 6.1 | 5.7 | 13 | 6.1 | 5.7 | 10 | 4.7 | 4.6 |
| CALDWELL | 1 | 7.8 | 7.0 | 0 | 0.0 | 0.0 | 2 | 15.5 | 14.6 | 1 | 7.8 | 5.4 | 0 | 0.0 | 0.0 |
| CHRISTIAN | 5 | 7.0 | 9.5 | 1 | 1.4 | 1.9 | 3 | 4.2 | 5.4 | 3 | 4.2 | 5.7 | 7 | 9.8 | 10.7 |
| CRITTENDEN | 2 | 21.5 | 20.6 | 3 | 32.3 | 24.3 | 0 | 0.0 | 0.0 | 2 | 21.5 | 18.1 | 0 | 0.0 | 0.0 |
| HOPKINS | 4 | 8.6 | 7.3 | 4 | 8.6 | 7.8 | 3 | 6.5 | 5.3 | 1 | 2.2 | 1.7 | 1 | 2.2 | 2.4 |
| LIVINGSTON | 1 | 10.2 | 9.1 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 10.2 | 9.2 | 1 | 10.2 | 7.2 |
| LYON | 0 | 0.0 | 0.0 | 1 | 12.2 | 8.6 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| MUHLENBERG | 5 | 15.7 | 14.9 | 2 | 6.3 | 5.3 | 5 | 15.7 | 12.5 | 2 | 6.3 | 5.3 | 1 | 3.1 | 3.2 |
| TODD | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 8.3 | 7.5 | 0 | 0.0 | 0.0 |
| TRIGG | 2 | 15.6 | 10.7 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 2 | 15.6 | 13.3 | 0 | 0.0 | 0.0 |
| DISTRICT 03 | 19 | 9.2 | 8.7 | 13 | 6.3 | 5.8 | 13 | 6.3 | 5.9 | 18 | 8.7 | 8.1 | 8 | 3.9 | 4.0 |
| DAVISS | 5 | 5.4 | 5.2 | 4 | 4.4 | 4.0 | 7 | 7.6 | 7.2 | 10 | 10.9 | 10.0 | 4 | 4.4 | 4.6 |
| HANCOCK | 2 | 23.7 | 25.3 | 0 | 0.0 | 0.0 | 1 | 11.9 | 15.5 | 1 | 11.9 | 15.5 | 0 | 0.0 | 0.0 |
| HENDERSON | 4 | 8.9 | 8.7 | 2 | 4.5 | 4.2 | 3 | 6.7 | 6.3 | 2 | 4.5 | 4.2 | 2 | 4.5 | 4.6 |
| MCLEAN | 1 | 10.1 | 8.9 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 10.1 | 8.9 | 1 | 10.1 | 9.6 |
| OHIO | 3 | 13.0 | 13.4 | 3 | 13.0 | 11.3 | 2 | 8.7 | 7.8 | 1 | 4.3 | 3.5 | 1 | 4.3 | 4.8 |
| UNION | 3 | 19.4 | 18.9 | 2 | 12.9 | 12.5 | 0 | 0.0 | 0.0 | 1 | 6.5 | 6.5 | 0 | 0.0 | 0.0 |
| WEBSTER | 1 | 7.1 | 6.1 | 2 | 14.3 | 11.7 | 0 | 0.0 | 0.0 | 2 | 14.3 | 11.2 | 0 | 0.0 | 0.0 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Chronic Liver Disease & Cirrhosis | | | Pneumonitis Due to Solids & Liquids | | | Aortic Aneurysm and Dissection | | | Parkinson's Disease | | | Assault (Homicide) | | |
|------------------------------|--------------------------------------|---------------|-----------------|--|---------------|-----------------|-----------------------------------|---------------|-----------------|---------------------|---------------|-----------------|--------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 376 | 9.2 | 9.1 | 310 | 7.6 | 7.9 | 231 | 5.7 | 5.8 | 222 | 5.5 | 5.7 | 218 | 5.4 | 5.3 |
| DISTRICT 04 | 16 | 6.2 | 6.1 | 29 | 11.3 | 11.3 | 16 | 6.2 | 6.2 | 14 | 5.4 | 5.5 | 16 | 6.2 | 6.3 |
| ALLEN | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 5.5 | 4.9 | 0 | 0.0 | 0.0 | 1 | 5.5 | 6.0 |
| BARREN | 1 | 2.6 | 2.2 | 4 | 10.4 | 7.9 | 3 | 7.8 | 6.8 | 3 | 7.8 | 6.8 | 5 | 13.0 | 14.1 |
| BUTLER | 2 | 15.2 | 15.9 | 2 | 15.2 | 15.0 | 3 | 22.8 | 21.4 | 1 | 7.6 | 7.5 | 1 | 7.6 | 8.0 |
| EDMONSON | 0 | 0.0 | 0.0 | 2 | 17.0 | 15.6 | 0 | 0.0 | 0.0 | 1 | 8.5 | 8.0 | 0 | 0.0 | 0.0 |
| HART | 0 | 0.0 | 0.0 | 4 | 23.0 | 23.1 | 2 | 11.5 | 10.7 | 1 | 5.8 | 5.5 | 0 | 0.0 | 0.0 |
| LOGAN | 1 | 3.8 | 3.5 | 1 | 3.8 | 3.3 | 1 | 3.8 | 3.7 | 2 | 7.5 | 6.8 | 1 | 3.8 | 4.0 |
| METCALFE | 0 | 0.0 | 0.0 | 1 | 9.9 | 8.7 | 1 | 9.9 | 9.1 | 1 | 9.9 | 8.7 | 1 | 9.9 | 11.0 |
| MONROE | 2 | 17.0 | 13.3 | 3 | 25.5 | 20.4 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 2 | 17.0 | 18.3 |
| SIMPSON | 2 | 12.2 | 11.9 | 2 | 12.2 | 11.1 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| WARREN | 8 | 8.6 | 9.2 | 10 | 10.7 | 13.0 | 5 | 5.4 | 6.5 | 5 | 5.4 | 6.7 | 5 | 5.4 | 5.5 |
| DISTRICT 05 | 23 | 9.3 | 9.6 | 19 | 7.7 | 9.2 | 9 | 3.7 | 4.1 | 15 | 6.1 | 7.3 | 6 | 2.4 | 2.5 |
| BRECKINRIDGE | 1 | 5.3 | 5.8 | 1 | 5.3 | 5.3 | 1 | 5.3 | 5.2 | 1 | 5.3 | 5.2 | 0 | 0.0 | 0.0 |
| GRAYSON | 0 | 0.0 | 0.0 | 4 | 16.5 | 16.2 | 1 | 4.1 | 4.4 | 2 | 8.3 | 7.3 | 0 | 0.0 | 0.0 |
| HARDIN | 10 | 10.5 | 12.1 | 7 | 7.4 | 10.0 | 3 | 3.2 | 3.9 | 10 | 10.5 | 15.3 | 4 | 4.2 | 4.3 |
| LARUE | 1 | 7.5 | 7.7 | 1 | 7.5 | 6.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 7.5 | 6.3 |
| MARION | 1 | 5.4 | 5.5 | 2 | 10.9 | 10.3 | 1 | 5.4 | 4.5 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| MEADE | 4 | 14.8 | 16.7 | 1 | 3.7 | 6.5 | 1 | 3.7 | 4.7 | 0 | 0.0 | 0.0 | 1 | 3.7 | 4.0 |
| NELSON | 4 | 10.4 | 10.8 | 2 | 5.2 | 6.7 | 1 | 2.6 | 3.0 | 2 | 5.2 | 6.6 | 0 | 0.0 | 0.0 |
| WASHINGTON | 2 | 18.1 | 16.5 | 1 | 9.1 | 7.7 | 1 | 9.1 | 8.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| DISTRICT 06 | 71 | 8.1 | 7.8 | 72 | 8.2 | 8.5 | 39 | 4.5 | 4.5 | 51 | 5.8 | 6.0 | 46 | 5.3 | 5.3 |
| BULLITT | 6 | 9.5 | 10.8 | 2 | 3.2 | 7.2 | 2 | 3.2 | 3.5 | 2 | 3.2 | 6.2 | 0 | 0.0 | 0.0 |
| HENRY | 0 | 0.0 | 0.0 | 1 | 6.6 | 6.9 | 0 | 0.0 | 0.0 | 1 | 6.6 | 6.9 | 1 | 6.6 | 6.5 |
| JEFFERSON | 59 | 8.5 | 8.1 | 58 | 8.4 | 8.0 | 35 | 5.1 | 4.8 | 47 | 6.8 | 6.4 | 43 | 6.2 | 6.2 |
| OLDHAM | 2 | 4.2 | 3.5 | 4 | 8.3 | 17.8 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 2.1 | 1.7 |
| SHELBY | 0 | 0.0 | 0.0 | 3 | 8.8 | 10.7 | 1 | 2.9 | 3.5 | 1 | 2.9 | 3.7 | 1 | 2.9 | 3.0 |
| SPENCER | 3 | 23.0 | 21.5 | 0 | 0.0 | 0.0 | 1 | 7.7 | 9.7 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| TRIMBLE | 1 | 11.8 | 11.9 | 4 | 47.4 | 53.6 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Chronic Liver Disease & Cirrhosis | | | Pneumonitis Due to Solids & Liquids | | | Aortic Aneurysm and Dissection | | | Parkinson's Disease | | | Assault (Homicide) | | |
|------------------------|-----------------------------------|-------------|--------------|-------------------------------------|-------------|--------------|--------------------------------|------------|--------------|---------------------|------------|--------------|--------------------|------------|--------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 376 | 9.2 | 9.1 | 310 | 7.6 | 7.9 | 231 | 5.7 | 5.8 | 222 | 5.5 | 5.7 | 218 | 5.4 | 5.3 |
| DISTRICT 07 | 33 | 8.3 | 9.0 | 23 | 5.8 | 7.2 | 18 | 4.5 | 5.5 | 23 | 5.8 | 6.9 | 13 | 3.3 | 3.3 |
| BOONE | 5 | 5.5 | 5.6 | 4 | 4.4 | 6.8 | 3 | 3.3 | 5.8 | 4 | 4.4 | 7.8 | 2 | 2.2 | 2.2 |
| CAMPBELL | 14 | 15.8 | 16.0 | 4 | 4.5 | 4.7 | 6 | 6.8 | 7.0 | 3 | 3.4 | 3.4 | 4 | 4.5 | 4.5 |
| CARROLL | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| GALLATIN | 1 | 12.6 | 15.9 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 12.6 | 15.7 | 0 | 0.0 | 0.0 |
| GRANT | 2 | 8.6 | 9.7 | 3 | 12.9 | 17.9 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 2 | 8.6 | 8.6 |
| KENTON | 10 | 6.6 | 7.1 | 12 | 7.9 | 9.4 | 7 | 4.6 | 5.3 | 11 | 7.3 | 8.3 | 4 | 2.6 | 2.6 |
| OWEN | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 9.3 | 8.9 | 3 | 27.9 | 26.1 | 0 | 0.0 | 0.0 |
| PENDLETON | 1 | 6.8 | 7.9 | 0 | 0.0 | 0.0 | 1 | 6.8 | 7.9 | 1 | 6.8 | 7.9 | 1 | 6.8 | 6.5 |
| DISTRICT 08 | 4 | 7.2 | 7.1 | 3 | 5.4 | 5.0 | 5 | 9.0 | 8.2 | 2 | 3.6 | 3.4 | 0 | 0.0 | 0.0 |
| BRACKEN | 2 | 23.7 | 21.9 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| FLEMING | 1 | 7.1 | 7.8 | 1 | 7.1 | 7.3 | 2 | 14.1 | 13.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| LEWIS | 0 | 0.0 | 0.0 | 2 | 14.4 | 15.4 | 2 | 14.4 | 14.1 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| MASON | 1 | 5.9 | 6.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 5.9 | 4.6 | 0 | 0.0 | 0.0 |
| ROBERTSON | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 43.6 | 36.2 | 1 | 43.6 | 36.2 | 0 | 0.0 | 0.0 |
| DISTRICT 09 | 11 | 14.2 | 14.7 | 8 | 10.3 | 10.7 | 4 | 5.2 | 5.5 | 5 | 6.5 | 7.1 | 1 | 1.3 | 1.3 |
| BATH | 2 | 17.6 | 16.5 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 8.8 | 8.6 | 1 | 8.8 | 9.2 |
| MENIFEE | 1 | 15.1 | 11.8 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| MONTGOMERY | 1 | 4.3 | 4.1 | 1 | 4.3 | 4.4 | 1 | 4.3 | 4.4 | 2 | 8.7 | 8.6 | 0 | 0.0 | 0.0 |
| MORGAN | 4 | 28.2 | 29.3 | 2 | 14.1 | 14.1 | 1 | 7.1 | 9.0 | 1 | 7.1 | 9.0 | 0 | 0.0 | 0.0 |
| ROWAN | 3 | 13.5 | 16.7 | 5 | 22.5 | 28.5 | 2 | 9.0 | 10.4 | 1 | 4.5 | 5.6 | 0 | 0.0 | 0.0 |
| DISTRICT 10 | 19 | 14.0 | 12.7 | 13 | 9.6 | 9.2 | 9 | 6.6 | 6.1 | 11 | 8.1 | 7.6 | 10 | 7.3 | 7.4 |
| BOYD | 8 | 16.1 | 14.0 | 6 | 12.1 | 10.4 | 3 | 6.0 | 5.2 | 7 | 14.1 | 11.4 | 3 | 6.0 | 5.7 |
| CARTER | 3 | 11.1 | 11.5 | 2 | 7.4 | 7.9 | 2 | 7.4 | 7.3 | 0 | 0.0 | 0.0 | 2 | 7.4 | 7.3 |
| ELLIOTT | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 14.8 | 11.6 | 0 | 0.0 | 0.0 | 1 | 14.8 | 16.4 |
| GREENUP | 3 | 8.1 | 7.0 | 5 | 13.6 | 13.5 | 1 | 2.7 | 2.1 | 4 | 10.9 | 10.8 | 3 | 8.1 | 9.1 |
| LAWRENCE | 5 | 31.8 | 29.5 | 0 | 0.0 | 0.0 | 2 | 12.7 | 12.4 | 0 | 0.0 | 0.0 | 1 | 6.4 | 6.5 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Chronic Liver Disease & Cirrhosis | | | Pneumonitis Due to Solids & Liquids | | | Aortic Aneurysm and Dissection | | | Parkinson's Disease | | | Assault (Homicide) | | |
|------------------------------|--------------------------------------|---------------|-----------------|--|---------------|-----------------|-----------------------------------|---------------|-----------------|---------------------|---------------|-----------------|--------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 376 | 9.2 | 9.1 | 310 | 7.6 | 7.9 | 231 | 5.7 | 5.8 | 222 | 5.5 | 5.7 | 218 | 5.4 | 5.3 |
| DISTRICT 11 | 19 | 11.9 | 11.7 | 10 | 6.3 | 6.7 | 13 | 8.1 | 8.4 | 4 | 2.5 | 2.7 | 9 | 5.6 | 5.4 |
| FLOYD | 11 | 26.0 | 25.7 | 3 | 7.1 | 7.4 | 3 | 7.1 | 7.1 | 1 | 2.4 | 2.3 | 2 | 4.7 | 4.5 |
| JOHNSON | 1 | 4.3 | 4.6 | 2 | 8.5 | 8.3 | 1 | 4.3 | 4.4 | 1 | 4.3 | 4.6 | 1 | 4.3 | 4.5 |
| MAGOFFIN | 0 | 0.0 | 0.0 | 3 | 22.7 | 28.7 | 2 | 15.1 | 19.0 | 0 | 0.0 | 0.0 | 2 | 15.1 | 14.7 |
| MARTIN | 1 | 7.9 | 7.8 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| PIKE | 6 | 8.8 | 8.3 | 2 | 2.9 | 2.9 | 7 | 10.3 | 9.7 | 2 | 2.9 | 3.5 | 4 | 5.9 | 5.5 |
| DISTRICT 12 | 11 | 9.2 | 8.8 | 13 | 10.8 | 11.3 | 3 | 2.5 | 2.6 | 3 | 2.5 | 2.5 | 14 | 11.7 | 11.7 |
| BREATHITT | 0 | 0.0 | 0.0 | 1 | 6.2 | 8.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| KNOTT | 1 | 5.7 | 5.0 | 2 | 11.3 | 13.1 | 2 | 11.3 | 13.1 | 1 | 5.7 | 5.9 | 1 | 5.7 | 6.6 |
| LEE | 0 | 0.0 | 0.0 | 1 | 12.7 | 10.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 12.7 | 12.5 |
| LESLIE | 1 | 8.1 | 9.8 | 1 | 8.1 | 10.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 8.1 | 7.8 |
| LETCHER | 7 | 28.0 | 25.8 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 2 | 8.0 | 7.8 | 2 | 8.0 | 8.1 |
| OWSLEY | 1 | 20.6 | 22.8 | 0 | 0.0 | 0.0 | 1 | 20.6 | 16.8 | 0 | 0.0 | 0.0 | 3 | 61.8 | 63.1 |
| PERRY | 1 | 3.4 | 3.0 | 6 | 20.5 | 22.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 4 | 13.7 | 13.3 |
| WOLFE | 0 | 0.0 | 0.0 | 2 | 28.8 | 26.6 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 2 | 28.8 | 29.8 |
| DISTRICT 13 | 30 | 12.5 | 12.0 | 21 | 8.8 | 9.0 | 16 | 6.7 | 6.6 | 9 | 3.8 | 3.9 | 21 | 8.8 | 9.0 |
| BELL | 1 | 3.3 | 3.0 | 0 | 0.0 | 0.0 | 2 | 6.7 | 6.2 | 2 | 6.7 | 6.2 | 3 | 10.0 | 10.6 |
| CLAY | 2 | 8.2 | 8.3 | 2 | 8.2 | 10.7 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 4 | 16.3 | 15.5 |
| HARLAN | 14 | 42.8 | 42.1 | 3 | 9.2 | 8.2 | 3 | 9.2 | 8.2 | 0 | 0.0 | 0.0 | 1 | 3.1 | 3.3 |
| JACKSON | 3 | 22.0 | 22.2 | 1 | 7.3 | 7.8 | 0 | 0.0 | 0.0 | 1 | 7.3 | 8.0 | 2 | 14.7 | 15.6 |
| KNOX | 4 | 12.6 | 11.4 | 4 | 12.6 | 11.8 | 4 | 12.6 | 12.4 | 2 | 6.3 | 6.4 | 2 | 6.3 | 6.6 |
| LAUREL | 3 | 5.6 | 5.3 | 9 | 16.8 | 19.9 | 1 | 1.9 | 2.3 | 2 | 3.7 | 4.7 | 3 | 5.6 | 5.6 |
| ROCKCASTLE | 0 | 0.0 | 0.0 | 1 | 6.0 | 5.2 | 4 | 24.1 | 21.1 | 0 | 0.0 | 0.0 | 1 | 6.0 | 5.9 |
| WHITLEY | 3 | 8.2 | 8.0 | 1 | 2.7 | 2.6 | 2 | 5.5 | 4.9 | 2 | 5.5 | 5.3 | 5 | 13.7 | 15.0 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Chronic Liver Disease & Cirrhosis | | | Pneumonitis Due to Solids & Liquids | | | Aortic Aneurysm and Dissection | | | Parkinson's Disease | | | Assault (Homicide) | | |
|------------------------------|--------------------------------------|---------------|-----------------|--|---------------|-----------------|-----------------------------------|---------------|-----------------|---------------------|---------------|-----------------|--------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 376 | 9.2 | 9.1 | 310 | 7.6 | 7.9 | 231 | 5.7 | 5.8 | 222 | 5.5 | 5.7 | 218 | 5.4 | 5.3 |
| DISTRICT 14 | 17 | 8.7 | 7.7 | 10 | 5.1 | 4.6 | 16 | 8.2 | 7.2 | 10 | 5.1 | 4.5 | 15 | 7.7 | 8.0 |
| ADAIR | 1 | 5.8 | 4.9 | 2 | 11.6 | 10.1 | 2 | 11.6 | 10.2 | 0 | 0.0 | 0.0 | 3 | 17.4 | 19.1 |
| CASEY | 0 | 0.0 | 0.0 | 1 | 6.4 | 5.5 | 2 | 12.7 | 11.0 | 0 | 0.0 | 0.0 | 2 | 12.7 | 13.9 |
| CLINTON | 1 | 10.4 | 8.1 | 0 | 0.0 | 0.0 | 2 | 20.8 | 21.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| CUMBERLAND | 1 | 13.9 | 9.5 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| GREEN | 1 | 8.6 | 6.6 | 1 | 8.6 | 5.8 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| MCCREARY | 1 | 5.9 | 5.8 | 1 | 5.9 | 7.5 | 1 | 5.9 | 4.9 | 3 | 17.6 | 22.8 | 2 | 11.7 | 10.7 |
| PULASKI | 5 | 8.8 | 7.6 | 2 | 3.5 | 3.2 | 6 | 10.6 | 9.1 | 4 | 7.0 | 6.0 | 4 | 7.0 | 7.3 |
| RUSSELL | 1 | 6.1 | 4.4 | 1 | 6.1 | 5.2 | 2 | 12.1 | 9.6 | 0 | 0.0 | 0.0 | 1 | 6.1 | 7.5 |
| TAYLOR | 3 | 13.0 | 12.2 | 2 | 8.7 | 7.9 | 1 | 4.3 | 3.9 | 3 | 13.0 | 11.6 | 2 | 8.7 | 8.2 |
| WAYNE | 3 | 15.0 | 14.8 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 5.0 | 5.1 |
| DISTRICT 15 | 71 | 10.3 | 10.6 | 52 | 7.5 | 8.7 | 41 | 5.9 | 6.7 | 35 | 5.1 | 5.9 | 41 | 5.9 | 5.7 |
| ANDERSON | 2 | 10.2 | 10.7 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 5.1 | 6.1 |
| BOURBON | 3 | 15.4 | 13.7 | 0 | 0.0 | 0.0 | 1 | 5.1 | 4.9 | 1 | 5.1 | 4.9 | 1 | 5.1 | 4.4 |
| BOYLE | 3 | 10.9 | 9.9 | 7 | 25.4 | 23.3 | 3 | 10.9 | 9.7 | 2 | 7.2 | 6.5 | 1 | 3.6 | 3.9 |
| CLARK | 1 | 3.0 | 2.6 | 3 | 9.0 | 9.8 | 3 | 9.0 | 9.2 | 5 | 15.0 | 16.2 | 0 | 0.0 | 0.0 |
| ESTILL | 2 | 13.0 | 12.5 | 3 | 19.5 | 17.5 | 1 | 6.5 | 5.7 | 0 | 0.0 | 0.0 | 3 | 19.5 | 20.1 |
| FAYETTE | 21 | 8.1 | 8.6 | 16 | 6.1 | 7.7 | 10 | 3.8 | 4.7 | 13 | 5.0 | 6.3 | 23 | 8.8 | 8.4 |
| FRANKLIN | 8 | 16.6 | 15.9 | 5 | 10.4 | 11.0 | 3 | 6.2 | 6.2 | 1 | 2.1 | 2.3 | 3 | 6.2 | 6.0 |
| GARRARD | 1 | 6.6 | 6.9 | 0 | 0.0 | 0.0 | 1 | 6.6 | 7.0 | 1 | 6.6 | 7.0 | 1 | 6.6 | 6.2 |
| HARRISON | 5 | 27.7 | 25.3 | 2 | 11.1 | 10.3 | 3 | 16.6 | 15.7 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |
| JESSAMINE | 4 | 10.0 | 10.6 | 3 | 7.5 | 8.3 | 3 | 7.5 | 10.4 | 2 | 5.0 | 7.0 | 3 | 7.5 | 7.0 |
| LINCOLN | 3 | 12.5 | 12.4 | 6 | 25.1 | 24.9 | 1 | 4.2 | 3.8 | 2 | 8.4 | 7.9 | 1 | 4.2 | 4.2 |
| MADISON | 5 | 6.9 | 9.0 | 5 | 6.9 | 9.6 | 4 | 5.5 | 6.5 | 1 | 1.4 | 1.9 | 1 | 1.4 | 1.6 |
| MERCER | 1 | 4.8 | 4.2 | 1 | 4.8 | 4.2 | 2 | 9.6 | 8.3 | 2 | 9.6 | 8.3 | 0 | 0.0 | 0.0 |
| NICHOLAS | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 14.6 | 11.9 | 0 | 0.0 | 0.0 |
| POWELL | 4 | 30.1 | 31.9 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 2 | 15.0 | 14.7 |
| SCOTT | 4 | 11.6 | 13.4 | 0 | 0.0 | 0.0 | 1 | 2.9 | 3.3 | 2 | 5.8 | 8.7 | 0 | 0.0 | 0.0 |
| WOODFORD | 4 | 17.1 | 17.7 | 1 | 4.3 | 5.3 | 5 | 21.4 | 23.3 | 2 | 8.6 | 11.9 | 1 | 4.3 | 4.0 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Essential (Primary) Hypertension & Renal Dis. | | | Atherosclerosis | | | In Situ Neoplasms, Benign Neoplasms, etc. | | | Certain Conditions Orig. in Perinatal Period | | | All Other Causes | | |
|------------------------|---|------------|--------------|-----------------|-------------|--------------|---|------------|--------------|--|------------|--------------|------------------|--------------|--------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 193 | 4.7 | 4.9 | 159 | 3.9 | 4.1 | 151 | 3.7 | 3.8 | 147 | 3.6 | 4.0 | 4,568 | 112.4 | 114.6 |
| DISTRICT 01 | 10 | 5.2 | 3.9 | 33 | 17.1 | 12.4 | 5 | 2.6 | 2.0 | 8 | 4.2 | 5.2 | 269 | 139.6 | 110.6 |
| BALLARD | 0 | 0.0 | 0.0 | 1 | 12.3 | 10.1 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 14 | 171.6 | 138.4 |
| CALLOWAY | 2 | 5.8 | 4.5 | 1 | 2.9 | 2.1 | 1 | 2.9 | 2.1 | 0 | 0.0 | 0.0 | 47 | 137.4 | 112.6 |
| CARLISLE | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 10 | 187.1 | 127.3 |
| FULTON | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 12.8 | 10.9 | 0 | 0.0 | 0.0 | 14 | 179.9 | 129.4 |
| GRAVES | 5 | 13.6 | 10.5 | 6 | 16.3 | 11.8 | 1 | 2.7 | 2.3 | 3 | 8.1 | 9.1 | 59 | 159.9 | 123.7 |
| HICKMAN | 1 | 19.3 | 14.3 | 1 | 19.3 | 10.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 10 | 193.4 | 126.5 |
| MCCRACKEN | 2 | 3.1 | 2.4 | 22 | 34.0 | 25.0 | 2 | 3.1 | 2.3 | 5 | 7.7 | 8.9 | 80 | 123.5 | 102.4 |
| MARSHALL | 0 | 0.0 | 0.0 | 2 | 6.6 | 4.6 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 35 | 115.5 | 87.1 |
| DISTRICT 02 | 12 | 5.6 | 5.2 | 10 | 4.7 | 4.3 | 5 | 2.3 | 2.2 | 4 | 1.9 | 1.8 | 264 | 122.9 | 115.9 |
| CALDWELL | 1 | 7.8 | 5.4 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 25 | 193.8 | 148.2 |
| CHRISTIAN | 3 | 4.2 | 5.5 | 2 | 2.8 | 3.6 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 64 | 89.3 | 112.6 |
| CRITTENDEN | 1 | 10.8 | 8.0 | 0 | 0.0 | 0.0 | 1 | 10.8 | 7.4 | 0 | 0.0 | 0.0 | 10 | 107.7 | 87.4 |
| HOPKINS | 3 | 6.5 | 6.0 | 3 | 6.5 | 5.3 | 1 | 2.2 | 2.4 | 0 | 0.0 | 0.0 | 67 | 144.6 | 123.7 |
| LIVINGSTON | 0 | 0.0 | 0.0 | 1 | 10.2 | 9.0 | 1 | 10.2 | 7.2 | 0 | 0.0 | 0.0 | 15 | 153.5 | 134.4 |
| LYON | 1 | 12.2 | 10.5 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 10 | 121.7 | 95.0 |
| MUHLENBERG | 3 | 9.4 | 7.4 | 3 | 9.4 | 7.1 | 1 | 3.1 | 2.5 | 3 | 9.4 | 11.6 | 52 | 163.5 | 133.0 |
| TODD | 0 | 0.0 | 0.0 | 1 | 8.3 | 7.5 | 1 | 8.3 | 7.5 | 1 | 8.3 | 8.7 | 12 | 99.6 | 96.5 |
| TRIGG | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 9 | 70.2 | 62.1 |
| DISTRICT 03 | 13 | 6.3 | 5.8 | 7 | 3.4 | 3.1 | 11 | 5.3 | 5.0 | 7 | 3.4 | 3.9 | 258 | 124.3 | 117.5 |
| DAVISS | 9 | 9.8 | 9.0 | 3 | 3.3 | 3.0 | 7 | 7.6 | 7.2 | 3 | 3.3 | 3.6 | 113 | 123.1 | 115.0 |
| HANCOCK | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 6 | 71.1 | 78.8 |
| HENDERSON | 1 | 2.2 | 2.4 | 2 | 4.5 | 4.2 | 1 | 2.2 | 2.2 | 1 | 2.2 | 2.8 | 45 | 100.4 | 100.6 |
| MCLEAN | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 10.1 | 8.9 | 0 | 0.0 | 0.0 | 7 | 70.4 | 61.0 |
| OHIO | 2 | 8.7 | 7.3 | 1 | 4.3 | 3.5 | 1 | 4.3 | 3.5 | 1 | 4.3 | 5.0 | 37 | 160.6 | 143.2 |
| UNION | 1 | 6.5 | 6.3 | 0 | 0.0 | 0.0 | 1 | 6.5 | 6.0 | 2 | 12.9 | 16.6 | 23 | 148.5 | 143.9 |
| WEBSTER | 0 | 0.0 | 0.0 | 1 | 7.1 | 6.1 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 27 | 192.4 | 172.0 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Essential (Primary) Hypertension & Renal Dis. | | | Atherosclerosis | | | In Situ Neoplasms, Benign Neoplasms, etc. | | | Certain Conditions Orig. in Perinatal Period | | | All Other Causes | | |
|------------------------------|--|---------------|-----------------|-----------------|---------------|-----------------|--|---------------|-----------------|---|---------------|-----------------|------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 193 | 4.7 | 4.9 | 159 | 3.9 | 4.1 | 151 | 3.7 | 3.8 | 147 | 3.6 | 4.0 | 4,568 | 112.4 | 114.6 |
| DISTRICT 04 | 4 | 1.6 | 1.5 | 9 | 3.5 | 3.5 | 12 | 4.7 | 4.7 | 16 | 6.2 | 6.8 | 288 | 112.0 | 111.5 |
| ALLEN | 0 | 0.0 | 0.0 | 1 | 5.5 | 4.9 | 1 | 5.5 | 5.5 | 1 | 5.5 | 5.7 | 33 | 182.8 | 175.9 |
| BARREN | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 4 | 10.4 | 8.8 | 3 | 7.8 | 9.1 | 41 | 106.2 | 87.9 |
| BUTLER | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 13 | 99.0 | 102.3 |
| EDMONSON | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 8.5 | 8.7 | 0 | 0.0 | 0.0 | 13 | 110.4 | 106.9 |
| HART | 1 | 5.8 | 4.9 | 0 | 0.0 | 0.0 | 1 | 5.8 | 5.5 | 0 | 0.0 | 0.0 | 26 | 149.6 | 147.5 |
| LOGAN | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 25 | 94.0 | 85.7 |
| METCALFE | 0 | 0.0 | 0.0 | 2 | 19.8 | 17.4 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 16 | 158.1 | 139.3 |
| MONROE | 0 | 0.0 | 0.0 | 2 | 17.0 | 14.2 | 1 | 8.5 | 7.4 | 1 | 8.5 | 9.1 | 14 | 119.2 | 101.5 |
| SIMPSON | 1 | 6.1 | 5.9 | 2 | 12.2 | 10.7 | 2 | 12.2 | 11.9 | 2 | 12.2 | 12.9 | 11 | 66.8 | 65.9 |
| WARREN | 2 | 2.1 | 2.4 | 2 | 2.1 | 2.7 | 2 | 2.1 | 2.7 | 9 | 9.7 | 10.5 | 96 | 103.0 | 121.3 |
| DISTRICT 05 | 7 | 2.8 | 3.4 | 9 | 3.7 | 4.0 | 9 | 3.7 | 4.1 | 11 | 4.5 | 4.4 | 255 | 103.4 | 117.2 |
| BRECKINRIDGE | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 14 | 74.2 | 68.0 |
| GRAYSON | 2 | 8.3 | 7.9 | 0 | 0.0 | 0.0 | 2 | 8.3 | 6.7 | 0 | 0.0 | 0.0 | 40 | 165.3 | 166.1 |
| HARDIN | 2 | 2.1 | 2.7 | 6 | 6.3 | 7.3 | 3 | 3.2 | 3.7 | 7 | 7.4 | 7.0 | 83 | 87.3 | 108.7 |
| LARUE | 1 | 7.5 | 6.5 | 1 | 7.5 | 6.3 | 0 | 0.0 | 0.0 | 1 | 7.5 | 8.7 | 13 | 97.1 | 84.0 |
| MARION | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 5.4 | 6.0 | 28 | 152.2 | 145.0 |
| MEADE | 0 | 0.0 | 0.0 | 1 | 3.7 | 6.5 | 1 | 3.7 | 6.5 | 1 | 3.7 | 2.7 | 20 | 74.1 | 104.9 |
| NELSON | 2 | 5.2 | 6.7 | 1 | 2.6 | 3.3 | 1 | 2.6 | 3.3 | 1 | 2.6 | 2.6 | 41 | 106.2 | 125.9 |
| WASHINGTON | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 2 | 18.1 | 13.5 | 0 | 0.0 | 0.0 | 16 | 145.0 | 121.4 |
| DISTRICT 06 | 48 | 5.5 | 5.6 | 20 | 2.3 | 2.4 | 36 | 4.1 | 4.2 | 33 | 3.8 | 4.0 | 1,011 | 115.6 | 117.1 |
| BULLITT | 3 | 4.8 | 9.2 | 0 | 0.0 | 0.0 | 2 | 3.2 | 5.1 | 5 | 7.9 | 8.6 | 31 | 49.2 | 86.9 |
| HENRY | 1 | 6.6 | 5.9 | 0 | 0.0 | 0.0 | 1 | 6.6 | 6.9 | 0 | 0.0 | 0.0 | 23 | 151.5 | 160.9 |
| JEFFERSON | 42 | 6.1 | 5.7 | 17 | 2.5 | 2.4 | 30 | 4.3 | 4.1 | 27 | 3.9 | 4.0 | 876 | 126.4 | 121.2 |
| OLDHAM | 1 | 2.1 | 4.4 | 1 | 2.1 | 1.9 | 2 | 4.2 | 3.3 | 0 | 0.0 | 0.0 | 40 | 83.3 | 143.5 |
| SHELBY | 1 | 2.9 | 3.7 | 2 | 5.9 | 7.4 | 0 | 0.0 | 0.0 | 1 | 2.9 | 3.4 | 27 | 79.1 | 90.0 |
| SPENCER | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 7 | 53.7 | 76.0 |
| TRIMBLE | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 11.8 | 13.5 | 0 | 0.0 | 0.0 | 7 | 82.9 | 88.5 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Essential (Primary) Hypertension & Renal Dis. | | | Atherosclerosis | | | In Situ Neoplasms, Benign Neoplasms, etc. | | | Certain Conditions Orig. in Perinatal Period | | | All Other Causes | | |
|------------------------------|--|---------------|-----------------|-----------------|---------------|-----------------|--|---------------|-----------------|---|---------------|-----------------|------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 193 | 4.7 | 4.9 | 159 | 3.9 | 4.1 | 151 | 3.7 | 3.8 | 147 | 3.6 | 4.0 | 4,568 | 112.4 | 114.6 |
| DISTRICT 07 | 17 | 4.3 | 5.3 | 7 | 1.8 | 2.2 | 13 | 3.3 | 3.9 | 16 | 4.0 | 4.1 | 399 | 100.5 | 117.0 |
| BOONE | 3 | 3.3 | 6.2 | 1 | 1.1 | 2.0 | 0 | 0.0 | 0.0 | 1 | 1.1 | 1.1 | 54 | 59.7 | 91.0 |
| CAMPBELL | 5 | 5.7 | 5.9 | 1 | 1.1 | 1.1 | 5 | 5.7 | 5.7 | 3 | 3.4 | 3.6 | 104 | 117.7 | 120.3 |
| CARROLL | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 9.9 | 9.6 | 2 | 19.7 | 21.1 | 12 | 118.4 | 117.5 |
| GALLATIN | 1 | 12.6 | 15.4 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 8 | 100.5 | 116.3 |
| GRANT | 1 | 4.3 | 5.9 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 2 | 8.6 | 7.6 | 21 | 90.4 | 114.3 |
| KENTON | 6 | 4.0 | 4.7 | 4 | 2.6 | 3.1 | 7 | 4.6 | 5.2 | 5 | 3.3 | 3.3 | 174 | 115.0 | 129.2 |
| OWEN | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 2 | 18.6 | 23.2 | 12 | 111.5 | 106.1 |
| PENDLETON | 1 | 6.8 | 9.3 | 1 | 6.8 | 9.3 | 0 | 0.0 | 0.0 | 1 | 6.8 | 7.3 | 14 | 95.8 | 115.1 |
| DISTRICT 08 | 8 | 14.4 | 13.3 | 7 | 12.6 | 11.5 | 5 | 9.0 | 8.3 | 1 | 1.8 | 2.0 | 49 | 88.1 | 81.9 |
| BRACKEN | 2 | 23.7 | 23.5 | 0 | 0.0 | 0.0 | 1 | 11.8 | 11.5 | 0 | 0.0 | 0.0 | 7 | 82.9 | 77.8 |
| FLEMING | 1 | 7.1 | 7.3 | 0 | 0.0 | 0.0 | 2 | 14.1 | 13.7 | 0 | 0.0 | 0.0 | 6 | 42.4 | 40.1 |
| LEWIS | 2 | 14.4 | 15.5 | 3 | 21.6 | 23.4 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 13 | 93.5 | 95.4 |
| MASON | 3 | 17.8 | 14.7 | 2 | 11.9 | 10.8 | 2 | 11.9 | 9.7 | 1 | 5.9 | 6.7 | 19 | 112.8 | 96.9 |
| ROBERTSON | 0 | 0.0 | 0.0 | 2 | 87.2 | 72.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 4 | 174.4 | 120.2 |
| DISTRICT 09 | 3 | 3.9 | 4.2 | 5 | 6.5 | 7.0 | 3 | 3.9 | 4.2 | 3 | 3.9 | 4.8 | 72 | 93.0 | 99.3 |
| BATH | 0 | 0.0 | 0.0 | 1 | 8.8 | 6.7 | 0 | 0.0 | 0.0 | 2 | 17.6 | 19.7 | 14 | 123.3 | 106.1 |
| MENIFEE | 2 | 30.1 | 36.5 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 5 | 75.3 | 79.2 |
| MONTGOMERY | 0 | 0.0 | 0.0 | 2 | 8.7 | 8.7 | 2 | 8.7 | 8.9 | 1 | 4.3 | 4.5 | 21 | 91.1 | 90.6 |
| MORGAN | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 11 | 77.6 | 95.2 |
| ROWAN | 1 | 4.5 | 5.6 | 2 | 9.0 | 13.2 | 1 | 4.5 | 6.6 | 0 | 0.0 | 0.0 | 21 | 94.7 | 113.7 |
| DISTRICT 10 | 3 | 2.2 | 2.1 | 8 | 5.9 | 5.7 | 4 | 2.9 | 3.0 | 4 | 2.9 | 3.6 | 154 | 113.2 | 106.6 |
| BOYD | 0 | 0.0 | 0.0 | 5 | 10.1 | 9.7 | 1 | 2.0 | 2.0 | 0 | 0.0 | 0.0 | 52 | 104.6 | 94.8 |
| CARTER | 1 | 3.7 | 4.0 | 2 | 7.4 | 8.2 | 2 | 7.4 | 8.2 | 2 | 7.4 | 8.2 | 41 | 151.7 | 153.3 |
| ELLIOTT | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 14.8 | 11.6 | 0 | 0.0 | 0.0 | 7 | 103.3 | 97.7 |
| GREENUP | 2 | 5.4 | 5.2 | 1 | 2.7 | 2.5 | 0 | 0.0 | 0.0 | 2 | 5.4 | 7.4 | 40 | 108.6 | 101.6 |
| LAWRENCE | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 14 | 89.0 | 92.3 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Essential (Primary) Hypertension & Renal Dis. | | | Atherosclerosis | | | In Situ Neoplasms, Benign Neoplasms, etc. | | | Certain Conditions Orig. in Perinatal Period | | | All Other Causes | | |
|------------------------------|--|---------------|-----------------|-----------------|---------------|-----------------|--|---------------|-----------------|---|---------------|-----------------|------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 193 | 4.7 | 4.9 | 159 | 3.9 | 4.1 | 151 | 3.7 | 3.8 | 147 | 3.6 | 4.0 | 4,568 | 112.4 | 114.6 |
| DISTRICT 11 | 10 | 6.3 | 6.1 | 5 | 3.1 | 3.5 | 6 | 3.8 | 3.7 | 4 | 2.5 | 2.8 | 190 | 119.1 | 126.3 |
| FLOYD | 3 | 7.1 | 6.5 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 54 | 127.5 | 131.6 |
| JOHNSON | 1 | 4.3 | 4.6 | 2 | 8.5 | 8.3 | 1 | 4.3 | 3.9 | 1 | 4.3 | 4.9 | 32 | 136.3 | 134.4 |
| MAGOFFIN | 1 | 7.6 | 9.7 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 25 | 189.1 | 219.8 |
| MARTIN | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 7.9 | 7.6 | 11 | 87.3 | 101.1 |
| PIKE | 5 | 7.4 | 6.7 | 3 | 4.4 | 4.9 | 5 | 7.4 | 7.4 | 2 | 2.9 | 3.5 | 68 | 100.2 | 104.2 |
| DISTRICT 12 | 7 | 5.8 | 6.1 | 1 | 0.8 | 0.9 | 3 | 2.5 | 2.6 | 3 | 2.5 | 2.8 | 133 | 110.8 | 114.6 |
| BREATHITT | 2 | 12.5 | 12.6 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 6.2 | 7.4 | 16 | 99.9 | 109.4 |
| KNOTT | 1 | 5.7 | 6.6 | 0 | 0.0 | 0.0 | 1 | 5.7 | 6.5 | 0 | 0.0 | 0.0 | 10 | 56.6 | 59.4 |
| LEE | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 13 | 164.5 | 145.4 |
| LESLIE | 3 | 24.4 | 25.6 | 0 | 0.0 | 0.0 | 1 | 8.1 | 8.2 | 1 | 8.1 | 9.4 | 18 | 146.2 | 155.1 |
| LETCHER | 0 | 0.0 | 0.0 | 1 | 4.0 | 4.2 | 0 | 0.0 | 0.0 | 1 | 4.0 | 4.8 | 27 | 107.9 | 109.4 |
| OWSLEY | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 12 | 247.1 | 211.1 |
| PERRY | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 3.4 | 3.5 | 0 | 0.0 | 0.0 | 33 | 112.7 | 121.8 |
| WOLFE | 1 | 14.4 | 12.9 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 4 | 57.5 | 56.0 |
| DISTRICT 13 | 16 | 6.7 | 6.8 | 12 | 5.0 | 5.2 | 15 | 6.3 | 6.3 | 9 | 3.8 | 4.1 | 253 | 105.8 | 106.8 |
| BELL | 5 | 16.7 | 15.6 | 1 | 3.3 | 3.2 | 4 | 13.4 | 12.4 | 1 | 3.3 | 3.8 | 35 | 117.2 | 110.1 |
| CLAY | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 4.1 | 5.3 | 3 | 12.2 | 12.9 | 21 | 85.7 | 100.3 |
| HARLAN | 2 | 6.1 | 5.6 | 3 | 9.2 | 8.3 | 4 | 12.2 | 10.8 | 1 | 3.1 | 3.3 | 51 | 156.0 | 142.5 |
| JACKSON | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 7.3 | 7.8 | 9 | 65.9 | 70.1 |
| KNOX | 4 | 12.6 | 12.3 | 0 | 0.0 | 0.0 | 1 | 3.2 | 3.5 | 1 | 3.2 | 3.2 | 25 | 78.8 | 73.6 |
| LAUREL | 3 | 5.6 | 6.5 | 3 | 5.6 | 6.4 | 2 | 3.7 | 4.0 | 1 | 1.9 | 1.9 | 49 | 91.3 | 102.8 |
| ROCKCASTLE | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 6.0 | 5.2 | 0 | 0.0 | 0.0 | 17 | 102.2 | 100.4 |
| WHITLEY | 2 | 5.5 | 5.5 | 5 | 13.7 | 13.6 | 2 | 5.5 | 5.3 | 1 | 2.7 | 3.1 | 46 | 126.1 | 124.7 |

*Age-adjusted and crude rates per 100,000 2001 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2001

| DISTRICTS AND COUNTIES | Essential (Primary) Hypertension & Renal Dis. | | | Atherosclerosis | | | In Situ Neoplasms, Benign Neoplasms, etc. | | | Certain Conditions Orig. in Perinatal Period | | | All Other Causes | | |
|------------------------------|--|---------------|-----------------|-----------------|---------------|-----------------|--|---------------|-----------------|---|---------------|-----------------|------------------|---------------|-----------------|
| | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate | Number | Crude Rate | Age Adj Rate |
| KENTUCKY | 193 | 4.7 | 4.9 | 159 | 3.9 | 4.1 | 151 | 3.7 | 3.8 | 147 | 3.6 | 4.0 | 4,568 | 112.4 | 114.6 |
| DISTRICT 14 | 7 | 3.6 | 3.1 | 7 | 3.6 | 3.2 | 6 | 3.1 | 2.6 | 6 | 3.1 | 3.7 | 238 | 122.2 | 110.5 |
| ADAIR | 0 | 0.0 | 0.0 | 1 | 5.8 | 4.9 | 1 | 5.8 | 4.9 | 0 | 0.0 | 0.0 | 12 | 69.4 | 64.3 |
| CASEY | 1 | 6.4 | 5.4 | 0 | 0.0 | 0.0 | 1 | 6.4 | 5.5 | 0 | 0.0 | 0.0 | 17 | 108.1 | 96.0 |
| CLINTON | 1 | 10.4 | 9.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 11 | 114.4 | 96.9 |
| CUMBERLAND | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 13 | 180.9 | 130.7 |
| GREEN | 0 | 0.0 | 0.0 | 1 | 8.6 | 5.8 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 26 | 223.6 | 165.8 |
| MCCREARY | 0 | 0.0 | 0.0 | 1 | 5.9 | 8.3 | 1 | 5.9 | 6.2 | 1 | 5.9 | 5.8 | 23 | 134.8 | 151.8 |
| PULASKI | 2 | 3.5 | 3.0 | 3 | 5.3 | 4.9 | 0 | 0.0 | 0.0 | 3 | 5.3 | 6.5 | 56 | 98.6 | 90.5 |
| RUSSELL | 1 | 6.1 | 5.2 | 1 | 6.1 | 5.7 | 1 | 6.1 | 4.4 | 1 | 6.1 | 7.5 | 17 | 103.1 | 87.4 |
| TAYLOR | 1 | 4.3 | 3.5 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 4.3 | 5.5 | 37 | 160.6 | 139.3 |
| WAYNE | 1 | 5.0 | 4.3 | 0 | 0.0 | 0.0 | 2 | 10.0 | 9.3 | 0 | 0.0 | 0.0 | 26 | 130.3 | 129.2 |
| DISTRICT 15 | 28 | 4.0 | 4.6 | 19 | 2.7 | 3.2 | 18 | 2.6 | 2.9 | 22 | 3.2 | 3.7 | 735 | 106.1 | 118.8 |
| ANDERSON | 0 | 0.0 | 0.0 | 1 | 5.1 | 6.4 | 1 | 5.1 | 6.4 | 1 | 5.1 | 5.4 | 20 | 102.2 | 109.5 |
| BOURBON | 1 | 5.1 | 4.9 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 17 | 87.3 | 79.7 |
| BOYLE | 2 | 7.2 | 6.5 | 0 | 0.0 | 0.0 | 1 | 3.6 | 3.3 | 2 | 7.2 | 10.4 | 35 | 126.8 | 118.4 |
| CLARK | 1 | 3.0 | 3.5 | 0 | 0.0 | 0.0 | 1 | 3.0 | 3.5 | 0 | 0.0 | 0.0 | 32 | 95.8 | 101.1 |
| ESTILL | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 6.5 | 6.6 | 1 | 6.5 | 7.3 | 20 | 129.8 | 123.8 |
| FAYETTE | 15 | 5.8 | 7.1 | 2 | 0.8 | 1.0 | 7 | 2.7 | 3.2 | 9 | 3.5 | 3.9 | 297 | 114.0 | 136.1 |
| FRANKLIN | 1 | 2.1 | 2.2 | 3 | 6.2 | 6.7 | 1 | 2.1 | 2.2 | 2 | 4.1 | 5.1 | 42 | 87.1 | 90.9 |
| GARRARD | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 16 | 104.8 | 107.1 |
| HARRISON | 1 | 5.5 | 5.4 | 4 | 22.2 | 20.7 | 1 | 5.5 | 5.4 | 1 | 5.5 | 6.4 | 23 | 127.4 | 117.7 |
| JESSAMINE | 0 | 0.0 | 0.0 | 1 | 2.5 | 3.5 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 41 | 102.5 | 126.6 |
| LINCOLN | 1 | 4.2 | 5.1 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 1 | 4.2 | 4.7 | 22 | 92.0 | 95.5 |
| MADISON | 3 | 4.1 | 4.9 | 1 | 1.4 | 1.9 | 2 | 2.8 | 3.1 | 3 | 4.1 | 5.5 | 67 | 92.5 | 118.1 |
| MERCER | 1 | 4.8 | 4.2 | 0 | 0.0 | 0.0 | 2 | 9.6 | 8.3 | 0 | 0.0 | 0.0 | 30 | 143.6 | 124.4 |
| NICHOLAS | 0 | 0.0 | 0.0 | 1 | 14.6 | 10.3 | 0 | 0.0 | 0.0 | 1 | 14.6 | 15.7 | 14 | 205.1 | 164.0 |
| POWELL | 1 | 7.5 | 6.6 | 0 | 0.0 | 0.0 | 1 | 7.5 | 6.6 | 0 | 0.0 | 0.0 | 18 | 135.4 | 169.5 |
| SCOTT | 1 | 2.9 | 4.0 | 5 | 14.5 | 21.4 | 0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 21 | 60.8 | 79.3 |
| WOODFORD | 0 | 0.0 | 0.0 | 1 | 4.3 | 6.0 | 0 | 0.0 | 0.0 | 1 | 4.3 | 5.3 | 20 | 85.7 | 100.6 |

*Age-adjusted and crude rates per 100,000 2001 population