

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts, and Counties, 2001

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	910	22.4	411	10.1	3,397	83.6	150	3.7	641	30.9	62	3.0	382	19.2	311	7.6
DISTRICT 01	53	27.5	30	15.6	176	91.4	4	2.1	19	19.1	2	2.0	18	19.4	17	8.8
BALLARD	1	12.3	1	12.3	11	134.8	0	0.0	1	24.2	1	24.2	0	0.0	2	24.5
CALLOWAY	7	20.5	5	14.6	19	55.5	1	2.9	2	11.3	1	5.7	3	18.2	5	14.6
CARLISLE	3	56.1	1	18.7	5	93.5	0	0.0	0	0.0	0	0.0	0	0.0	1	18.7
FULTON	3	38.5	3	38.5	8	102.8	0	0.0	0	0.0	0	0.0	1	27.5	0	0.0
GRAVES	16	43.4	10	27.1	37	100.3	1	2.7	5	26.5	0	0.0	3	16.7	2	5.4
HICKMAN	0	0.0	0	0.0	4	77.4	0	0.0	0	0.0	0	0.0	0	0.0	1	19.3
MCCRACKEN	16	24.7	5	7.7	65	100.3	0	0.0	7	20.6	0	0.0	5	16.2	4	6.2
MARSHALL	7	23.1	5	16.5	27	89.1	2	6.6	4	25.9	0	0.0	6	40.4	2	6.6
DISTRICT 02	43	20.0	28	13.0	193	89.8	8	3.7	37	34.4	2	1.9	27	25.2	17	7.9
CALDWELL	2	15.5	6	46.5	18	139.6	0	0.0	4	59.8	0	0.0	3	48.3	1	7.8
CHRISTIAN	13	18.1	5	7.0	37	51.6	2	2.8	9	26.0	1	2.9	7	18.9	5	7.0
CRITTENDEN	3	32.3	2	21.5	17	183.2	0	0.0	1	20.9	0	0.0	0	0.0	0	0.0
HOPKINS	7	15.1	6	13.0	47	101.5	0	0.0	6	24.8	1	4.1	7	31.7	1	2.2
LIVINGSTON	4	40.9	0	0.0	9	92.1	0	0.0	1	20.2	0	0.0	0	0.0	1	10.2
LYON	0	0.0	3	36.5	6	73.0	1	12.2	2	56.8	0	0.0	2	42.6	1	12.2
MUHLENBERG	3	9.4	3	9.4	38	119.4	3	9.4	4	24.9	0	0.0	5	31.7	3	9.4
TODD	4	33.2	1	8.3	8	66.4	0	0.0	3	48.6	0	0.0	1	17.0	1	8.3
TRIGG	7	54.6	2	15.6	13	101.3	2	15.6	7	107.4	0	0.0	2	31.7	4	31.2
DISTRICT 03	47	22.6	24	11.6	193	93.0	14	6.7	34	31.9	2	1.9	19	18.8	17	8.2
DAVIESS	25	27.2	14	15.3	85	92.6	5	5.4	12	25.2	1	2.1	7	15.8	8	8.7
HANCOCK	2	23.7	1	11.9	5	59.3	1	11.9	2	46.8	0	0.0	0	0.0	0	0.0
HENDERSON	8	17.8	3	6.7	43	95.9	3	6.7	5	21.6	1	4.3	1	4.6	3	6.7
MCLEAN	2	20.1	0	0.0	11	110.6	0	0.0	3	59.2	0	0.0	2	41.0	2	20.1
OHIO	7	30.4	2	8.7	23	99.8	1	4.3	4	34.2	0	0.0	2	17.7	2	8.7
UNION	0	0.0	3	19.4	14	90.4	2	12.9	4	52.1	0	0.0	4	51.2	2	12.9
WEBSTER	3	21.4	1	7.1	12	85.5	2	14.3	4	55.9	0	0.0	3	43.6	0	0.0

*Crude rate for female breast and cervix uteri per 100,000 female population;
for prostate per 100,000 male population; for all other sites per 100,000 total population

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts, and Counties, 2001

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	910	22.4	411	10.1	3,397	83.6	150	3.7	641	30.9	62	3.0	382	19.2	311	7.6
DISTRICT 04	52	20.2	21	8.2	234	91.0	9	3.5	44	33.5	0	0.0	23	18.3	22	8.6
ALLEN	5	27.7	1	5.5	17	94.2	0	0.0	4	43.4	0	0.0	4	45.2	2	11.1
BARREN	6	15.5	1	2.6	37	95.9	3	7.8	6	30.0	0	0.0	3	16.1	3	7.8
BUTLER	3	22.8	1	7.6	13	99.0	0	0.0	6	90.9	0	0.0	5	76.5	0	0.0
EDMONSON	1	8.5	2	17.0	13	110.4	0	0.0	1	16.7	0	0.0	2	34.5	2	17.0
HART	2	11.5	1	5.8	14	80.5	1	5.8	2	22.7	0	0.0	2	23.4	2	11.5
LOGAN	8	30.1	3	11.3	27	101.6	1	3.8	6	43.6	0	0.0	2	15.6	3	11.3
METCALFE	4	39.5	0	0.0	21	207.5	0	0.0	2	38.6	0	0.0	0	0.0	1	9.9
MONROE	2	17.0	1	8.5	8	68.1	0	0.0	2	33.1	0	0.0	1	17.5	1	8.5
SIMPSON	2	12.2	0	0.0	15	91.1	0	0.0	3	35.6	0	0.0	1	12.4	2	12.2
WARREN	19	20.4	11	11.8	69	74.0	4	4.3	12	25.3	0	0.0	3	6.6	6	6.4
DISTRICT 05	52	21.1	23	9.3	151	61.2	7	2.8	31	25.1	4	3.2	19	15.4	20	8.1
BRECKINRIDGE	3	15.9	3	15.9	15	79.5	3	15.9	3	31.6	0	0.0	6	64.1	0	0.0
GRAYSON	5	20.7	3	12.4	23	95.0	0	0.0	5	40.9	1	8.2	1	8.4	4	16.5
HARDIN	19	20.0	8	8.4	52	54.7	0	0.0	9	19.1	2	4.3	4	8.3	4	4.2
LARUE	4	29.9	3	22.4	3	22.4	0	0.0	3	43.7	0	0.0	2	30.6	3	22.4
MARION	5	27.2	2	10.9	13	70.6	1	5.4	3	33.0	0	0.0	1	10.7	4	21.7
MEADE	4	14.8	2	7.4	21	77.8	1	3.7	1	7.4	0	0.0	2	14.8	1	3.7
NELSON	9	23.3	1	2.6	19	49.2	1	2.6	7	35.7	1	5.1	2	10.5	1	2.6
WASHINGTON	3	27.2	1	9.1	5	45.3	1	9.1	0	0.0	0	0.0	1	18.4	3	27.2
DISTRICT 06	203	23.2	88	10.1	698	79.8	30	3.4	153	33.9	17	3.8	102	24.1	60	6.9
BULLITT	12	19.0	4	6.3	39	61.9	0	0.0	13	41.0	0	0.0	7	22.3	5	7.9
HENRY	5	32.9	2	13.2	9	59.3	1	6.6	3	39.3	1	13.1	1	13.2	3	19.8
JEFFERSON	165	23.8	73	10.5	596	86.0	28	4.0	126	34.9	16	4.4	87	26.2	49	7.1
OLDHAM	11	22.9	5	10.4	19	39.6	1	2.1	7	31.2	0	0.0	0	0.0	2	4.2
SHELBY	7	20.5	1	2.9	24	70.3	0	0.0	2	11.4	0	0.0	3	18.0	0	0.0
SPENCER	0	0.0	3	23.0	7	53.7	0	0.0	0	0.0	0	0.0	2	30.4	1	7.7
TRIMBLE	3	35.5	0	0.0	4	47.4	0	0.0	2	46.7	0	0.0	2	48.1	0	0.0

*Crude rate for female breast and cervix uteri per 100,000 female population;
for prostate per 100,000 male population; for all other sites per 100,000 total population

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts, and Counties, 2001

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	910	22.4	411	10.1	3,397	83.6	150	3.7	641	30.9	62	3.0	382	19.2	311	7.6
DISTRICT 07	82	20.7	36	9.1	298	75.1	13	3.3	69	34.2	7	3.5	27	13.8	27	6.8
BOONE	9	9.9	10	11.1	59	65.2	1	1.1	14	30.6	1	2.2	4	8.9	4	4.4
CAMPBELL	22	24.9	9	10.2	72	81.5	2	2.3	19	41.6	1	2.2	7	16.4	5	5.7
CARROLL	2	19.7	1	9.9	10	98.7	1	9.9	2	39.7	0	0.0	1	19.6	1	9.9
GALLATIN	1	12.6	0	0.0	8	100.5	0	0.0	0	0.0	0	0.0	1	25.3	0	0.0
GRANT	6	25.8	0	0.0	22	94.7	1	4.3	5	42.5	1	8.5	4	34.9	4	17.2
KENTON	36	23.8	14	9.2	112	74.0	6	4.0	27	35.0	3	3.9	7	9.4	12	7.9
OWEN	1	9.3	1	9.3	8	74.3	1	9.3	1	18.6	0	0.0	1	18.5	1	9.3
PENDLETON	5	34.2	1	6.8	7	47.9	1	6.8	1	13.7	1	13.7	2	27.3	0	0.0
DISTRICT 08	21	37.8	3	5.4	43	77.3	5	9.0	12	42.3	0	0.0	3	11.0	3	5.4
BRACKEN	3	35.5	0	0.0	4	47.4	1	11.8	0	0.0	0	0.0	0	0.0	0	0.0
FLEMING	10	70.7	1	7.1	14	99.0	1	7.1	3	41.6	0	0.0	0	0.0	2	14.1
LEWIS	4	28.8	1	7.2	8	57.5	0	0.0	3	42.9	0	0.0	1	14.5	0	0.0
MASON	4	23.7	1	5.9	14	83.1	3	17.8	4	46.0	0	0.0	2	24.6	1	5.9
ROBERTSON	0	0.0	0	0.0	3	130.8	0	0.0	2	169.9	0	0.0	0	0.0	0	0.0
DISTRICT 09	14	18.1	4	5.2	51	65.9	0	0.0	12	31.1	0	0.0	5	12.9	6	7.8
BATH	2	17.6	0	0.0	8	70.5	0	0.0	2	34.8	0	0.0	0	0.0	2	17.6
MENIFEE	2	30.1	0	0.0	5	75.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MONTGOMERY	6	26.0	3	13.0	21	91.1	0	0.0	3	25.3	0	0.0	4	35.7	2	8.7
MORGAN	2	14.1	1	7.1	6	42.3	0	0.0	4	63.0	0	0.0	1	12.8	2	14.1
ROWAN	2	9.0	0	0.0	11	49.6	0	0.0	3	26.4	0	0.0	0	0.0	0	0.0
DISTRICT 10	30	22.0	22	16.2	135	99.2	2	1.5	20	28.7	3	4.3	9	13.6	15	11.0
BOYD	12	24.1	8	16.1	49	98.5	1	2.0	6	23.7	1	3.9	4	16.4	8	16.1
CARTER	7	25.9	7	25.9	38	140.6	0	0.0	5	36.3	1	7.3	1	7.6	0	0.0
ELLIOTT	2	29.5	0	0.0	8	118.0	0	0.0	4	115.0	0	0.0	2	60.6	1	14.8
GREENUP	8	21.7	5	13.6	25	67.9	0	0.0	4	21.0	0	0.0	1	5.6	4	10.9
LAWRENCE	1	6.4	2	12.7	15	95.4	1	6.4	1	12.6	1	12.6	1	12.9	2	12.7

*Crude rate for female breast and cervix uteri per 100,000 female population;
for prostate per 100,000 male population; for all other sites per 100,000 total population

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts, and Counties, 2001

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	910	22.4	411	10.1	3,397	83.6	150	3.7	641	30.9	62	3.0	382	19.2	311	7.6
DISTRICT 11	34	21.3	18	11.3	148	92.8	4	2.5	29	35.6	4	4.9	13	16.7	13	8.1
FLOYD	9	21.3	4	9.4	34	80.3	0	0.0	9	41.8	0	0.0	2	9.6	2	4.7
JOHNSON	7	29.8	2	8.5	26	110.8	0	0.0	6	49.4	1	8.2	1	8.8	1	4.3
MAGOFFIN	5	37.8	6	45.4	12	90.8	1	7.6	3	44.7	1	14.9	1	15.4	1	7.6
MARTIN	1	7.9	1	7.9	13	103.2	1	7.9	2	31.5	0	0.0	0	0.0	4	31.8
PIKE	12	17.7	5	7.4	63	92.8	2	2.9	9	25.9	2	5.8	9	27.1	5	7.4
DISTRICT 12	28	23.3	12	10.0	163	135.8	2	1.7	25	41.1	3	4.9	7	11.8	13	10.8
BREATHITT	3	18.7	1	6.2	19	118.6	0	0.0	6	73.9	0	0.0	0	0.0	1	6.2
KNOTT	2	11.3	1	5.7	23	130.3	2	11.3	1	11.2	0	0.0	0	0.0	1	5.7
LEE	2	25.3	2	25.3	11	139.2	0	0.0	1	26.5	0	0.0	0	0.0	3	38.0
LESLIE	2	16.2	1	8.1	14	113.7	0	0.0	0	0.0	1	15.9	2	33.3	3	24.4
LETCHER	8	32.0	1	4.0	39	155.9	0	0.0	5	39.1	1	7.8	2	16.3	1	4.0
OWSLEY	3	61.8	2	41.2	7	144.2	0	0.0	4	166.0	0	0.0	1	40.9	1	20.6
PERRY	8	27.3	4	13.7	42	143.4	0	0.0	5	33.2	0	0.0	1	7.0	3	10.2
WOLFE	0	0.0	0	0.0	8	115.1	0	0.0	3	85.7	1	28.6	1	29.0	0	0.0
DISTRICT 13	45	18.8	18	7.5	244	102.0	12	5.0	39	31.9	7	5.7	22	18.8	13	5.4
BELL	8	26.8	3	10.0	45	150.6	2	6.7	8	51.4	1	6.4	3	21.0	0	0.0
CLAY	4	16.3	2	8.2	20	81.6	0	0.0	2	17.3	1	8.6	2	15.5	4	16.3
HARLAN	6	18.4	1	3.1	33	101.0	1	3.1	2	11.7	0	0.0	3	19.2	1	3.1
JACKSON	1	7.3	0	0.0	11	80.6	0	0.0	2	28.9	0	0.0	0	0.0	0	0.0
KNOX	8	25.2	1	3.2	41	129.3	2	6.3	6	36.5	0	0.0	4	26.2	1	3.2
LAUREL	9	16.8	8	14.9	37	68.9	4	7.5	11	40.1	2	7.3	7	26.7	3	5.6
ROCKCASTLE	5	30.1	0	0.0	14	84.2	0	0.0	2	23.8	1	11.9	2	24.3	1	6.0
WHITLEY	4	11.0	3	8.2	43	117.9	3	8.2	6	31.8	2	10.6	1	5.7	3	8.2

*Crude rate for female breast and cervix uteri per 100,000 female population;
for prostate per 100,000 male population; for all other sites per 100,000 total population

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts, and Counties, 2001

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	910	22.4	411	10.1	3,397	83.6	150	3.7	641	30.9	62	3.0	382	19.2	311	7.6
DISTRICT 14	60	30.8	22	11.3	167	85.7	8	4.1	30	30.1	2	2.0	35	36.9	16	8.2
ADAIR	5	28.9	1	5.8	13	75.2	1	5.8	2	22.5	0	0.0	4	47.7	0	0.0
CASEY	3	19.1	1	6.4	17	108.1	1	6.4	3	37.3	0	0.0	5	65.0	2	12.7
CLINTON	3	31.2	0	0.0	4	41.6	1	10.4	3	60.2	0	0.0	2	43.2	0	0.0
CUMBERLAND	1	13.9	3	41.7	6	83.5	0	0.0	1	26.8	0	0.0	1	28.9	0	0.0
GREEN	6	51.6	2	17.2	9	77.4	0	0.0	1	16.9	0	0.0	3	52.4	2	17.2
MCCREARY	2	11.7	2	11.7	18	105.5	0	0.0	2	23.1	0	0.0	2	23.8	4	23.5
PULASKI	25	44.0	6	10.6	49	86.3	3	5.3	6	20.7	1	3.4	12	43.2	4	7.0
RUSSELL	5	30.3	2	12.1	14	84.9	0	0.0	2	23.5	1	11.7	3	37.6	3	18.2
TAYLOR	6	26.0	2	8.7	18	78.1	2	8.7	4	33.5	0	0.0	2	18.1	0	0.0
WAYNE	4	20.1	3	15.0	19	95.2	0	0.0	6	59.5	0	0.0	1	10.1	1	5.0
DISTRICT 15	146	21.1	62	9.0	503	72.6	32	4.6	87	24.6	9	2.5	53	15.7	52	7.5
ANDERSON	4	20.4	2	10.2	18	92.0	1	5.1	0	0.0	0	0.0	0	0.0	0	0.0
BOURBON	1	5.1	1	5.1	16	82.1	1	5.1	3	30.0	1	10.0	3	31.7	0	0.0
BOYLE	11	39.8	2	7.2	26	94.2	1	3.6	2	14.4	1	7.2	4	29.2	3	10.9
CLARK	6	18.0	4	12.0	25	74.8	2	6.0	7	40.6	0	0.0	0	0.0	5	15.0
ESTILL	3	19.5	2	13.0	23	149.3	0	0.0	3	37.8	1	12.6	2	26.8	2	13.0
FAYETTE	48	18.4	24	9.2	165	63.4	9	3.5	40	30.2	2	1.5	22	17.2	20	7.7
FRANKLIN	11	22.8	4	8.3	44	91.3	1	2.1	7	28.1	1	4.0	2	8.6	6	12.4
GARRARD	6	39.3	1	6.6	12	78.6	1	6.6	1	12.9	0	0.0	0	0.0	0	0.0
HARRISON	2	11.1	4	22.2	12	66.5	1	5.5	2	21.6	0	0.0	0	0.0	0	0.0
JESSAMINE	10	25.0	3	7.5	25	62.5	1	2.5	4	19.7	1	4.9	4	20.3	4	10.0
LINCOLN	9	37.6	2	8.4	25	104.5	0	0.0	2	16.4	1	8.2	2	17.0	2	8.4
MADISON	6	8.3	7	9.7	47	64.9	6	8.3	5	13.4	0	0.0	5	14.3	5	6.9
MERCER	6	28.7	1	4.8	17	81.4	2	9.6	1	9.3	0	0.0	1	9.9	3	14.4
NICHOLAS	2	29.3	1	14.6	3	43.9	1	14.6	0	0.0	0	0.0	2	60.5	0	0.0
POWELL	4	30.1	1	7.5	10	75.2	1	7.5	2	30.0	1	15.0	3	45.3	0	0.0
SCOTT	11	31.9	1	2.9	18	52.1	2	5.8	6	34.1	0	0.0	2	11.8	1	2.9
WOODFORD	6	25.7	2	8.6	17	72.9	2	8.6	2	16.5	0	0.0	1	8.9	1	4.3

*Crude rate for female breast and cervix uteri per 100,000 female population;
for prostate per 100,000 male population; for all other sites per 100,000 total population