

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	223	4.1	166	3.1	537	9.9	187	3.9	141	2.9	458	9.5	33	6.7	25	5.1	77	15.5
DISTRICT 01	12	5.2	12	5.2	23	10.0	9	4.4	9	4.4	18	8.7	3	14.3	3	14.3	5	23.6
BALLARD	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CALLOWAY	0	0.0	0	0.0	2	5.6	0	0.0	0	0.0	2	6.0	0	0.0	0	0.0	0	0.0
CARLISLE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
FULTON	2	21.7	2	21.7	2	21.7	2	32.8	2	32.8	2	32.8	0	0.0	0	0.0	0	0.0
GRAVES	2	4.1	2	4.1	6	12.2	2	4.4	2	4.4	6	13.0	0	0.0	0	0.0	0	0.0
HICKMAN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MCCRACKEN	8	9.8	8	9.8	12	14.6	5	7.5	5	7.5	7	10.4	3	22.4	3	22.4	5	36.8
MARSHALL	0	0.0	0	0.0	1	3.1	0	0.0	0	0.0	1	3.1	0	0.0	0	0.0	0	0.0
DISTRICT 02	14	4.5	12	3.9	31	9.9	12	4.7	11	4.3	24	9.3	2	4.1	1	2.0	7	14.2
CALDWELL	1	6.6	0	0.0	1	6.5	1	7.3	0	0.0	1	7.2	0	0.0	0	0.0	0	0.0
CHRISTIAN	5	3.2	4	2.6	11	7.1	3	2.8	3	2.8	5	4.6	2	5.0	1	2.5	6	14.7
CRITTENDEN	0	0.0	0	0.0	2	23.5	0	0.0	0	0.0	1	11.9	0	0.0	0	0.0	1	1000.0
HOPKINS	1	1.9	1	1.9	3	5.6	1	2.0	1	2.0	3	6.1	0	0.0	0	0.0	0	0.0
LIVINGSTON	3	31.9	3	31.9	6	61.9	3	31.9	3	31.9	6	61.9	0	0.0	0	0.0	0	0.0
LYON	0	0.0	0	0.0	1	14.9	0	0.0	0	0.0	1	16.1	0	0.0	0	0.0	0	0.0
MUHLENBERG	3	8.1	3	8.1	4	10.7	3	8.2	3	8.2	4	10.9	0	0.0	0	0.0	0	0.0
TODD	1	6.6	1	6.6	1	6.6	1	7.2	1	7.2	1	7.2	0	0.0	0	0.0	0	0.0
TRIGG	0	0.0	0	0.0	2	17.2	0	0.0	0	0.0	2	19.2	0	0.0	0	0.0	0	0.0
DISTRICT 03	14	5.1	11	4.0	26	9.3	14	5.4	11	4.2	24	9.2	0	0.0	0	0.0	2	13.2
DAVISS	8	6.4	6	4.8	13	10.4	8	6.9	6	5.2	13	11.2	0	0.0	0	0.0	0	0.0
HANCOCK	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HENDERSON	4	6.7	4	6.7	8	13.4	4	7.4	4	7.4	6	11.0	0	0.0	0	0.0	2	40.8
MCLEAN	0	0.0	0	0.0	1	7.2	0	0.0	0	0.0	1	7.2	0	0.0	0	0.0	0	0.0
OHIO	0	0.0	0	0.0	3	10.2	0	0.0	0	0.0	3	10.3	0	0.0	0	0.0	0	0.0
UNION	2	10.1	1	5.1	1	5.1	2	10.8	1	5.4	1	5.4	0	0.0	0	0.0	0	0.0
WEBSTER	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Fayette (1), Harlan (1), Jackson (1), Jefferson (1), Larue (1), Pulaski (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	223	4.1	166	3.1	537	9.9	187	3.9	141	2.9	458	9.5	33	6.7	25	5.1	77	15.5
DISTRICT 04	6	1.8	3	0.9	28	8.5	5	1.7	3	1.0	27	8.9	0	0.0	0	0.0	1	4.8
ALLEN	1	4.7	0	0.0	1	4.6	1	4.7	0	0.0	1	4.7	0	0.0	0	0.0	0	0.0
BARREN	1	2.4	1	2.4	3	7.0	1	2.5	1	2.5	3	7.4	0	0.0	0	0.0	0	0.0
BUTLER	0	0.0	0	0.0	3	18.0	0	0.0	0	0.0	3	18.1	0	0.0	0	0.0	0	0.0
EDMONSON	0	0.0	0	0.0	1	7.7	0	0.0	0	0.0	1	7.8	0	0.0	0	0.0	0	0.0
HART	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
LOGAN	0	0.0	0	0.0	1	3.0	0	0.0	0	0.0	1	3.3	0	0.0	0	0.0	0	0.0
METCALFE	0	0.0	0	0.0	2	15.5	0	0.0	0	0.0	2	15.9	0	0.0	0	0.0	0	0.0
MONROE	0	0.0	0	0.0	4	30.5	0	0.0	0	0.0	4	31.3	0	0.0	0	0.0	0	0.0
SIMPSON	0	0.0	0	0.0	3	13.9	0	0.0	0	0.0	3	15.3	0	0.0	0	0.0	0	0.0
WARREN	4	3.1	2	1.6	10	7.7	3	2.7	2	1.8	9	8.1	0	0.0	0	0.0	1	7.6
DISTRICT 05	12	3.5	8	2.3	34	9.8	8	2.6	6	2.0	29	9.4	4	13.3	2	6.6	5	16.4
BRECKINRIDGE	0	0.0	0	0.0	2	8.5	0	0.0	0	0.0	2	8.7	0	0.0	0	0.0	0	0.0
GRAYSON	0	0.0	0	0.0	6	21.1	0	0.0	0	0.0	6	21.4	0	0.0	0	0.0	0	0.0
HARDIN	5	3.3	2	1.3	12	7.8	2	1.6	0	0.0	7	5.5	3	13.6	2	9.0	5	22.3
LARUE	5	31.6	5	31.6	7	43.8	5	32.5	5	32.5	7	44.9	0	0.0	0	0.0	0	0.0
MARION	2	7.4	1	3.7	2	7.4	1	4.0	1	4.0	2	8.1	1	52.6	0	0.0	0	0.0
MEADE	0	0.0	0	0.0	1	3.3	0	0.0	0	0.0	1	3.4	0	0.0	0	0.0	0	0.0
NELSON	0	0.0	0	0.0	3	5.7	0	0.0	0	0.0	3	6.2	0	0.0	0	0.0	0	0.0
WASHINGTON	0	0.0	0	0.0	1	6.9	0	0.0	0	0.0	1	7.6	0	0.0	0	0.0	0	0.0
DISTRICT 06	57	4.8	34	2.8	124	10.3	39	4.3	22	2.4	84	9.1	17	6.9	12	4.9	39	15.6
BULLITT	4	5.3	1	1.3	5	6.6	4	5.4	1	1.3	5	6.7	0	0.0	0	0.0	0	0.0
HENRY	0	0.0	0	0.0	1	5.1	0	0.0	0	0.0	1	5.4	0	0.0	0	0.0	0	0.0
JEFFERSON	52	5.4	33	3.4	110	11.2	34	4.9	21	3.0	70	10.0	17	7.1	12	5.0	39	16.1
OLDHAM	1	1.9	0	0.0	3	5.7	1	2.0	0	0.0	3	6.1	0	0.0	0	0.0	0	0.0
SHELBY	0	0.0	0	0.0	1	2.0	0	0.0	0	0.0	1	2.2	0	0.0	0	0.0	0	0.0
SPENCER	0	0.0	0	0.0	4	20.9	0	0.0	0	0.0	4	21.3	0	0.0	0	0.0	0	0.0
TRIMBLE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Fayette (1), Harlan (1), Jackson (1), Jefferson (1), Larue (1), Pulaski (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	223	4.1	166	3.1	537	9.9	187	3.9	141	2.9	458	9.5	33	6.7	25	5.1	77	15.5
DISTRICT 07	25	4.5	24	4.3	53	9.4	23	4.3	22	4.1	51	9.5	2	11.3	2	11.3	2	11.3
BOONE	7	5.1	7	5.1	17	12.2	7	5.3	7	5.3	17	12.8	0	0.0	0	0.0	0	0.0
CAMPBELL	5	4.5	5	4.5	9	8.1	5	4.7	5	4.7	9	8.3	0	0.0	0	0.0	0	0.0
CARROLL	0	0.0	0	0.0	2	14.1	0	0.0	0	0.0	2	14.4	0	0.0	0	0.0	0	0.0
GALLATIN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
GRANT	0	0.0	0	0.0	1	2.8	0	0.0	0	0.0	1	2.8	0	0.0	0	0.0	0	0.0
KENTON	13	6.0	12	5.5	24	11.0	11	5.5	10	5.0	22	10.9	2	16.1	2	16.1	2	16.1
OWEN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
PENDLETON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 08	5	7.6	5	7.6	7	10.6	5	7.8	5	7.8	7	10.9	0	0.0	0	0.0	0	0.0
BRACKEN	1	9.3	1	9.3	1	9.3	1	9.3	1	9.3	1	9.3	0	0.0	0	0.0	0	0.0
FLEMING	0	0.0	0	0.0	1	5.4	0	0.0	0	0.0	1	5.5	0	0.0	0	0.0	0	0.0
LEWIS	3	23.3	3	23.3	4	30.8	3	23.6	3	23.6	4	31.3	0	0.0	0	0.0	0	0.0
MASON	1	4.6	1	4.6	1	4.6	1	5.0	1	5.0	1	5.0	0	0.0	0	0.0	0	0.0
ROBERTSON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 09	3	3.1	2	2.0	3	3.1	3	3.1	2	2.1	3	3.1	0	0.0	0	0.0	0	0.0
BATH	1	6.5	1	6.5	1	6.5	1	6.5	1	6.5	1	6.5	0	0.0	0	0.0	0	0.0
MENIFEE	1	12.2	1	12.2	1	12.2	1	12.2	1	12.2	1	12.2	0	0.0	0	0.0	0	0.0
MONTGOMERY	0	0.0	0	0.0	1	3.0	0	0.0	0	0.0	1	3.1	0	0.0	0	0.0	0	0.0
MORGAN	1	6.5	0	0.0	0	0.0	1	6.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
ROWAN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 10	12	7.4	9	5.6	17	10.4	12	7.5	9	5.6	17	10.5	0	0.0	0	0.0	0	0.0
BOYD	3	5.0	3	5.0	6	9.9	3	5.0	3	5.0	6	10.0	0	0.0	0	0.0	0	0.0
CARTER	4	10.7	4	10.7	5	13.4	4	10.8	4	10.8	5	13.4	0	0.0	0	0.0	0	0.0
ELLIOTT	0	0.0	0	0.0	1	15.6	0	0.0	0	0.0	1	15.6	0	0.0	0	0.0	0	0.0
GREENUP	3	7.5	2	5.0	5	12.4	3	7.6	2	5.1	5	12.6	0	0.0	0	0.0	0	0.0
LAWRENCE	2	10.9	0	0.0	0	0.0	2	11.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Fayette (1), Harlan (1), Jackson (1), Jefferson (1), Larue (1), Pulaski (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	223	4.1	166	3.1	537	9.9	187	3.9	141	2.9	458	9.5	33	6.7	25	5.1	77	15.5
DISTRICT 11	3	1.6	2	1.0	23	11.8	3	1.6	2	1.0	23	11.9	0	0.0	0	0.0	0	0.0
FLOYD	0	0.0	0	0.0	9	16.3	0	0.0	0	0.0	9	16.4	0	0.0	0	0.0	0	0.0
JOHNSON	2	6.6	2	6.6	4	13.1	2	6.6	2	6.6	4	13.1	0	0.0	0	0.0	0	0.0
MAGOFFIN	0	0.0	0	0.0	1	5.8	0	0.0	0	0.0	1	5.8	0	0.0	0	0.0	0	0.0
MARTIN	0	0.0	0	0.0	2	12.1	0	0.0	0	0.0	2	12.1	0	0.0	0	0.0	0	0.0
PIKE	1	1.3	0	0.0	7	9.3	1	1.4	0	0.0	7	9.4	0	0.0	0	0.0	0	0.0
DISTRICT 12	7	4.8	5	3.4	19	12.8	7	4.8	5	3.5	19	13.0	0	0.0	0	0.0	0	0.0
BREATHITT	0	0.0	0	0.0	2	11.2	0	0.0	0	0.0	2	11.3	0	0.0	0	0.0	0	0.0
KNOTT	1	5.6	1	5.6	3	16.8	1	5.7	1	5.7	3	16.9	0	0.0	0	0.0	0	0.0
LEE	0	0.0	0	0.0	1	13.2	0	0.0	0	0.0	1	13.3	0	0.0	0	0.0	0	0.0
LESLIE	0	0.0	0	0.0	1	7.2	0	0.0	0	0.0	1	7.2	0	0.0	0	0.0	0	0.0
LETCHER	3	10.6	1	3.5	5	17.4	3	10.7	1	3.6	5	17.5	0	0.0	0	0.0	0	0.0
OWSLEY	1	18.9	1	18.9	1	18.9	1	18.9	1	18.9	1	18.9	0	0.0	0	0.0	0	0.0
PERRY	2	4.5	2	4.5	5	11.2	2	4.6	2	4.6	5	11.5	0	0.0	0	0.0	0	0.0
WOLFE	0	0.0	0	0.0	1	8.1	0	0.0	0	0.0	1	8.1	0	0.0	0	0.0	0	0.0
DISTRICT 13	12	3.9	7	2.3	33	10.6	12	3.9	7	2.3	33		0	0.0	0	0.0	0	0.0
BELL	1	2.9	1	2.9	5	14.2	1	2.9	1	2.9	5	14.4	0	0.0	0	0.0	0	0.0
CLAY	2	7.0	1	3.5	2	7.0	2	7.1	1	3.5	2	7.0	0	0.0	0	0.0	0	0.0
HARLAN	1	2.5	0	0.0	4	9.8	1	2.5	0	0.0	4	10.0	0	0.0	0	0.0	0	0.0
JACKSON	0	0.0	0	0.0	4	24.0	0	0.0	0	0.0	4	24.0	0	0.0	0	0.0	0	0.0
KNOX	2	4.7	2	4.7	4	9.3	2	4.8	2	4.8	4	9.5	0	0.0	0	0.0	0	0.0
LAUREL	3	4.0	1	1.3	8	10.6	3	4.0	1	1.3	8	10.7	0	0.0	0	0.0	0	0.0
ROCKCASTLE	1	4.2	1	4.2	3	12.5	1	4.2	1	4.2	3	12.5	0	0.0	0	0.0	0	0.0
WHITLEY	2	4.2	1	2.1	3	6.3	2	4.3	1	2.1	3	6.4	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Fayette (1), Harlan (1), Jackson (1), Jefferson (1), Larue (1), Pulaski (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	223	4.1	166	3.1	537	9.9	187	3.9	141	2.9	458	9.5	33	6.7	25	5.1	77	15.5
DISTRICT 14	6	2.4	4	1.6	17	6.8	5	2.1	3	1.2	15	6.2	1	27.8	1	27.8	2	54.1
ADAIR	1	4.3	1	4.3	1	4.3	1	4.5	1	4.5	1	4.5	0	0.0	0	0.0	0	0.0
CASEY	0	0.0	0	0.0	2	9.8	0	0.0	0	0.0	2	9.9	0	0.0	0	0.0	0	0.0
CLINTON	0	0.0	0	0.0	1	8.3	0	0.0	0	0.0	1	8.4	0	0.0	0	0.0	0	0.0
CUMBERLAND	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
GREEN	1	6.9	1	6.9	2	13.8	1	7.2	1	7.2	2	14.4	0	0.0	0	0.0	0	0.0
MCCREARY	1	5.0	0	0.0	2	9.9	1	5.0	0	0.0	2	9.9	0	0.0	0	0.0	0	0.0
PULASKI	2	2.7	2	2.7	3	4.1	1	1.4	1	1.4	2	2.8	1	125.0	1	125.0	1	125.0
RUSSELL	0	0.0	0	0.0	2	9.6	0	0.0	0	0.0	2	9.6	0	0.0	0	0.0	0	0.0
TAYLOR	0	0.0	0	0.0	3	10.0	0	0.0	0	0.0	2	7.1	0	0.0	0	0.0	1	66.7
WAYNE	1	4.2	0	0.0	1	4.1	1	4.2	0	0.0	1	4.2	0	0.0	0	0.0	0	0.0
DISTRICT 15	35	3.8	28	3.1	99	10.8	30	3.7	24	3.0	84	10.3	4	5.0	4	5.0	14	17.3
ANDERSON	0	0.0	0	0.0	2	9.1	0	0.0	0	0.0	2	9.4	0	0.0	0	0.0	0	0.0
BOURBON	1	4.9	1	4.9	7	33.3	1	5.2	1	5.2	7	35.4	0	0.0	0	0.0	0	0.0
BOYLE	0	0.0	0	0.0	1	3.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	47.6
CLARK	0	0.0	0	0.0	6	14.7	0	0.0	0	0.0	6	15.4	0	0.0	0	0.0	0	0.0
ESTILL	1	4.7	1	4.7	2	9.3	1	4.7	1	4.7	2	9.3	0	0.0	0	0.0	0	0.0
FAYETTE	16	4.4	13	3.6	37	10.2	13	4.5	10	3.4	26	8.9	3	5.1	3	5.1	10	16.8
FRANKLIN	2	3.5	1	1.8	3	5.2	2	4.0	1	2.0	3	5.9	0	0.0	0	0.0	0	0.0
GARRARD	2	12.3	1	6.2	1	6.2	2	12.7	1	6.3	1	6.3	0	0.0	0	0.0	0	0.0
HARRISON	1	4.8	1	4.8	1	4.8	1	4.9	1	4.9	1	4.9	0	0.0	0	0.0	0	0.0
JESSAMINE	0	0.0	0	0.0	6	11.0	0	0.0	0	0.0	6	11.5	0	0.0	0	0.0	0	0.0
LINCOLN	1	3.1	1	3.1	3	9.2	1	3.2	1	3.2	3	9.5	0	0.0	0	0.0	0	0.0
MADISON	2	2.1	2	2.1	8	8.5	2	2.2	2	2.2	6	6.7	0	0.0	0	0.0	2	60.6
MERCER	4	15.4	3	11.6	5	19.2	3	12.7	3	12.7	5	20.9	0	0.0	0	0.0	0	0.0
NICHOLAS	0	0.0	0	0.0	3	28.8	0	0.0	0	0.0	3	29.1	0	0.0	0	0.0	0	0.0
POWELL	2	9.4	2	9.4	2	9.4	2	9.5	2	9.5	2	9.5	0	0.0	0	0.0	0	0.0
SCOTT	2	3.6	1	1.8	7	12.4	2	3.9	1	1.9	7	13.4	0	0.0	0	0.0	0	0.0
WOODFORD	1	3.3	1	3.3	5	16.4	0	0.0	0	0.0	4	13.7	1	100.0	1	100.0	1	100.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Fayette (1), Harlan (1), Jackson (1), Jefferson (1), Larue (1), Pulaski (1)