

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	40,378	986.5	1002.2	11,598	283.4	290.0	9,375	229.0	227.4	2,533	61.9	64.3
DISTRICT 01	2,247	1166.5	921.2	757	393.0	298.6	462	239.8	191.8	155	80.5	60.3
BALLARD	115	1409.5	1191.3	46	563.8	491.2	22	269.6	210.0	9	110.3	94.1
CALLOWAY	339	985.5	837.3	100	290.7	239.8	76	220.9	194.1	19	55.2	44.1
CARLISLE	50	940.0	770.8	21	394.8	311.8	8	150.4	120.4	4	75.2	60.2
FULTON	121	1603.1	1255.6	37	490.2	357.2	22	291.5	264.6	10	132.5	92.9
GRAVES	427	1147.3	919.7	129	346.6	272.9	88	236.4	191.9	24	64.5	48.5
HICKMAN	69	1328.5	854.8	27	519.8	313.0	13	250.3	164.9	6	115.5	68.7
MCCRACKEN	749	1161.0	912.8	264	409.2	305.4	150	232.5	183.7	58	89.9	67.0
MARSHALL	377	1245.3	932.0	133	439.3	318.0	83	274.2	202.9	25	82.6	59.0
DISTRICT 02	2,334	1088.6	1014.7	695	324.2	300.6	521	243.0	226.0	151	70.4	65.2
CALDWELL	170	1314.7	949.3	49	378.9	264.8	40	309.3	224.2	14	108.3	75.1
CHRISTIAN	554	777.4	966.3	166	232.9	294.2	109	153.0	200.4	28	39.3	49.9
CRITTENDEN	118	1278.7	1010.1	50	541.8	418.1	26	281.8	214.2	9	97.5	75.8
HOPKINS	597	1281.1	1080.0	180	386.3	322.1	130	279.0	235.2	42	90.1	72.8
LIVINGSTON	120	1218.8	1060.3	41	416.4	353.3	21	213.3	177.4	6	60.9	50.9
LYON	90	1101.9	882.3	25	306.1	247.6	18	220.4	165.4	5	61.2	45.4
MUHLENBERG	394	1242.7	1055.3	99	312.3	263.2	100	315.4	262.6	28	88.3	73.5
TODD	133	1110.2	1009.4	35	292.2	264.8	37	308.8	280.6	12	100.2	91.2
TRIGG	158	1246.2	1068.4	50	394.4	348.1	40	315.5	247.6	7	55.2	43.6
DISTRICT 03	2,137	1026.4	962.1	563	270.4	252.5	504	242.1	224.1	163	78.3	72.7
DAVIESS	896	977.2	896.6	220	239.9	218.5	208	226.9	207.6	74	80.7	73.1
HANCOCK	80	933.2	1118.5	22	256.6	271.7	18	210.0	247.3	11	128.3	191.2
HENDERSON	446	991.5	984.8	118	262.3	263.5	103	229.0	221.0	28	62.2	63.3
MCLEAN	107	1065.0	950.0	28	278.7	245.1	28	278.7	250.3	7	69.7	59.2
OHIO	264	1133.7	988.4	82	352.1	303.2	73	313.5	274.7	12	51.5	44.0
UNION	184	1183.3	1193.9	52	334.4	333.9	39	250.8	245.5	18	115.8	117.1
WEBSTER	160	1137.3	1003.2	41	291.4	255.9	35	248.8	220.0	13	92.4	79.3

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	40,378	986.5	1002.2	11,598	283.4	290.0	9,375	229.0	227.4	2,533	61.9	64.3
DISTRICT 04	2,580	993.6	995.8	760	292.7	294.1	562	216.4	212.2	168	64.7	66.4
ALLEN	194	1067.0	1049.1	68	374.0	359.4	36	198.0	182.8	11	60.5	63.9
BARREN	424	1094.2	945.5	123	317.4	271.9	91	234.8	202.4	37	95.5	80.4
BUTLER	137	1041.0	1066.2	35	265.9	268.7	33	250.7	243.8	7	53.2	53.3
EDMONSON	114	961.7	851.9	40	337.4	306.6	31	261.5	217.2	7	59.1	55.3
HART	192	1086.3	1025.4	60	339.5	320.1	36	203.7	182.9	10	56.6	56.6
LOGAN	256	955.3	1003.7	67	250.0	262.1	58	216.4	220.6	19	70.9	79.5
METCALFE	150	1494.2	1336.5	40	398.4	362.0	33	328.7	286.9	8	79.7	72.5
MONROE	142	1203.6	995.7	52	440.8	356.1	24	203.4	168.3	7	59.3	47.4
SIMPSON	179	1074.0	1026.9	63	378.0	358.7	36	216.0	203.7	10	60.0	56.8
WARREN	792	836.0	972.1	212	223.8	264.1	184	194.2	222.8	52	54.9	66.3
DISTRICT 05	2,092	842.8	976.1	593	238.9	282.9	515	207.5	226.8	140	56.4	70.8
BRECKINRIDGE	222	1171.3	1117.4	65	343.0	326.4	53	279.6	243.6	14	73.9	75.4
GRAYSON	257	1052.6	1064.3	82	335.9	346.2	56	229.4	210.5	17	69.6	73.5
HARDIN	708	739.5	933.5	194	202.6	261.4	189	197.4	236.3	48	50.1	70.7
LARUE	154	1152.4	1054.7	38	284.4	258.6	38	284.4	253.5	14	104.8	96.2
MARION	168	911.7	973.3	50	271.3	294.3	35	189.9	200.0	14	76.0	83.5
MEADE	163	594.3	944.8	45	164.1	268.4	36	131.3	183.9	6	21.9	40.4
NELSON	312	803.7	952.7	88	226.7	277.2	93	239.6	271.5	17	43.8	56.3
WASHINGTON	108	974.1	872.5	31	279.6	248.1	15	135.3	120.3	10	90.2	79.0
DISTRICT 06	8,477	959.1	972.2	2,412	272.9	279.1	2,074	234.6	233.5	530	60.0	62.0
BULLITT	385	603.4	948.6	110	172.4	290.3	115	180.2	246.2	22	34.5	70.0
HENRY	168	1093.9	1208.3	49	319.1	359.1	36	234.4	246.9	10	65.1	78.5
JEFFERSON	7,238	1036.8	983.2	2,069	296.4	280.5	1,743	249.7	235.2	433	62.0	58.8
OLDHAM	263	533.4	896.9	49	99.4	157.9	72	146.0	221.3	28	56.8	119.0
SHELBY	275	783.2	941.3	83	236.4	292.1	77	219.3	244.9	26	74.0	100.4
SPENCER	76	561.9	823.9	28	207.0	325.3	20	147.9	197.0	6	44.4	61.7
TRIMBLE	72	829.7	1125.4	24	276.6	358.6	11	126.8	161.0	5	57.6	75.3

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	40,378	986.5	1002.2	11,598	283.4	290.0	9,375	229.0	227.4	2,533	61.9	64.3
DISTRICT 07	3,397	846.0	987.1	884	220.2	261.4	823	205.0	233.3	184	45.8	56.4
BOONE	585	627.1	978.4	149	159.7	260.0	156	167.2	241.1	27	28.9	52.2
CAMPBELL	879	991.9	1012.3	233	262.9	268.8	203	229.1	231.5	53	59.8	63.0
CARROLL	106	1036.1	1079.9	30	293.2	303.4	23	224.8	228.0	2	19.5	21.0
GALLATIN	100	1275.8	1555.8	29	370.0	470.7	24	306.2	361.3	1	12.8	17.9
GRANT	183	774.8	1029.2	53	224.4	306.3	44	186.3	246.0	6	25.4	35.9
KENTON	1,343	882.6	983.3	334	219.5	248.4	325	213.6	235.7	85	55.9	63.8
OWEN	99	903.9	811.3	27	246.5	217.4	21	191.7	172.0	7	63.9	54.2
PENDLETON	102	688.5	794.4	29	195.8	233.3	27	182.3	205.6	3	20.3	26.3
DISTRICT 08	620	1110.7	1038.4	193	345.7	321.6	123	220.3	201.9	40	71.7	66.3
BRACKEN	78	919.3	1082.4	18	212.1	254.7	17	200.4	215.5	1	11.8	10.4
FLEMING	146	1035.5	1005.6	48	340.4	330.4	23	163.1	159.7	11	78.0	73.5
LEWIS	167	1197.0	1151.3	45	322.5	305.7	37	265.2	252.9	8	57.3	53.5
MASON	205	1211.3	1031.8	72	425.4	354.7	42	248.2	208.6	18	106.4	88.0
ROBERTSON	24	1016.1	776.7	10	423.4	310.2	4	169.3	138.0	2	84.7	67.6
DISTRICT 09	726	932.9	994.8	239	307.1	333.6	157	201.7	206.0	42	54.0	60.5
BATH	120	1051.3	984.1	45	394.3	373.1	27	236.6	216.0	5	43.8	40.2
MENIFEE	58	864.4	900.6	13	193.7	215.1	16	238.5	233.3	7	104.3	120.8
MONTGOMERY	237	1019.1	1040.1	73	313.9	322.2	56	240.8	238.5	15	64.5	68.0
MORGAN	133	936.9	991.6	55	387.5	414.1	24	169.1	169.8	6	42.3	52.9
ROWAN	178	800.1	1003.1	53	238.2	302.7	34	152.8	175.8	9	40.5	52.8
DISTRICT 10	1,572	1156.2	1065.5	391	287.6	266.0	373	274.3	238.4	148	108.9	105.1
BOYD	613	1235.7	1082.4	127	256.0	228.5	149	300.4	245.4	81	163.3	152.5
CARTER	285	1053.2	1051.7	75	277.2	274.7	64	236.5	231.7	23	85.0	84.5
ELLIOTT	69	1022.5	956.5	17	251.9	233.4	17	251.9	238.3	5	74.1	66.4
GREENUP	426	1158.7	1037.7	116	315.5	287.0	103	280.2	234.3	30	81.6	75.7
LAWRENCE	179	1134.2	1155.7	56	354.8	368.3	40	253.5	242.8	9	57.0	60.7

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	40,378	986.5	1002.2	11,598	283.4	290.0	9,375	229.0	227.4	2,533	61.9	64.3
DISTRICT 11	1,810	1136.6	1192.4	541	339.7	262.6	413	259.3	258.2	96	60.3	66.8
FLOYD	493	1167.8	1211.3	113	267.7	283.6	124	293.7	293.2	33	78.2	82.4
JOHNSON	261	1117.6	1150.5	72	308.3	316.5	66	282.6	276.4	10	42.8	47.1
MAGOFFIN	115	860.8	952.5	27	202.1	232.6	26	194.6	211.4	5	37.4	42.4
MARTIN	126	1006.0	1199.6	58	463.1	578.8	21	167.7	184.8	5	39.9	50.4
PIKE	815	1202.1	1239.4	271	399.7	422.5	176	259.6	249.6	43	63.4	70.1
DISTRICT 12	1,448	1208.0	1209.4	456	380.4	384.4	324	270.3	260.4	67	55.9	58.9
BREATHITT	201	1265.5	1325.0	63	396.7	428.4	41	258.1	256.0	6	37.8	42.9
KNOTT	162	913.2	952.4	47	264.9	278.1	34	191.7	193.5	10	56.4	59.7
LEE	107	1346.3	1185.8	33	415.2	360.8	26	327.1	287.3	2	25.2	19.9
LESLIE	132	1075.0	1129.3	33	268.8	288.6	28	228.0	221.9	7	57.0	64.4
LETCHER	311	1246.7	1204.8	99	396.9	384.2	74	296.7	276.6	18	72.2	74.0
OWSLEY	76	1595.3	1579.0	25	524.8	518.8	12	251.9	246.4	6	125.9	128.8
PERRY	354	1205.1	1240.9	120	408.5	429.8	86	292.8	286.9	12	40.8	44.7
WOLFE	105	1513.8	1432.7	36	519.0	489.7	23	331.6	317.9	6	86.5	85.9
DISTRICT 13	2,636	1096.8	1112.7	793	329.9	337.0	561	233.4	229.0	151	62.8	65.9
BELL	375	1244.7	1160.0	109	361.8	334.4	69	229.0	205.5	25	83.0	76.9
CLAY	249	1026.4	1233.7	76	313.3	392.8	61	251.4	279.1	7	28.9	39.4
HARLAN	409	1255.1	1133.4	107	328.3	292.1	99	303.8	269.5	23	70.6	63.2
JACKSON	155	1124.6	1193.4	52	377.3	404.3	26	188.6	191.6	11	79.8	88.5
KNOX	362	1137.0	1117.9	110	345.5	337.4	83	260.7	254.4	28	87.9	87.2
LAUREL	524	964.9	1090.8	156	287.3	335.6	113	208.1	223.2	23	42.4	51.3
ROCKCASTLE	182	1084.4	1037.5	68	405.1	387.4	39	232.4	216.4	9	53.6	48.9
WHITLEY	380	1036.6	1045.0	115	313.7	317.7	71	193.7	186.9	25	68.2	70.9

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	40,378	986.5	1002.2	11,598	283.4	290.0	9,375	229.0	227.4	2,533	61.9	64.3
DISTRICT 14	2,169	1107.6	981.1	665	339.6	297.2	514	262.5	224.5	126	64.3	57.1
ADAIR	182	1049.3	919.8	65	374.7	330.6	45	259.4	220.6	9	51.9	44.1
CASEY	183	1160.0	1000.5	51	323.3	270.9	41	259.9	219.4	13	82.4	69.3
CLINTON	119	1231.5	1027.7	48	496.7	407.4	20	207.0	171.8	5	51.7	42.6
CUMBERLAND	96	1335.4	1000.9	32	445.1	315.0	22	306.0	216.2	6	83.5	57.0
GREEN	151	1284.9	974.8	45	382.9	283.0	30	255.3	190.7	17	144.7	107.0
MCCREARY	155	912.1	1033.2	45	264.8	300.1	38	223.6	245.0	7	41.2	52.7
PULASKI	646	1130.2	997.3	178	311.4	272.4	160	279.9	237.4	36	63.0	55.8
RUSSELL	190	1142.0	923.3	65	390.7	305.2	53	318.5	250.5	10	60.1	50.9
TAYLOR	247	1064.1	935.6	79	340.3	294.1	60	258.5	216.9	13	56.0	49.7
WAYNE	200	995.5	1038.4	57	283.7	309.3	45	224.0	214.1	10	49.8	56.2
DISTRICT 15	6,133	876.6	978.4	1,656	236.7	268.1	1,449	207.1	226.7	372	53.2	61.2
ANDERSON	176	899.7	984.8	48	245.4	273.9	43	219.8	231.7	16	81.8	91.1
BOURBON	198	1011.3	922.6	68	347.3	309.8	42	214.5	193.0	11	56.2	50.2
BOYLE	305	1094.8	1019.2	77	276.4	255.6	68	244.1	226.5	22	79.0	71.6
CLARK	362	1073.4	1090.6	98	290.6	301.5	91	269.8	264.4	20	59.3	62.6
ESTILL	185	1206.0	1209.0	69	449.8	449.7	41	267.3	260.8	13	84.7	92.3
FAYETTE	2,049	777.2	919.8	555	210.5	252.9	504	191.2	227.0	136	51.6	63.0
FRANKLIN	496	1029.5	1041.3	130	269.8	274.7	116	240.8	237.5	28	58.1	58.8
GARRARD	121	774.2	814.6	24	153.6	160.3	23	147.2	148.2	10	64.0	66.4
HARRISON	211	1167.7	1125.9	70	387.4	373.5	42	232.4	222.6	10	55.3	52.4
JESSAMINE	314	770.8	958.4	64	157.1	201.0	73	179.2	215.2	14	34.4	45.4
LINCOLN	258	1072.9	1143.9	75	311.9	339.4	62	257.8	249.6	12	49.9	58.0
MADISON	601	819.5	1029.9	156	212.7	271.4	152	207.3	250.5	29	39.5	52.9
MERCER	215	1021.7	914.1	63	299.4	265.4	46	218.6	190.0	10	47.5	42.5
NICHOLAS	93	1339.3	1081.8	23	331.2	263.0	17	244.8	201.3	6	86.4	68.1
POWELL	121	916.6	1052.0	21	159.1	182.2	31	234.8	256.9	3	22.7	32.1
SCOTT	228	645.6	898.6	66	186.9	268.2	50	141.6	191.7	17	48.1	73.5
WOODFORD	200	854.4	1007.4	49	209.3	256.4	48	205.0	228.3	15	64.1	78.6

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Influenza and Pneumonia		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,382	58.2	58.9	2,073	50.6	50.8	1,257	30.7	31.0	1,223	29.9	31.2
DISTRICT 01	141	73.2	57.0	107	55.5	52.9	68	35.3	28.7	69	35.8	26.9
BALLARD	5	61.3	44.8	5	61.3	62.4	5	61.3	53.8	5	61.3	54.8
CALLOWAY	29	84.3	70.4	17	49.4	44.8	10	29.1	26.0	16	46.5	39.1
CARLISLE	4	75.2	57.1	3	56.4	54.1	0	0.0	0.0	1	18.8	16.9
FULTON	4	53.0	37.1	5	66.2	70.8	5	66.2	48.7	8	106.0	71.5
GRAVES	36	96.7	77.7	17	45.7	40.4	20	53.7	44.6	6	16.1	11.6
HICKMAN	2	38.5	18.6	6	115.5	119.6	3	57.8	37.1	3	57.8	27.9
MCCRACKEN	31	48.1	38.0	36	55.8	52.3	21	32.6	26.3	21	32.6	25.3
MARSHALL	30	99.1	74.0	18	59.5	59.0	4	13.2	9.3	9	29.7	21.5
DISTRICT 02	147	68.6	63.6	105	49.0	48.1	83	38.7	35.9	69	32.2	29.6
CALDWELL	13	100.5	68.8	8	61.9	52.4	9	69.6	47.9	5	38.7	26.7
CHRISTIAN	32	44.9	56.9	20	28.1	28.1	23	32.3	39.1	27	37.9	48.2
CRITTENDEN	4	43.3	31.8	7	75.9	80.4	2	21.7	15.4	3	32.5	25.4
HOPKINS	42	90.1	76.3	20	42.9	42.6	14	30.0	24.7	11	23.6	18.6
LIVINGSTON	7	71.1	60.0	8	81.3	73.1	3	30.5	28.6	2	20.3	17.6
LYON	2	24.5	18.2	7	85.7	79.0	4	49.0	39.5	2	24.5	20.1
MUHLENBERG	30	94.6	77.6	25	78.9	73.5	15	47.3	39.7	13	41.0	33.8
TODD	8	66.8	59.6	5	41.7	40.7	7	58.4	51.9	4	33.4	30.5
TRIGG	9	71.0	59.3	5	39.4	44.0	6	47.3	35.1	2	15.8	14.9
DISTRICT 03	121	58.1	53.7	118	56.7	55.8	86	41.3	38.0	53	25.5	24.0
DAVISS	50	54.5	49.5	40	43.6	41.7	42	45.8	41.4	19	20.7	18.7
HANCOCK	4	46.7	57.7	9	105.0	130.6	1	11.7	11.3	3	35.0	48.5
HENDERSON	27	60.0	60.6	24	53.4	51.7	9	20.0	18.7	14	31.1	32.7
MCLEAN	8	79.6	67.6	9	89.6	81.1	6	59.7	55.2	1	10.0	8.3
OHIO	13	55.8	47.6	13	55.8	54.1	14	60.1	49.5	6	25.8	22.0
UNION	7	45.0	43.6	16	102.9	116.9	6	38.6	37.2	4	25.7	27.3
WEBSTER	12	85.3	73.8	7	49.8	49.1	8	56.9	49.8	6	42.6	36.8

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Influenza and Pneumonia		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,382	58.2	58.9	2,073	50.6	50.8	1,257	30.7	31.0	1,223	29.9	31.2
DISTRICT 04	140	53.9	53.9	130	50.1	49.3	79	30.4	29.9	99	38.1	39.0
ALLEN	13	71.5	68.0	11	60.5	62.1	5	27.5	25.9	6	33.0	36.8
BARREN	21	54.2	47.3	14	36.1	33.5	8	20.6	17.8	24	61.9	51.8
BUTLER	5	38.0	34.2	9	68.4	70.6	3	22.8	24.0	4	30.4	34.6
EDMONSON	7	59.1	55.7	4	33.7	35.3	4	33.7	28.2	3	25.3	21.1
HART	8	45.3	44.0	15	84.9	82.1	4	22.6	20.9	9	50.9	50.0
LOGAN	15	56.0	56.4	8	29.9	31.5	11	41.0	41.7	11	41.0	48.2
METCALFE	20	199.2	169.3	6	59.8	62.5	3	29.9	23.2	7	69.7	63.9
MONROE	3	25.4	21.3	12	101.7	95.6	4	33.9	27.1	14	118.7	92.9
SIMPSON	7	42.0	41.0	10	60.0	61.5	2	12.0	11.2	5	30.0	29.1
WARREN	41	43.3	52.0	41	43.3	42.9	35	36.9	42.9	16	16.9	20.2
DISTRICT 05	106	42.7	49.5	104	41.9	44.2	57	23.0	27.0	82	33.0	40.9
BRECKINRIDGE	8	42.2	37.9	16	84.4	83.4	5	26.4	26.9	8	42.2	41.6
GRAYSON	19	77.8	76.5	12	49.2	50.8	7	28.7	30.2	8	32.8	33.6
HARDIN	31	32.4	41.1	31	32.4	35.2	12	12.5	15.1	32	33.4	45.0
LARUE	9	67.4	58.4	8	59.9	60.1	5	37.4	33.2	5	37.4	35.2
MARION	7	38.0	42.0	10	54.3	54.2	5	27.1	28.5	5	27.1	30.0
MEADE	12	43.8	76.4	7	25.5	38.9	9	32.8	68.4	5	18.2	35.2
NELSON	11	28.3	33.3	16	41.2	44.1	7	18.0	20.8	16	41.2	53.9
WASHINGTON	9	81.2	72.0	4	36.1	33.5	7	63.1	60.2	3	27.1	23.6
DISTRICT 06	494	55.9	56.6	331	37.4	37.7	251	28.4	28.5	225	25.5	26.4
BULLITT	29	45.5	78.6	23	36.0	42.9	9	14.1	25.8	6	9.4	14.7
HENRY	14	91.2	88.3	12	78.1	82.8	3	19.5	20.7	3	19.5	21.5
JEFFERSON	418	59.9	56.3	262	37.5	36.8	223	31.9	30.2	200	28.6	27.2
OLDHAM	11	22.3	34.7	19	38.5	51.9	8	16.2	29.7	4	8.1	17.0
SHELBY	11	31.3	41.1	14	39.9	43.4	5	14.2	15.8	5	14.2	17.8
SPENCER	4	29.6	45.7	1	7.4	6.8	2	14.8	27.9	5	37.0	59.7
TRIMBLE	7	80.7	109.3	0	0.0	0.0	1	11.5	21.0	2	23.0	35.9

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Influenza and Pneumonia		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,382	58.2	58.9	2,073	50.6	50.8	1,257	30.7	31.0	1,223	29.9	31.2
DISTRICT 07	196	48.8	57.1	170	42.3	45.0	133	33.1	38.6	105	26.2	32.0
BOONE	25	26.8	42.0	26	27.9	33.1	27	28.9	45.3	20	21.4	36.9
CAMPBELL	54	60.9	61.5	39	44.0	44.3	43	48.5	48.9	21	23.7	24.5
CARROLL	10	97.7	103.4	6	58.6	60.1	4	39.1	41.1	2	19.5	23.0
GALLATIN	3	38.3	47.3	6	76.6	82.1	5	63.8	80.3	3	38.3	46.2
GRANT	11	46.6	59.6	23	97.4	115.5	8	33.9	45.2	5	21.2	28.7
KENTON	78	51.3	57.5	63	41.4	43.1	37	24.3	26.9	46	30.2	34.8
OWEN	8	73.0	68.7	2	18.3	16.8	4	36.5	30.0	2	18.3	15.6
PENDLETON	7	47.3	50.5	5	33.8	33.7	5	33.8	41.2	6	40.5	49.0
DISTRICT 08	46	82.4	74.7	30	53.7	54.0	19	34.0	32.1	25	44.8	42.1
BRACKEN	11	129.6	145.5	4	47.1	45.6	2	23.6	24.4	7	82.5	138.1
FLEMING	10	70.9	67.4	8	56.7	58.7	3	21.3	20.8	4	28.4	27.4
LEWIS	13	93.2	86.1	7	50.2	52.0	9	64.5	63.0	7	50.2	47.5
MASON	12	70.9	58.5	9	53.2	54.1	5	29.5	25.1	6	35.5	28.4
ROBERTSON	0	0.0	0.0	2	84.7	53.7	0	0.0	0.0	1	42.3	35.0
DISTRICT 09	45	57.8	61.6	50	64.3	63.6	17	21.8	23.1	18	23.1	26.6
BATH	3	26.3	25.0	3	26.3	24.9	4	35.0	31.6	8	70.1	67.5
MENIFEE	4	59.6	61.9	2	29.8	29.1	3	44.7	46.6	1	14.9	19.1
MONTGOMERY	11	47.3	48.1	26	111.8	114.4	7	30.1	30.5	5	21.5	23.0
MORGAN	13	91.6	97.8	6	42.3	43.2	2	14.1	16.0	0	0.0	0.0
ROWAN	14	62.9	71.6	13	58.4	65.1	1	4.5	5.9	4	18.0	26.6
DISTRICT 10	107	78.7	71.0	74	54.4	53.0	56	41.2	36.7	46	33.8	31.1
BOYD	37	74.6	62.6	21	42.3	40.2	20	40.3	32.1	24	48.4	42.3
CARTER	20	73.9	72.8	20	73.9	72.8	8	29.6	30.9	2	7.4	7.4
ELLIOTT	4	59.3	54.2	7	103.7	98.2	3	44.5	40.9	3	44.5	39.8
GREENUP	27	73.4	64.6	15	40.8	41.7	20	54.4	49.3	10	27.2	22.0
LAWRENCE	19	120.4	125.3	11	69.7	69.8	5	31.7	31.3	7	44.4	48.3

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Influenza and Pneumonia		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,382	58.2	58.9	2,073	50.6	50.8	1,257	30.7	31.0	1,223	29.9	31.2
DISTRICT 11	114	71.6	74.0	114	71.6	71.8	65	40.8	43.2	61	38.3	43.0
FLOYD	44	104.2	107.5	28	66.3	66.1	16	37.9	40.6	17	40.3	43.6
JOHNSON	7	30.0	30.8	17	72.8	71.6	12	51.4	53.2	17	72.8	82.7
MAGOFFIN	4	29.9	33.4	10	74.9	75.6	2	15.0	17.2	6	44.9	54.1
MARTIN	5	39.9	54.9	12	95.8	98.8	2	16.0	17.5	3	24.0	26.3
PIKE	54	79.6	80.0	47	69.3	69.4	33	48.7	50.6	18	26.5	29.7
DISTRICT 12	90	75.1	74.6	121	100.9	100.5	21	17.5	17.2	44	36.7	38.3
BREATHITT	8	50.4	51.0	26	163.7	165.1	1	6.3	7.9	8	50.4	56.3
KNOTT	10	56.4	55.9	12	67.6	70.2	3	16.9	17.1	9	50.7	53.2
LEE	8	100.7	89.3	9	113.2	108.7	0	0.0	0.0	5	62.9	50.9
LESLIE	11	89.6	100.5	11	89.6	88.6	1	8.1	7.5	5	40.7	46.5
LETCHER	19	76.2	68.7	15	60.1	58.6	8	32.1	29.7	7	28.1	29.1
OWSLEY	4	84.0	75.7	8	167.9	167.0	2	42.0	33.4	2	42.0	45.4
PERRY	22	74.9	79.2	34	115.7	113.4	5	17.0	17.8	6	20.4	23.1
WOLFE	8	115.3	101.1	6	86.5	85.0	1	14.4	11.2	2	28.8	27.1
DISTRICT 13	181	75.3	74.6	158	65.7	66.1	88	36.6	37.5	68	28.3	29.6
BELL	19	63.1	57.3	31	102.9	103.9	20	66.4	60.2	6	19.9	19.6
CLAY	17	70.1	85.9	17	70.1	70.3	1	4.1	6.2	14	57.7	76.2
HARLAN	35	107.4	94.5	17	52.2	51.1	17	52.2	48.2	11	33.8	30.2
JACKSON	11	79.8	83.0	6	43.5	43.3	4	29.0	31.1	7	50.8	58.1
KNOX	19	59.7	58.0	19	59.7	60.2	17	53.4	52.5	10	31.4	31.4
LAUREL	43	79.2	84.8	33	60.8	61.3	13	23.9	27.5	12	22.1	26.2
ROCKCASTLE	9	53.6	51.2	13	77.5	75.3	3	17.9	18.0	1	6.0	5.6
WHITLEY	28	76.4	74.8	22	60.0	62.2	13	35.5	36.2	7	19.1	19.2

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Influenza and Pneumonia		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,382	58.2	58.9	2,073	50.6	50.8	1,257	30.7	31.0	1,223	29.9	31.2
DISTRICT 14	111	56.7	48.6	137	70.0	69.3	61	31.2	27.4	74	37.8	34.1
ADAIR	6	34.6	29.3	5	28.8	26.1	2	11.5	10.4	6	34.6	32.2
CASEY	11	69.7	57.3	16	101.4	102.3	6	38.0	31.1	6	38.0	30.4
CLINTON	1	10.3	8.8	8	82.8	69.6	0	0.0	0.0	9	93.1	81.8
CUMBERLAND	3	41.7	29.4	10	139.1	136.9	2	27.8	18.8	4	55.6	38.2
GREEN	9	76.6	55.2	10	85.1	82.8	3	25.5	19.7	3	25.5	18.2
MCCREARY	10	58.8	64.7	13	76.5	80.8	9	53.0	60.7	1	5.9	5.9
PULASKI	38	66.5	57.2	44	77.0	76.1	23	40.2	35.7	21	36.7	33.3
RUSSELL	5	30.1	23.2	10	60.1	65.0	2	12.0	8.4	8	48.1	37.9
TAYLOR	11	47.4	40.6	9	38.8	39.4	5	21.5	17.9	8	34.5	30.7
WAYNE	17	84.6	84.8	12	59.7	61.0	9	44.8	45.2	8	39.8	44.4
DISTRICT 15	343	49.0	55.4	324	46.3	47.4	173	24.7	27.6	185	26.4	30.8
ANDERSON	8	40.9	46.8	10	51.1	55.2	2	10.2	10.4	4	20.4	24.8
BOURBON	12	61.3	55.5	14	71.5	71.3	3	15.3	14.3	4	20.4	18.3
BOYLE	18	64.6	60.7	12	43.1	42.0	9	32.3	29.6	15	53.8	49.4
CLARK	19	56.3	57.4	25	74.1	74.2	8	23.7	23.2	11	32.6	35.1
ESTILL	11	71.7	71.4	7	45.6	48.5	10	65.2	61.3	2	13.0	13.2
FAYETTE	107	40.6	49.6	97	36.8	38.0	68	25.8	31.1	51	19.3	23.9
FRANKLIN	22	45.7	46.7	29	60.2	58.0	15	31.1	31.5	11	22.8	23.3
GARRARD	3	19.2	20.4	7	44.8	43.6	1	6.4	6.7	8	51.2	55.3
HARRISON	17	94.1	92.1	10	55.3	54.0	3	16.6	16.1	9	49.8	48.0
JESSAMINE	24	58.9	73.9	19	46.6	51.7	9	22.1	26.9	11	27.0	35.2
LINCOLN	13	54.1	54.1	12	49.9	51.5	5	20.8	22.2	18	74.9	81.1
MADISON	37	50.5	63.9	22	30.0	30.6	16	21.8	27.7	22	30.0	41.6
MERCER	9	42.8	36.8	14	66.5	68.3	7	33.3	28.9	3	14.3	12.6
NICHOLAS	7	100.8	81.0	7	100.8	92.1	5	72.0	58.3	2	28.8	22.0
POWELL	11	83.3	99.5	15	113.6	112.5	3	22.7	24.2	4	30.3	39.6
SCOTT	13	36.8	51.2	13	36.8	44.0	1	2.8	4.2	5	14.2	22.9
WOODFORD	12	51.3	59.7	11	47.0	53.0	8	34.2	38.9	5	21.4	28.3

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Alzheimer's Disease			Nephritis, Nephrotic Syndrome and Nephrosis			Septicemia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	1,007	24.6	26.1	813	19.9	20.4	603	14.7	15.0	538	13.1	13.0
DISTRICT 01	51	26.5	18.9	38	19.7	15.3	31	16.1	12.1	33	17.1	16.6
BALLARD	3	36.8	30.2	0	0.0	0.0	2	24.5	24.5	0	0.0	0.0
CALLOWAY	9	26.2	19.9	1	2.9	2.4	6	17.4	13.8	4	11.6	12.0
CARLISLE	0	0.0	0.0	1	18.8	12.8	1	18.8	13.8	1	18.8	15.6
FULTON	1	13.2	9.0	2	26.5	22.0	6	79.5	53.2	2	26.5	23.0
GRAVES	12	32.2	23.3	5	13.4	9.6	6	16.1	11.9	6	16.1	15.2
HICKMAN	2	38.5	22.6	1	19.3	9.3	0	0.0	0.0	0	0.0	0.0
MCCRACKEN	18	27.9	18.9	15	23.3	18.9	6	9.3	7.6	17	26.4	26.4
MARSHALL	6	19.8	14.4	13	42.9	30.6	4	13.2	9.5	3	9.9	9.6
DISTRICT 02	60	28.0	25.6	43	20.1	18.2	25	11.7	10.9	26	12.1	12.5
CALDWELL	5	38.7	26.7	2	15.5	10.6	0	0.0	0.0	3	23.2	21.7
CHRISTIAN	6	8.4	10.2	9	12.6	15.4	8	11.2	14.5	6	8.4	9.9
CRITTENDEN	0	0.0	0.0	0	0.0	0.0	1	10.8	8.4	0	0.0	0.0
HOPKINS	17	36.5	29.0	10	21.5	17.2	7	15.0	12.2	11	23.6	24.4
LIVINGSTON	5	50.8	44.1	3	30.5	26.3	2	20.3	15.5	0	0.0	0.0
LYON	9	110.2	87.4	4	49.0	36.4	0	0.0	0.0	0	0.0	0.0
MUHLENBERG	13	41.0	34.0	5	15.8	13.1	2	6.3	5.3	4	12.6	12.9
TODD	1	8.3	7.3	4	33.4	30.1	3	25.0	22.0	1	8.3	8.6
TRIGG	4	31.5	29.8	6	47.3	44.9	2	15.8	11.8	1	7.9	10.3
DISTRICT 03	97	46.6	43.7	43	20.7	19.2	17	8.2	7.6	34	16.3	16.3
DAVIESS	50	54.5	49.1	18	19.6	17.8	5	5.5	5.1	19	20.7	20.6
HANCOCK	1	11.7	13.5	1	11.7	21.5	1	11.7	12.4	1	11.7	13.5
HENDERSON	21	46.7	49.1	11	24.5	23.2	5	11.1	10.7	6	13.3	13.2
MCLEAN	5	49.8	43.7	1	10.0	9.3	1	10.0	9.3	1	10.0	11.3
OHIO	16	68.7	58.4	4	17.2	14.6	2	8.6	8.9	3	12.9	13.6
UNION	1	6.4	6.6	5	32.2	31.8	0	0.0	0.0	3	19.3	20.3
WEBSTER	3	21.3	18.6	3	21.3	18.9	3	21.3	18.3	1	7.1	6.3

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Alzheimer's Disease			Nephritis, Nephrotic Syndrome and Nephrosis			Septicemia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	1,007	24.6	26.1	813	19.9	20.4	603	14.7	15.0	538	13.1	13.0
DISTRICT 04	73	28.1	29.3	51	19.6	19.8	40	15.4	15.5	44	16.9	17.2
ALLEN	2	11.0	12.7	8	44.0	44.9	2	11.0	11.0	2	11.0	10.1
BARREN	12	31.0	26.5	5	12.9	11.2	8	20.6	17.4	7	18.1	17.2
BUTLER	4	30.4	34.6	1	7.6	6.1	2	15.2	15.9	5	38.0	37.0
EDMONSON	3	25.3	23.5	0	0.0	0.0	0	0.0	0.0	1	8.4	8.9
HART	1	5.7	5.9	6	33.9	33.2	5	28.3	24.5	5	28.3	27.7
LOGAN	7	26.1	28.9	6	22.4	22.2	9	33.6	35.8	2	7.5	7.9
METCALFE	3	29.9	27.2	1	10.0	9.1	4	39.8	36.2	2	19.9	21.2
MONROE	1	8.5	6.4	2	17.0	12.8	0	0.0	0.0	4	33.9	35.0
SIMPSON	5	30.0	28.4	9	54.0	49.6	2	12.0	11.2	2	12.0	12.1
WARREN	35	36.9	46.1	13	13.7	16.3	8	8.4	9.7	14	14.8	14.8
DISTRICT 05	37	14.9	19.5	40	16.1	19.7	28	11.3	13.0	32	12.9	13.3
BRECKINRIDGE	3	15.8	15.0	3	15.8	17.6	4	21.1	20.2	3	15.8	14.6
GRAYSON	4	16.4	18.9	10	41.0	41.5	2	8.2	6.6	4	16.4	17.9
HARDIN	18	18.8	28.4	14	14.6	19.9	16	16.7	21.5	11	11.5	12.4
LARUE	2	15.0	13.9	2	15.0	13.5	1	7.5	7.4	1	7.5	6.0
MARION	3	16.3	17.9	3	16.3	18.2	0	0.0	0.0	2	10.9	10.5
MEADE	0	0.0	0.0	4	14.6	24.9	3	10.9	14.7	4	14.6	13.8
NELSON	4	10.3	13.2	3	7.7	9.6	2	5.2	6.1	6	15.5	15.1
WASHINGTON	3	27.1	23.6	1	9.0	7.9	0	0.0	0.0	1	9.0	9.4
DISTRICT 06	174	19.7	20.8	171	19.3	19.8	154	17.4	17.6	104	11.8	11.4
BULLITT	6	9.4	24.4	7	11.0	17.7	3	4.7	4.2	2	3.1	3.4
HENRY	8	52.1	68.1	4	26.0	28.8	2	13.0	15.3	0	0.0	0.0
JEFFERSON	145	20.8	19.7	151	21.6	20.4	140	20.1	18.9	91	13.0	12.6
OLDHAM	9	18.3	37.0	3	6.1	14.5	6	12.2	18.9	5	10.1	10.9
SHELBY	3	8.5	11.5	4	11.4	13.9	2	5.7	8.2	5	14.2	13.4
SPENCER	2	14.8	25.3	1	7.4	11.3	1	7.4	14.0	1	7.4	7.3
TRIMBLE	1	11.5	21.0	1	11.5	12.3	0	0.0	0.0	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Alzheimer's Disease			Nephritis, Nephrotic Syndrome and Nephrosis			Septicemia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	1,007	24.6	26.1	813	19.9	20.4	603	14.7	15.0	538	13.1	13.0
DISTRICT 07	116	28.9	36.7	69	17.2	20.8	46	11.5	13.3	47	11.7	11.6
BOONE	15	16.1	34.5	19	20.4	38.5	13	13.9	21.1	7	7.5	7.1
CAMPBELL	26	29.3	30.5	19	21.4	22.0	10	11.3	11.6	8	9.0	9.0
CARROLL	3	29.3	31.4	3	29.3	31.5	2	19.5	19.0	2	19.5	19.8
GALLATIN	7	89.3	113.3	1	12.8	16.4	1	12.8	15.5	2	25.5	30.5
GRANT	9	38.1	56.7	0	0.0	0.0	0	0.0	0.0	2	8.5	8.9
KENTON	54	35.5	41.6	21	13.8	15.6	15	9.9	11.1	20	13.1	12.8
OWEN	2	18.3	18.1	3	27.4	25.5	3	27.4	25.5	2	18.3	19.3
PENDLETON	0	0.0	0.0	3	20.3	21.6	2	13.5	14.9	4	27.0	28.1
DISTRICT 08	9	16.1	15.4	23	41.2	38.2	9	16.1	15.0	10	17.9	18.2
BRACKEN	0	0.0	0.0	3	35.4	45.1	0	0.0	0.0	3	35.4	35.9
FLEMING	3	21.3	20.1	4	28.4	26.7	3	21.3	20.9	1	7.1	7.8
LEWIS	1	7.2	7.3	11	78.8	74.7	0	0.0	0.0	4	28.7	26.4
MASON	4	23.6	19.5	3	17.7	14.6	5	29.5	25.0	1	5.9	6.9
ROBERTSON	1	42.3	35.0	2	84.7	59.3	1	42.3	24.2	1	42.3	53.7
DISTRICT 09	14	18.0	20.6	17	21.8	23.9	17	21.8	23.6	7	9.0	8.6
BATH	1	8.8	8.3	5	43.8	38.8	3	26.3	23.8	1	8.8	8.2
MENIFEE	1	14.9	19.1	1	14.9	19.1	1	14.9	11.0	0	0.0	0.0
MONTGOMERY	2	8.6	9.5	4	17.2	18.1	7	30.1	31.1	2	8.6	7.6
MORGAN	2	14.1	16.0	2	14.1	16.0	3	21.1	22.7	1	7.0	6.7
ROWAN	8	36.0	54.2	5	22.5	27.4	3	13.5	21.7	3	13.5	14.6
DISTRICT 10	52	38.2	37.8	20	14.7	13.2	23	16.9	15.7	13	9.6	9.4
BOYD	29	58.5	55.6	7	14.1	11.6	6	12.1	10.0	4	8.1	7.4
CARTER	7	25.9	27.5	6	22.2	22.8	7	25.9	26.3	2	7.4	7.1
ELLIOTT	0	0.0	0.0	4	59.3	55.6	0	0.0	0.0	0	0.0	0.0
GREENUP	15	40.8	37.8	3	8.2	6.1	7	19.0	17.2	4	10.9	11.6
LAWRENCE	1	6.3	6.9	0	0.0	0.0	3	19.0	18.0	3	19.0	19.2

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Alzheimer's Disease			Nephritis, Nephrotic Syndrome and Nephrosis			Septicemia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	1,007	24.6	26.1	813	19.9	20.4	603	14.7	15.0	538	13.1	13.0
DISTRICT 11	34	21.3	24.9	38	23.9	26.7	29	18.2	19.4	26	16.3	16.1
FLOYD	10	23.7	26.5	9	21.3	22.7	7	16.6	17.7	10	23.7	22.3
JOHNSON	13	55.7	62.5	5	21.4	22.4	5	21.4	21.1	2	8.6	7.8
MAGOFFIN	2	15.0	18.4	2	15.0	18.4	2	15.0	14.9	1	7.5	6.9
MARTIN	0	0.0	0.0	4	31.9	41.1	0	0.0	0.0	2	16.0	16.2
PIKE	9	13.3	14.9	18	26.5	30.1	15	22.1	23.6	11	16.2	17.1
DISTRICT 12	18	15.0	16.0	31	25.9	26.9	40	33.4	32.8	28	23.4	23.5
BREATHITT	0	0.0	0.0	5	31.5	33.5	6	37.8	38.5	3	18.9	18.9
KNOTT	2	11.3	12.6	4	22.5	24.9	6	33.8	36.0	2	11.3	12.0
LEE	2	25.2	21.1	2	25.2	22.5	3	37.7	33.4	4	50.3	49.4
LESLIE	3	24.4	28.6	1	8.1	10.9	8	65.2	69.7	4	32.6	31.8
LETCHER	6	24.1	25.8	8	32.1	32.4	6	24.1	22.0	6	24.1	23.5
OWSLEY	0	0.0	0.0	3	63.0	71.0	1	21.0	16.9	3	63.0	61.1
PERRY	5	17.0	19.5	5	17.0	17.2	8	27.2	28.9	3	10.2	10.8
WOLFE	0	0.0	0.0	3	43.3	40.5	2	28.8	23.2	3	43.3	43.6
DISTRICT 13	51	21.2	23.0	33	13.7	14.3	44	18.3	19.0	31	12.9	12.8
BELL	10	33.2	32.2	2	6.6	6.3	2	6.6	6.3	2	6.6	5.8
CLAY	3	12.4	18.2	0	0.0	0.0	8	33.0	42.4	3	12.4	13.9
HARLAN	5	15.3	13.9	7	21.5	19.5	7	21.5	19.4	3	9.2	10.3
JACKSON	5	36.3	40.0	8	58.0	61.5	2	14.5	14.5	2	14.5	13.7
KNOX	8	25.1	24.8	5	15.7	15.9	5	15.7	15.6	5	15.7	16.2
LAUREL	8	14.7	19.9	5	9.2	10.8	13	23.9	27.9	8	14.7	13.9
ROCKCASTLE	2	11.9	11.2	3	17.9	17.1	1	6.0	5.6	1	6.0	6.4
WHITLEY	10	27.3	29.0	3	8.2	8.5	6	16.4	16.6	7	19.1	19.7

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Alzheimer's Disease			Nephritis, Nephrotic Syndrome and Nephrosis			Septicemia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	1,007	24.6	26.1	813	19.9	20.4	603	14.7	15.0	538	13.1	13.0
DISTRICT 14	55	28.1	25.1	59	30.1	26.1	31	15.8	14.1	30	15.3	15.4
ADAIR	1	5.8	4.7	4	23.1	19.8	1	5.8	4.8	3	17.3	15.4
CASEY	4	25.4	21.5	4	25.4	21.3	2	12.7	10.7	2	12.7	14.0
CLINTON	1	10.3	8.8	7	72.4	57.5	2	20.7	20.9	2	20.7	23.4
CUMBERLAND	2	27.8	19.4	1	13.9	9.6	5	69.6	47.9	1	13.9	13.8
GREEN	0	0.0	0.0	7	59.6	43.0	5	42.5	32.5	0	0.0	0.0
MCCREARY	1	5.9	8.1	2	11.8	15.8	1	5.9	4.6	6	35.3	36.2
PULASKI	33	57.7	52.3	18	31.5	27.4	5	8.7	7.7	3	5.2	5.2
RUSSELL	3	18.0	14.2	5	30.1	22.0	4	24.0	18.6	4	24.0	24.0
TAYLOR	5	21.5	19.5	7	30.2	26.0	4	17.2	17.2	6	25.8	27.9
WAYNE	5	24.9	25.9	4	19.9	19.2	2	10.0	10.2	3	14.9	13.3
DISTRICT 15	166	23.7	28.2	137	19.6	22.5	69	9.9	11.2	73	10.4	10.3
ANDERSON	7	35.8	40.5	0	0.0	0.0	2	10.2	11.1	2	10.2	10.5
BOURBON	5	25.5	22.7	4	20.4	19.5	1	5.1	4.4	2	10.2	10.2
BOYLE	12	43.1	39.5	7	25.1	23.3	6	21.5	20.4	1	3.6	3.9
CLARK	15	44.5	49.2	5	14.8	15.2	7	20.8	21.6	4	11.9	11.7
ESTILL	1	6.5	5.7	4	26.1	28.9	4	26.1	26.4	2	13.0	13.2
FAYETTE	48	18.2	22.8	45	17.1	20.6	19	7.2	8.7	23	8.7	8.5
FRANKLIN	13	27.0	28.9	14	29.1	30.5	5	10.4	10.0	12	24.9	24.5
GARRARD	3	19.2	20.0	4	25.6	26.5	2	12.8	13.6	2	12.8	12.0
HARRISON	4	22.1	21.4	5	27.7	26.1	0	0.0	0.0	4	22.1	21.7
JESSAMINE	13	31.9	42.4	7	17.2	20.9	6	14.7	19.2	4	9.8	9.5
LINCOLN	6	25.0	35.4	9	37.4	40.2	1	4.2	5.9	2	8.3	8.9
MADISON	11	15.0	20.8	16	21.8	28.9	11	15.0	19.5	5	6.8	7.2
MERCER	8	38.0	33.4	3	14.3	12.3	2	9.5	8.4	3	14.3	13.0
NICHOLAS	2	28.8	22.7	2	28.8	22.7	2	28.8	23.4	0	0.0	0.0
POWELL	6	45.5	64.3	1	7.6	11.0	0	0.0	0.0	1	7.6	7.4
SCOTT	9	25.5	39.1	6	17.0	25.3	0	0.0	0.0	3	8.5	9.2
WOODFORD	3	12.8	18.3	5	21.4	30.0	1	4.3	4.8	3	12.8	15.1

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Essential (Primary) Hypertension & Renal Disease			Aortic Aneurysm and Dissection		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	374	9.1	8.9	318	7.8	8.2	223	5.4	5.7	218	5.3	5.5	203	5.0	5.0
DISTRICT 01	13	6.7	5.5	10	5.2	3.7	9	4.7	3.5	9	4.7	3.4	12	6.2	4.7
BALLARD	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
CALLOWAY	2	5.8	5.9	2	5.8	4.5	1	2.9	2.1	2	5.8	4.2	3	8.7	7.2
CARLISLE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
FULTON	1	13.2	9.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
GRAVES	2	5.4	4.5	2	5.4	4.0	4	10.7	7.9	2	5.4	3.9	1	2.7	2.1
HICKMAN	0	0.0	0.0	2	38.5	18.6	1	19.3	14.1	0	0.0	0.0	0	0.0	0.0
MCCRACKEN	5	7.8	6.4	3	4.7	3.2	3	4.7	3.5	5	7.8	5.4	3	4.7	3.6
MARSHALL	3	9.9	6.9	1	3.3	2.3	0	0.0	0.0	0	0.0	0.0	5	16.5	11.9
DISTRICT 02	19	8.9	8.5	17	7.9	7.2	8	3.7	3.5	11	5.1	4.7	9	4.2	3.9
CALDWELL	2	15.5	10.6	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
CHRISTIAN	4	5.6	7.3	1	1.4	1.8	1	1.4	1.9	5	7.0	9.1	3	4.2	5.6
CRITTENDEN	0	0.0	0.0	1	10.8	8.4	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
HOPKINS	4	8.6	7.2	12	25.8	20.4	2	4.3	3.3	3	6.4	5.1	4	8.6	6.9
LIVINGSTON	0	0.0	0.0	2	20.3	17.3	0	0.0	0.0	0	0.0	0.0	1	10.2	8.1
LYON	0	0.0	0.0	0	0.0	0.0	2	24.5	20.1	0	0.0	0.0	0	0.0	0.0
MUHLENBERG	7	22.1	19.5	1	3.2	2.7	1	3.2	2.7	1	3.2	2.7	1	3.2	2.7
TODD	0	0.0	0.0	0	0.0	0.0	1	8.3	7.3	0	0.0	0.0	0	0.0	0.0
TRIGG	2	15.8	15.2	0	0.0	0.0	1	7.9	6.4	2	15.8	15.4	0	0.0	0.0
DISTRICT 03	22	10.6	9.9	7	3.4	3.2	17	8.2	7.6	12	5.8	5.6	8	3.8	3.5
DAVISS	8	8.7	8.1	2	2.2	2.0	9	9.8	8.8	8	8.7	8.5	5	5.5	4.9
HANCOCK	1	11.7	12.2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
HENDERSON	5	11.1	10.9	2	4.4	4.6	2	4.4	4.4	2	4.4	5.0	1	2.2	2.1
MCLEAN	3	29.9	25.8	1	10.0	8.3	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
OHIO	4	17.2	14.6	1	4.3	3.4	4	17.2	14.6	1	4.3	3.9	1	4.3	3.9
UNION	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	6.4	6.6	0	0.0	0.0
WEBSTER	1	7.1	6.2	1	7.1	6.0	2	14.2	11.9	0	0.0	0.0	1	7.1	6.3

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Essential (Primary) Hypertension & Renal Disease			Aortic Aneurysm and Dissection		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	374	9.1	8.9	318	7.8	8.2	223	5.4	5.7	218	5.3	5.5	203	5.0	5.0
DISTRICT 04	23	8.9	8.8	30	11.6	11.9	10	3.9	3.9	8	3.1	3.1	9	3.5	3.4
ALLEN	0	0.0	0.0	4	22.0	23.7	1	5.5	4.7	1	5.5	5.2	0	0.0	0.0
BARREN	3	7.7	7.2	5	12.9	11.2	3	7.7	6.4	1	2.6	2.0	1	2.6	2.3
BUTLER	1	7.6	6.1	2	15.2	17.3	0	0.0	0.0	1	7.6	9.8	1	7.6	7.5
EDMONSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	8.4	6.7
HART	2	11.3	9.9	2	11.3	10.7	1	5.7	4.8	0	0.0	0.0	1	5.7	4.5
LOGAN	5	18.7	18.3	4	14.9	16.9	1	3.7	4.7	1	3.7	3.4	3	11.2	13.2
METCALFE	1	10.0	10.2	2	19.9	16.8	1	10.0	9.1	0	0.0	0.0	0	0.0	0.0
MONROE	2	17.0	14.7	4	33.9	27.1	0	0.0	0.0	0	0.0	0.0	1	8.5	6.6
SIMPSON	2	12.0	11.0	1	6.0	5.3	1	6.0	5.3	0	0.0	0.0	0	0.0	0.0
WARREN	7	7.4	8.4	6	6.3	7.9	2	2.1	2.6	4	4.2	4.9	1	1.1	1.0
DISTRICT 05	25	10.1	9.8	7	2.8	3.8	11	4.4	5.4	5	2.0	2.7	10	4.0	4.5
BRECKINRIDGE	2	10.6	8.0	2	10.6	11.4	0	0.0	0.0	0	0.0	0.0	1	5.3	6.2
GRAYSON	3	12.3	10.8	1	4.1	5.4	0	0.0	0.0	0	0.0	0.0	1	4.1	3.3
HARDIN	3	3.1	3.3	1	1.0	1.6	7	7.3	10.2	0	0.0	0.0	5	5.2	6.5
LARUE	1	7.5	6.0	0	0.0	0.0	1	7.5	6.5	0	0.0	0.0	1	7.5	6.3
MARION	5	27.1	26.6	0	0.0	0.0	1	5.4	5.8	1	5.4	6.0	0	0.0	0.0
MEADE	7	25.5	29.9	1	3.6	9.9	1	3.6	7.0	0	0.0	0.0	2	7.3	8.7
NELSON	4	10.3	10.2	2	5.2	7.0	1	2.6	3.3	2	5.2	7.5	0	0.0	0.0
WASHINGTON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	18.0	15.8	0	0.0	0.0
DISTRICT 06	88	10.0	9.7	86	9.7	10.1	52	5.9	6.1	57	6.4	6.7	37	4.2	4.2
BULLITT	3	4.7	6.4	2	3.1	6.5	1	1.6	3.0	2	3.1	8.9	2	3.1	5.8
HENRY	2	13.0	11.7	1	6.5	7.2	1	6.5	7.2	1	6.5	7.2	0	0.0	0.0
JEFFERSON	80	11.5	10.9	72	10.3	9.8	43	6.2	5.8	51	7.3	6.9	31	4.4	4.2
OLDHAM	1	2.0	5.1	6	12.2	26.3	4	8.1	16.9	1	2.0	3.1	3	6.1	10.4
SHELBY	2	5.7	5.1	0	0.0	0.0	2	5.7	7.7	2	5.7	8.0	0	0.0	0.0
SPENCER	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
TRIMBLE	0	0.0	0.0	5	57.6	82.8	1	11.5	14.9	0	0.0	0.0	1	11.5	14.9

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Essential (Primary) Hypertension & Renal Disease			Aortic Aneurysm and Dissection		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	374	9.1	8.9	318	7.8	8.2	223	5.4	5.7	218	5.3	5.5	203	5.0	5.0
DISTRICT 07	29	7.2	7.6	22	5.5	6.9	23	5.7	7.1	28	7.0	8.5	23	5.7	6.7
BOONE	3	3.2	4.7	4	4.3	7.1	1	1.1	1.5	6	6.4	11.6	4	4.3	6.9
CAMPBELL	8	9.0	9.0	4	4.5	4.8	11	12.4	12.9	9	10.2	10.4	6	6.8	6.9
CARROLL	3	29.3	27.2	1	9.8	12.5	0	0.0	0.0	0	0.0	0.0	1	9.8	8.5
GALLATIN	0	0.0	0.0	1	12.8	17.9	1	12.8	17.9	1	12.8	12.6	0	0.0	0.0
GRANT	1	4.2	4.0	0	0.0	0.0	2	8.5	12.6	2	8.5	10.9	0	0.0	0.0
KENTON	14	9.2	9.4	11	7.2	8.5	8	5.3	6.1	9	5.9	6.9	11	7.2	8.1
OWEN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	9.1	7.4	1	9.1	9.0
PENDLETON	0	0.0	0.0	1	6.8	8.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
DISTRICT 08	2	3.6	3.2	5	9.0	8.6	3	5.4	5.1	1	1.8	1.7	2	3.6	3.2
BRACKEN	1	11.8	10.3	0	0.0	0.0	1	11.8	14.0	0	0.0	0.0	1	11.8	14.0
FLEMING	0	0.0	0.0	4	28.4	27.6	0	0.0	0.0	1	7.1	6.7	1	7.1	6.0
LEWIS	1	7.2	6.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
MASON	0	0.0	0.0	1	5.9	5.2	2	11.8	9.8	0	0.0	0.0	0	0.0	0.0
ROBERTSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
DISTRICT 09	11	14.1	14.6	6	7.7	9.0	4	5.1	6.0	8	10.3	10.8	2	2.6	2.7
BATH	0	0.0	0.0	1	8.8	8.3	1	8.8	8.3	0	0.0	0.0	2	17.5	16.1
MENIFEE	1	14.9	12.8	0	0.0	0.0	0	0.0	0.0	1	14.9	12.8	0	0.0	0.0
MONTGOMERY	3	12.9	13.3	4	17.2	18.2	2	8.6	9.3	2	8.6	8.5	0	0.0	0.0
MORGAN	1	7.0	6.7	1	7.0	6.8	0	0.0	0.0	1	7.0	6.8	0	0.0	0.0
ROWAN	6	27.0	30.8	0	0.0	0.0	1	4.5	5.9	4	18.0	23.6	0	0.0	0.0
DISTRICT 10	19	14.0	12.4	9	6.6	6.4	10	7.4	7.1	6	4.4	4.2	12	8.8	7.9
BOYD	9	18.1	16.0	4	8.1	7.5	5	10.1	9.1	3	6.0	5.3	3	6.0	4.8
CARTER	2	7.4	6.8	2	7.4	7.0	2	7.4	8.2	1	3.7	3.6	3	11.1	10.5
ELLIOTT	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
GREENUP	6	16.3	13.3	2	5.4	5.0	2	5.4	4.7	2	5.4	5.3	6	16.3	13.5
LAWRENCE	2	12.7	13.4	1	6.3	7.2	1	6.3	7.2	0	0.0	0.0	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Essential (Primary) Hypertension & Renal Disease			Aortic Aneurysm and Dissection		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	374	9.1	8.9	318	7.8	8.2	223	5.4	5.7	218	5.3	5.5	203	5.0	5.0
DISTRICT 11	16	10.0	9.5	10	6.3	7.4	3	1.9	2.1	8	5.0	5.7	14	8.8	9.0
FLOYD	7	16.6	15.9	3	7.1	7.9	2	4.7	5.2	3	7.1	7.7	3	7.1	7.6
JOHNSON	1	4.3	3.8	1	4.3	5.3	0	0.0	0.0	1	4.3	5.3	4	17.1	17.0
MAGOFFIN	1	7.5	7.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	15.0	14.1
MARTIN	0	0.0	0.0	1	8.0	13.3	0	0.0	0.0	0	0.0	0.0	2	16.0	24.7
PIKE	7	10.3	9.4	5	7.4	8.2	1	1.5	1.5	4	5.9	6.1	3	4.4	4.3
DISTRICT 12	17	14.2	13.0	13	10.8	11.5	3	2.5	2.6	5	4.2	4.5	5	4.2	4.3
BREATHITT	2	12.6	13.7	3	18.9	20.0	2	12.6	13.7	1	6.3	7.9	1	6.3	7.1
KNOTT	0	0.0	0.0	2	11.3	12.1	0	0.0	0.0	0	0.0	0.0	1	5.6	6.5
LEE	0	0.0	0.0	1	12.6	12.4	0	0.0	0.0	1	12.6	12.4	0	0.0	0.0
LESLIE	2	16.3	14.5	0	0.0	0.0	0	0.0	0.0	1	8.1	7.5	0	0.0	0.0
LETCHER	5	20.0	17.1	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	4.0	4.4
OWSLEY	2	42.0	33.6	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
PERRY	2	6.8	5.6	7	23.8	25.9	1	3.4	3.8	1	3.4	3.8	2	6.8	6.4
WOLFE	4	57.7	59.4	0	0.0	0.0	0	0.0	0.0	1	14.4	11.2	0	0.0	0.0
DISTRICT 13	23	9.6	9.3	19	7.9	8.5	11	4.6	4.9	21	8.7	9.1	14	5.8	6.1
BELL	4	13.3	12.2	3	10.0	9.2	2	6.6	6.7	1	3.3	2.6	1	3.3	3.3
CLAY	1	4.1	4.0	1	4.1	6.2	1	4.1	5.9	2	8.2	7.6	3	12.4	15.8
HARLAN	7	21.5	19.9	1	3.1	2.8	1	3.1	2.8	7	21.5	20.3	0	0.0	0.0
JACKSON	1	7.3	8.4	2	14.5	16.4	1	7.3	8.4	2	14.5	15.4	0	0.0	0.0
KNOX	2	6.3	5.2	2	6.3	6.4	4	12.6	12.5	1	3.1	3.1	2	6.3	6.3
LAUREL	2	3.7	4.3	7	12.9	17.6	1	1.8	2.3	4	7.4	9.5	3	5.5	6.1
ROCKCASTLE	1	6.0	4.9	2	11.9	13.0	0	0.0	0.0	0	0.0	0.0	2	11.9	12.1
WHITLEY	5	13.6	13.8	1	2.7	2.9	1	2.7	3.0	4	10.9	11.0	3	8.2	8.5

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Chronic Liver Disease & Cirrhosis			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Essential (Primary) Hypertension & Renal Disease			Aortic Aneurysm and Dissection		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	374	9.1	8.9	318	7.8	8.2	223	5.4	5.7	218	5.3	5.5	203	5.0	5.0
DISTRICT 14	15	7.7	6.7	19	9.7	8.8	9	4.6	4.0	5	2.6	2.3	8	4.1	3.5
ADAIR	2	11.5	9.6	6	34.6	30.5	1	5.8	5.0	1	5.8	5.0	1	5.8	5.2
CASEY	1	6.3	5.5	1	6.3	5.5	2	12.7	10.5	0	0.0	0.0	1	6.3	5.5
CLINTON	2	20.7	15.2	1	10.3	8.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
CUMBERLAND	1	13.9	13.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
GREEN	2	17.0	13.6	1	8.5	6.8	0	0.0	0.0	1	8.5	5.7	2	17.0	14.7
MCCREARY	2	11.8	14.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
PULASKI	3	5.2	4.4	5	8.7	7.8	5	8.7	7.7	2	3.5	3.0	3	5.2	4.3
RUSSELL	1	6.0	4.8	1	6.0	4.7	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
TAYLOR	0	0.0	0.0	3	12.9	11.4	1	4.3	3.8	1	4.3	3.8	0	0.0	0.0
WAYNE	1	5.0	6.6	1	5.0	5.6	0	0.0	0.0	0	0.0	0.0	1	5.0	5.1
DISTRICT 15	52	7.4	7.6	58	8.3	9.6	50	7.1	8.3	34	4.9	5.6	38	5.4	6.0
ANDERSON	2	10.2	10.5	0	0.0	0.0	1	5.1	6.4	0	0.0	0.0	3	15.3	16.1
BOURBON	1	5.1	4.6	2	10.2	9.7	2	10.2	9.3	0	0.0	0.0	0	0.0	0.0
BOYLE	1	3.6	3.0	6	21.5	20.7	1	3.6	3.2	2	7.2	6.7	2	7.2	7.1
CLARK	6	17.8	16.5	3	8.9	9.6	4	11.9	12.4	1	3.0	3.1	5	14.8	14.8
ESTILL	0	0.0	0.0	3	19.6	20.9	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
FAYETTE	17	6.4	7.1	12	4.6	5.6	20	7.6	9.2	12	4.6	5.5	12	4.6	5.1
FRANKLIN	3	6.2	5.8	6	12.5	13.3	1	2.1	2.3	2	4.2	4.5	1	2.1	2.2
GARRARD	1	6.4	6.7	2	12.8	12.0	1	6.4	7.6	0	0.0	0.0	1	6.4	6.7
HARRISON	4	22.1	20.9	3	16.6	16.0	1	5.5	4.7	0	0.0	0.0	1	5.5	5.5
JESSAMINE	3	7.4	7.5	4	9.8	13.1	3	7.4	10.0	6	14.7	19.8	2	4.9	6.1
LINCOLN	0	0.0	0.0	2	8.3	9.8	0	0.0	0.0	3	12.5	13.5	2	8.3	7.4
MADISON	5	6.8	7.8	5	6.8	9.2	5	6.8	9.6	2	2.7	3.3	5	6.8	8.7
MERCER	3	14.3	14.0	4	19.0	17.0	2	9.5	8.3	2	9.5	8.5	2	9.5	7.9
NICHOLAS	0	0.0	0.0	3	43.2	33.7	3	43.2	35.5	1	14.4	11.0	0	0.0	0.0
POWELL	2	15.2	17.6	0	0.0	0.0	2	15.2	18.5	1	7.6	11.0	0	0.0	0.0
SCOTT	1	2.8	3.2	1	2.8	4.7	2	5.7	8.9	0	0.0	0.0	1	2.8	4.2
WOODFORD	3	12.8	11.9	2	8.5	8.8	2	8.5	10.0	2	8.5	11.7	1	4.3	5.2

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Assault (Homicide)			In Situ Neoplasms, Benign Neoplasms, etc.			Certain Conditions Orig. in Perinatal Period			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	198	4.8	4.8	185	4.5	4.6	158	3.9	4.0	142	3.5	3.6	4,957	121.1	123.9
DISTRICT 01	7	3.6	4.0	17	8.8	7.0	7	3.6	4.3	7	3.6	3.9	244	126.7	102.1
BALLARD	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	13	159.3	125.6
CALLOWAY	0	0.0	0.0	1	2.9	2.6	0	0.0	0.0	2	5.8	5.4	39	113.4	98.8
CARLISLE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	6	112.8	108.1
FULTON	0	0.0	0.0	1	13.2	10.7	0	0.0	0.0	2	26.5	30.0	15	198.7	155.9
GRAVES	2	5.4	6.0	6	16.1	12.6	1	2.7	2.9	1	2.7	2.9	57	153.1	125.3
HICKMAN	0	0.0	0.0	1	19.3	14.1	0	0.0	0.0	0	0.0	0.0	2	38.5	26.4
MCCRACKEN	5	7.8	8.8	6	9.3	7.6	6	9.3	10.0	2	3.1	3.4	74	114.7	91.1
MARSHALL	0	0.0	0.0	2	6.6	4.6	0	0.0	0.0	0	0.0	0.0	38	125.5	98.5
DISTRICT 02	12	5.6	5.7	8	3.7	3.4	14	6.5	6.2	5	2.3	2.2	306	142.7	133.4
CALDWELL	0	0.0	0.0	1	7.7	5.4	1	7.7	11.1	1	7.7	11.1	17	131.5	92.2
CHRISTIAN	3	4.2	3.9	1	1.4	1.8	4	5.6	3.7	2	2.8	2.7	96	134.7	161.8
CRITTENDEN	0	0.0	0.0	1	10.8	8.7	1	10.8	12.0	0	0.0	0.0	13	140.9	111.7
HOPKINS	4	8.6	8.4	2	4.3	3.7	2	4.3	4.5	1	2.1	1.8	79	169.5	143.7
LIVINGSTON	0	0.0	0.0	0	0.0	0.0	2	20.3	31.4	1	10.2	15.7	16	162.5	141.0
LYON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	12	146.9	123.1
MUHLENBERG	3	9.5	10.0	2	6.3	5.4	3	9.5	10.7	0	0.0	0.0	41	129.3	109.9
TODD	1	8.3	8.6	0	0.0	0.0	1	8.3	7.2	0	0.0	0.0	13	108.5	98.7
TRIGG	1	7.9	9.1	1	7.9	5.4	0	0.0	0.0	0	0.0	0.0	19	149.9	127.4
DISTRICT 03	8	3.8	3.8	16	7.7	7.2	9	4.3	4.4	9	4.3	4.4	230	110.5	104.9
DAVISS	3	3.3	3.2	3	3.3	3.0	7	7.6	7.0	3	3.3	3.2	103	112.3	104.9
HANCOCK	1	11.7	12.2	0	0.0	0.0	0	0.0	0.0	1	11.7	13.3	5	58.3	61.6
HENDERSON	1	2.2	2.4	9	20.0	19.2	1	2.2	2.5	3	6.7	7.4	54	120.0	118.9
MCLEAN	1	10.0	9.6	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	7	69.7	65.8
OHIO	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	4.3	3.8	14	60.1	53.5
UNION	1	6.4	4.3	3	19.3	20.5	1	6.4	6.5	1	6.4	6.5	26	167.2	169.3
WEBSTER	1	7.1	5.8	1	7.1	6.2	0	0.0	0.0	0	0.0	0.0	21	149.3	134.1

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Assault (Homicide)			In Situ Neoplasms, Benign Neoplasms, etc.			Certain Conditions Orig. in Perinatal Period			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	198	4.8	4.8	185	4.5	4.6	158	3.9	4.0	142	3.5	3.6	4,957	121.1	123.9
DISTRICT 04	11	4.2	4.4	9	3.5	3.6	5	1.9	2.1	9	3.5	3.7	320	123.2	124.6
ALLEN	0	0.0	0.0	1	5.5	6.3	1	5.5	6.1	1	5.5	5.6	21	115.5	120.1
BARREN	2	5.2	5.5	1	2.6	2.2	1	2.6	2.7	1	2.6	2.7	56	144.5	125.7
BUTLER	2	15.2	15.5	1	7.6	9.8	0	0.0	0.0	0	0.0	0.0	21	159.6	177.7
EDMONSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	13	109.7	93.3
HART	3	17.0	16.1	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	24	135.8	131.5
LOGAN	1	3.7	4.0	0	0.0	0.0	0	0.0	0.0	1	3.7	3.9	27	100.8	104.7
METCALFE	0	0.0	0.0	2	19.9	18.1	0	0.0	0.0	0	0.0	0.0	17	169.3	148.5
MONROE	1	8.5	9.7	1	8.5	6.4	0	0.0	0.0	0	0.0	0.0	10	84.8	68.2
SIMPSON	1	6.0	6.1	0	0.0	0.0	0	0.0	0.0	2	12.0	12.8	21	126.0	123.1
WARREN	1	1.1	1.1	3	3.2	3.9	3	3.2	3.4	4	4.2	4.7	110	116.1	136.1
DISTRICT 05	5	2.0	2.0	4	1.6	1.7	8	3.2	3.2	6	2.4	2.5	277	111.6	132.6
BRECKINRIDGE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	5.3	6.7	34	179.4	182.3
GRAYSON	1	4.1	4.4	1	4.1	4.1	0	0.0	0.0	0	0.0	0.0	29	118.8	130.1
HARDIN	2	2.1	1.9	0	0.0	0.0	3	3.1	3.0	2	2.1	2.1	89	93.0	117.7
LARUE	0	0.0	0.0	0	0.0	0.0	4	29.9	33.5	1	7.5	8.4	23	172.1	158.1
MARION	0	0.0	0.0	0	0.0	0.0	1	5.4	5.7	0	0.0	0.0	26	141.1	150.2
MEADE	1	3.6	3.5	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	20	72.9	120.9
NELSON	1	2.6	2.7	2	5.2	5.9	0	0.0	0.0	2	5.2	5.3	35	90.2	109.8
WASHINGTON	0	0.0	0.0	1	9.0	7.9	0	0.0	0.0	0	0.0	0.0	21	189.4	171.2
DISTRICT 06	59	6.7	6.7	44	5.0	5.1	40	4.5	4.6	32	3.6	3.6	1,062	120.2	122.0
BULLITT	1	1.6	1.4	2	3.1	4.5	2	3.1	3.7	2	3.1	3.5	36	56.4	86.7
HENRY	1	6.5	5.4	1	6.5	7.2	0	0.0	0.0	0	0.0	0.0	20	130.2	152.7
JEFFERSON	55	7.9	8.0	37	5.3	5.1	37	5.3	5.2	28	4.0	4.0	929	133.1	126.8
OLDHAM	0	0.0	0.0	2	4.1	7.5	1	2.0	2.5	2	4.1	4.3	29	58.8	108.2
SHELBY	1	2.8	2.7	1	2.8	3.8	0	0.0	0.0	0	0.0	0.0	32	91.1	111.3
SPENCER	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	5	37.0	42.0
TRIMBLE	1	11.5	12.4	1	11.5	10.4	0	0.0	0.0	0	0.0	0.0	11	126.8	195.7

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Assault (Homicide)			In Situ Neoplasms, Benign Neoplasms, etc.			Certain Conditions Orig. in Perinatal Period			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	198	4.8	4.8	185	4.5	4.6	158	3.9	4.0	142	3.5	3.6	4,957	121.1	123.9
DISTRICT 07	11	2.7	2.7	15	3.7	4.3	18	4.5	4.5	16	4.0	4.0	439	109.3	128.7
BOONE	3	3.2	3.1	3	3.2	4.8	6	6.4	5.9	1	1.1	1.0	70	75.0	120.0
CAMPBELL	0	0.0	0.0	4	4.5	4.5	4	4.5	5.0	5	5.6	6.0	119	134.3	137.2
CARROLL	0	0.0	0.0	1	9.8	10.5	0	0.0	0.0	0	0.0	0.0	13	127.1	139.6
GALLATIN	2	25.5	21.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	13	165.9	205.0
GRANT	1	4.2	4.3	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	16	67.7	94.7
KENTON	3	2.0	2.0	7	4.6	5.0	8	5.3	5.3	10	6.6	6.7	184	120.9	134.1
OWEN	1	9.1	10.2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	15	136.9	121.7
PENDLETON	1	6.8	6.6	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	9	60.8	74.8
DISTRICT 08	1	1.8	1.9	1	1.8	1.7	3	5.4	6.3	4	7.2	8.0	71	127.2	119.4
BRACKEN	0	0.0	0.0	0	0.0	0.0	1	11.8	13.2	0	0.0	0.0	8	94.3	116.0
FLEMING	1	7.1	7.1	1	7.1	7.4	0	0.0	0.0	1	7.1	6.9	19	134.8	130.5
LEWIS	0	0.0	0.0	0	0.0	0.0	1	7.2	11.2	3	21.5	29.2	20	143.3	134.9
MASON	0	0.0	0.0	0	0.0	0.0	1	5.9	6.9	0	0.0	0.0	24	141.8	126.6
ROBERTSON	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
DISTRICT 09	2	2.6	2.7	2	2.6	2.3	2	2.6	2.9	4	5.1	5.8	62	79.7	86.3
BATH	2	17.5	18.7	1	8.8	7.5	1	8.8	8.8	0	0.0	0.0	7	61.3	58.7
MENIFEE	0	0.0	0.0	0	0.0	0.0	1	14.9	20.9	0	0.0	0.0	6	89.4	79.0
MONTGOMERY	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	4.3	4.5	17	73.1	75.3
MORGAN	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	3	21.1	25.9	13	91.6	90.3
ROWAN	0	0.0	0.0	1	4.5	4.5	0	0.0	0.0	0	0.0	0.0	19	85.4	119.9
DISTRICT 10	9	6.6	6.7	7	5.1	4.6	10	7.4	8.8	6	4.4	5.2	181	133.1	124.9
BOYD	0	0.0	0.0	2	4.0	3.1	2	4.0	5.1	2	4.0	5.1	78	157.2	138.1
CARTER	3	11.1	11.9	1	3.7	4.2	4	14.8	15.7	2	7.4	7.8	31	114.6	117.5
ELLIOTT	1	14.8	16.5	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	8	118.6	113.2
GREENUP	0	0.0	0.0	1	2.7	2.4	2	5.4	7.4	2	5.4	7.4	53	144.2	131.4
LAWRENCE	5	31.7	32.2	3	19.0	19.6	2	12.7	13.4	0	0.0	0.0	11	69.7	72.1

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Assault (Homicide)			In Situ Neoplasms, Benign Neoplasms, etc.			Certain Conditions Orig. in Perinatal Period			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	198	4.8	4.8	185	4.5	4.6	158	3.9	4.0	142	3.5	3.6	4,957	121.1	123.9
DISTRICT 11	6	3.8	3.8	4	2.5	2.5	3	1.9	2.1	3	1.9	2.0	212	133.1	141.9
FLOYD	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	64	151.6	160.5
JOHNSON	0	0.0	0.0	2	8.6	8.6	1	4.3	4.5	0	0.0	0.0	25	107.1	114.0
MAGOFFIN	2	15.0	15.0	0	0.0	0.0	0	0.0	0.0	1	7.5	7.5	22	164.7	183.7
MARTIN	1	8.0	7.4	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	10	79.8	85.4
PIKE	3	4.4	4.3	2	2.9	2.7	2	2.9	3.6	2	2.9	3.2	91	134.2	138.6
DISTRICT 12	6	5.0	4.9	7	5.8	6.0	4	3.3	3.9	7	5.8	6.4	141	117.6	118.9
BREATHITT	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	6.3	6.6	24	151.1	157.4
KNOTT	1	5.6	4.9	1	5.6	6.5	0	0.0	0.0	3	16.9	21.3	15	84.6	87.9
LEE	0	0.0	0.0	2	25.2	19.9	0	0.0	0.0	0	0.0	0.0	9	113.2	98.0
LESLIE	2	16.3	15.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	15	122.2	133.4
LETCHER	2	8.0	8.1	3	12.0	10.7	2	8.0	9.8	1	4.0	4.1	31	124.3	125.9
OWSLEY	1	21.0	23.0	1	21.0	26.3	1	21.0	21.9	0	0.0	0.0	5	105.0	109.7
PERRY	0	0.0	0.0	0	0.0	0.0	1	3.4	3.4	2	6.8	6.9	32	108.9	113.7
WOLFE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	10	144.2	137.0
DISTRICT 13	21	8.7	8.6	10	4.2	4.1	7	2.9	3.0	10	4.2	4.2	341	141.9	145.9
BELL	4	13.3	12.4	2	6.6	6.5	1	3.3	3.6	3	10.0	10.3	59	195.8	184.9
CLAY	5	20.6	19.6	0	0.0	0.0	1	4.1	4.2	0	0.0	0.0	28	115.4	146.1
HARLAN	3	9.2	9.1	2	6.1	5.5	1	3.1	3.7	2	6.1	6.3	54	165.7	151.2
JACKSON	1	7.3	7.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	14	101.6	107.4
KNOX	2	6.3	6.4	0	0.0	0.0	1	3.1	3.1	1	3.1	3.1	38	119.4	118.3
LAUREL	4	7.4	7.4	2	3.7	3.4	1	1.8	1.6	4	7.4	7.1	69	127.1	148.8
ROCKCASTLE	0	0.0	0.0	3	17.9	15.5	1	6.0	6.8	0	0.0	0.0	24	143.0	142.4
WHITLEY	2	5.5	5.2	1	2.7	2.6	1	2.7	2.7	0	0.0	0.0	55	150.0	153.7

*Age-adjusted and crude rates per 100,000 2002 population

Table 2-O
Leading Causes of Resident Deaths, Number, Crude and Age-Adjusted Rates*: Kentucky, Districts, and Counties, 2002

DISTRICTS AND COUNTIES	Assault (Homicide)			In Situ Neoplasms, Benign Neoplasms, etc.			Certain Conditions Orig. in Perinatal Period			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	198	4.8	4.8	185	4.5	4.6	158	3.9	4.0	142	3.5	3.6	4,957	121.1	123.9
DISTRICT 14	12	6.1	5.9	8	4.1	3.7	4	2.0	2.2	4	2.0	2.0	222	113.4	102.9
ADAIR	4	23.1	22.6	0	0.0	0.0	1	5.8	6.4	1	5.8	6.7	18	103.8	91.0
CASEY	0	0.0	0.0	2	12.7	10.7	0	0.0	0.0	1	6.3	6.0	19	120.4	108.8
CLINTON	1	10.3	7.2	1	10.3	8.8	0	0.0	0.0	0	0.0	0.0	11	113.8	95.2
CUMBERLAND	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	7	97.4	84.9
GREEN	0	0.0	0.0	1	8.5	5.7	1	8.5	9.7	0	0.0	0.0	14	119.1	86.3
MCCREARY	1	5.9	5.2	1	5.9	5.2	0	0.0	0.0	0	0.0	0.0	18	105.9	134.2
PULASKI	3	5.2	4.6	1	1.7	1.5	2	3.5	3.5	0	0.0	0.0	63	110.2	99.9
RUSSELL	1	6.0	6.8	1	6.0	4.1	0	0.0	0.0	1	6.0	4.1	16	96.2	78.8
TAYLOR	2	8.6	9.7	1	4.3	3.9	0	0.0	0.0	0	0.0	0.0	32	137.9	123.3
WAYNE	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	5.0	5.7	24	119.5	131.8
DISTRICT 15	28	4.0	3.8	33	4.7	5.4	24	3.4	3.5	20	2.9	2.9	849	121.4	136.2
ANDERSON	0	0.0	0.0	3	15.3	17.7	0	0.0	0.0	1	5.1	5.7	24	122.7	132.3
BOURBON	2	10.2	10.4	0	0.0	0.0	1	5.1	5.5	0	0.0	0.0	24	122.6	113.8
BOYLE	2	7.2	7.9	2	7.2	6.7	0	0.0	0.0	1	3.6	4.5	41	147.2	137.1
CLARK	2	5.9	5.4	1	3.0	2.4	0	0.0	0.0	0	0.0	0.0	37	109.7	110.4
ESTILL	0	0.0	0.0	1	6.5	7.5	0	0.0	0.0	1	6.5	5.0	16	104.3	104.3
FAYETTE	14	5.3	4.7	5	1.9	2.3	14	5.3	5.3	9	3.4	3.5	281	106.6	125.4
FRANKLIN	0	0.0	0.0	5	10.4	10.2	1	2.1	2.3	0	0.0	0.0	82	170.2	176.4
GARRARD	0	0.0	0.0	1	6.4	7.6	0	0.0	0.0	1	6.4	8.5	27	172.8	192.5
HARRISON	0	0.0	0.0	1	5.5	5.4	1	5.5	5.8	2	11.1	10.5	24	132.8	129.4
JESSAMINE	0	0.0	0.0	2	4.9	6.5	0	0.0	0.0	0	0.0	0.0	50	122.7	154.2
LINCOLN	2	8.3	9.2	0	0.0	0.0	0	0.0	0.0	1	4.2	3.7	33	137.2	154.2
MADISON	1	1.4	1.3	5	6.8	8.3	1	1.4	1.4	1	1.4	1.4	94	128.2	163.9
MERCER	1	4.8	5.0	2	9.5	8.3	2	9.5	10.1	1	4.8	5.0	28	133.1	118.4
NICHOLAS	0	0.0	0.0	1	14.4	11.0	0	0.0	0.0	0	0.0	0.0	12	172.8	136.0
POWELL	2	15.2	14.8	1	7.6	11.0	1	7.6	7.4	0	0.0	0.0	16	121.2	141.9
SCOTT	1	2.8	2.8	2	5.7	8.3	2	5.7	5.1	0	0.0	0.0	35	99.1	132.2
WOODFORD	1	4.3	4.5	1	4.3	6.5	1	4.3	4.3	2	8.5	7.9	25	106.8	125.2

*Age-adjusted and crude rates per 100,000 2002 population