

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2003

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	220	4.0	173	3.1	498	9.0	184	3.7	145	2.9	421	8.5	34	7.0	26	5.4	73	15.0
DISTRICT 01	10	4.6	7	3.2	18	8.3	10	5.1	7	3.6	16	8.1	0	0.0	0	0.0	2	11.7
BALLARD	1	11.1	1	11.1	2	22.0	1	11.1	1	11.1	2	22.0	0	0.0	0	0.0	0	0.0
CALLOWAY	0	0.0	0	0.0	1	2.8	0	0.0	0	0.0	1	3.0	0	0.0	0	0.0	0	0.0
CARLISLE	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
FULTON	1	13.3	1	13.3	1	13.3	1	17.9	1	17.9	1	17.9	0	0.0	0	0.0	0	0.0
GRAVES	1	2.1	1	2.1	5	10.4	1	2.2	1	2.2	5	10.8	0	0.0	0	0.0	0	0.0
HICKMAN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MCCRACKEN	3	4.0	2	2.6	6	7.9	3	4.8	2	3.2	4	6.3	0	0.0	0	0.0	2	16.9
MARSHALL	4	14.5	2	7.2	3	10.8	4	14.6	2	7.3	3	10.9	0	0.0	0	0.0	0	0.0
DISTRICT 02	11	3.5	8	2.6	24	7.7	8	3.1	5	1.9	18	7.0	3	6.3	3	6.3	6	12.5
CALDWELL	0	0.0	0	0.0	1	6.7	0	0.0	0	0.0	1	7.0	0	0.0	0	0.0	0	0.0
CHRISTIAN	5	3.3	5	3.3	13	8.6	2	1.9	2	1.9	7	6.6	3	7.8	3	7.8	6	15.5
CRITTENDEN	2	21.5	1	10.8	2	21.3	2	21.7	1	10.9	2	21.5	0	0.0	0	0.0	0	0.0
HOPKINS	1	1.8	0	0.0	3	5.3	1	2.0	0	0.0	3	5.8	0	0.0	0	0.0	0	0.0
LIVINGSTON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
LYON	0	0.0	0	0.0	1	20.0	0	0.0	0	0.0	1	21.3	0	0.0	0	0.0	0	0.0
MUHLENBERG	3	8.8	2	5.9	3	8.8	3	9.1	2	6.1	3	9.1	0	0.0	0	0.0	0	0.0
TODD	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRIGG	0	0.0	0	0.0	1	6.8	0	0.0	0	0.0	1	8.0	0	0.0	0	0.0	0	0.0
DISTRICT 03	6	2.1	4	1.4	23	8.0	4	1.5	3	1.1	21	7.8	2	12.8	1	6.4	2	12.7
DAVIESS	3	2.2	2	1.5	12	8.8	3	2.4	2	1.6	12	9.4	0	0.0	0	0.0	0	0.0
HANCOCK	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
HENDERSON	2	3.2	1	1.6	4	6.5	0	0.0	0	0.0	2	3.6	2	36.4	1	18.2	2	35.7
MCLEAN	0	0.0	0	0.0	1	8.6	0	0.0	0	0.0	1	8.7	0	0.0	0	0.0	0	0.0
OHIO	1	3.4	1	3.4	4	13.5	1	3.5	1	3.5	4	13.7	0	0.0	0	0.0	0	0.0
UNION	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
WEBSTER	0	0.0	0	0.0	2	10.2	0	0.0	0	0.0	2	10.5	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone (1), Breathitt (1), Gallatin (1), Jefferson (2), Kenton (1), Perry (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2003

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	220	4.0	173	3.1	498	9.0	184	3.7	145	2.9	421	8.5	34	7.0	26	5.4	73	15.0
DISTRICT 04	12	3.5	10	2.9	34	9.9	10	3.2	8	2.6	29	9.2	2	9.3	2	9.3	5	23.0
ALLEN	2	7.5	1	3.8	2	7.5	2	7.6	1	3.8	2	7.5	0	0.0	0	0.0	0	0.0
BARREN	1	1.9	1	1.9	6	11.5	1	2.0	1	2.0	6	11.9	0	0.0	0	0.0	0	0.0
BUTLER	2	11.4	2	11.4	2	11.4	2	11.5	2	11.5	2	11.5	0	0.0	0	0.0	0	0.0
EDMONSON	1	7.9	1	7.9	2	15.6	1	8.0	1	8.0	2	15.9	0	0.0	0	0.0	0	0.0
HART	2	9.1	1	4.5	4	17.9	2	9.5	1	4.8	2	9.5	0	0.0	0	0.0	2	181.8
LOGAN	2	6.1	2	6.1	2	6.1	1	3.4	1	3.4	1	3.4	1	35.7	1	35.7	1	35.7
METCALFE	0	0.0	0	0.0	1	8.8	0	0.0	0	0.0	1	9.0	0	0.0	0	0.0	0	0.0
MONROE	0	0.0	0	0.0	2	14.5	0	0.0	0	0.0	2	14.8	0	0.0	0	0.0	0	0.0
SIMPSON	0	0.0	0	0.0	1	4.5	0	0.0	0	0.0	1	5.3	0	0.0	0	0.0	0	0.0
WARREN	2	1.5	2	1.5	12	9.1	1	0.9	1	0.9	10	8.8	1	8.0	1	8.0	2	15.9
DISTRICT 05	9	2.6	6	1.7	24	6.9	6	1.9	5	1.6	22	6.9	3	12.3	1	4.1	2	8.2
BRECKINRIDGE	2	8.5	2	8.5	2	8.5	2	8.8	2	8.8	2	8.8	0	0.0	0	0.0	0	0.0
GRAYSON	0	0.0	0	0.0	1	3.1	0	0.0	0	0.0	1	3.2	0	0.0	0	0.0	0	0.0
HARDIN	3	2.1	3	2.1	5	3.5	2	1.7	2	1.7	4	3.3	1	5.6	1	5.6	1	5.6
LARUE	1	6.4	0	0.0	4	24.8	1	6.5	0	0.0	4	25.3	0	0.0	0	0.0	0	0.0
MARION	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MEADE	2	6.4	0	0.0	2	6.3	0	0.0	0	0.0	2	6.5	2	500.0	0	0.0	0	0.0
NELSON	1	1.8	1	1.8	10	17.4	1	1.9	1	1.9	9	16.7	0	0.0	0	0.0	1	31.3
WASHINGTON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 06	41	3.4	32	2.6	107	8.7	23	2.5	19	2.0	59	6.3	17	7.0	12	4.9	45	18.2
BULLITT	2	2.4	2	2.4	5	6.0	2	2.4	2	2.4	5	6.0	0	0.0	0	0.0	0	0.0
HENRY	0	0.0	0	0.0	2	9.1	0	0.0	0	0.0	2	9.3	0	0.0	0	0.0	0	0.0
JEFFERSON	34	3.5	25	2.6	84	8.5	18	2.6	14	2.0	40	5.7	15	6.3	10	4.2	41	16.9
OLDHAM	2	3.4	2	3.4	7	12.0	0	0.0	0	0.0	5	9.0	2	133.3	2	133.3	2	133.3
SHELBY	0	0.0	0	0.0	2	4.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	76.9
SPENCER	2	11.8	2	11.8	5	29.1	2	11.9	2	11.9	5	29.2	0	0.0	0	0.0	0	0.0
TRIMBLE	1	9.2	1	9.2	2	18.2	1	9.3	1	9.3	2	18.3	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone (1), Breathitt (1), Gallatin (1), Jefferson (2), Kenton (1), Perry (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2003

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	220	4.0	173	3.1	498	9.0	184	3.7	145	2.9	421	8.5	34	7.0	26	5.4	73	15.0
DISTRICT 07	33	5.4	30	4.9	56	9.2	30	5.2	27	4.7	53	9.1	3	16.3	3	16.3	3	16.3
BOONE	3	1.9	3	1.9	10	6.4	3	2.0	3	2.0	10	6.6	0	0.0	0	0.0	0	0.0
CAMPBELL	6	5.2	6	5.2	10	8.7	6	5.5	6	5.5	10	9.1	0	0.0	0	0.0	0	0.0
CARROLL	1	6.1	0	0.0	2	12.1	1	6.3	0	0.0	2	12.5	0	0.0	0	0.0	0	0.0
GALLATIN	0	0.0	0	0.0	3	22.1	0	0.0	0	0.0	3	22.6	0	0.0	0	0.0	0	0.0
GRANT	3	7.9	3	7.9	3	7.9	3	7.9	3	7.9	3	7.9	0	0.0	0	0.0	0	0.0
KENTON	18	7.5	16	6.7	25	10.4	15	6.7	13	5.8	22	9.8	3	24.8	3	24.8	3	24.8
OWEN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
PENDLETON	2	13.3	2	13.3	3	19.9	2	13.6	2	13.6	3	20.3	0	0.0	0	0.0	0	0.0
DISTRICT 08	2	3.0	2	3.0	3	4.6	2	3.1	2	3.1	3	4.7	0	0.0	0	0.0	0	0.0
BRACKEN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
FLEMING	0	0.0	0	0.0	1	5.3	0	0.0	0	0.0	1	5.5	0	0.0	0	0.0	0	0.0
LEWIS	2	12.5	2	12.5	2	12.5	2	12.5	2	12.5	2	12.5	0	0.0	0	0.0	0	0.0
MASON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
ROBERTSON	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
DISTRICT 09	3	3.0	3	3.0	9	9.0	3	3.1	3	3.1	9	9.1	0	0.0	0	0.0	0	0.0
BATH	2	13.1	2	13.1	3	19.5	2	13.1	2	13.1	3	19.5	0	0.0	0	0.0	0	0.0
MENIFEE	0	0.0	0	0.0	1	11.0	0	0.0	0	0.0	1	11.0	0	0.0	0	0.0	0	0.0
MONTGOMERY	0	0.0	0	0.0	2	5.9	0	0.0	0	0.0	2	6.0	0	0.0	0	0.0	0	0.0
MORGAN	0	0.0	0	0.0	1	6.8	0	0.0	0	0.0	1	6.8	0	0.0	0	0.0	0	0.0
ROWAN	1	3.7	1	3.7	2	7.4	1	3.8	1	3.8	2	7.6	0	0.0	0	0.0	0	0.0
DISTRICT 10	8	5.0	7	4.3	19	11.7	8	5.0	7	4.4	19	11.9	0	0.0	0	0.0	0	0.0
BOYD	4	6.4	4	6.4	8	12.8	4	6.6	4	6.6	8	13.1	0	0.0	0	0.0	0	0.0
CARTER	2	6.2	1	3.1	6	18.3	2	6.3	1	3.1	6	18.5	0	0.0	0	0.0	0	0.0
ELLIOTT	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
GREENUP	1	2.5	1	2.5	1	2.5	1	2.5	1	2.5	1	2.5	0	0.0	0	0.0	0	0.0
LAWRENCE	1	5.8	1	5.8	4	22.9	1	5.9	1	5.9	4	23.1	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone (1), Breathitt (1), Gallatin (1), Jefferson (2), Kenton (1), Perry (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2003

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	220	4.0	173	3.1	498	9.0	184	3.7	145	2.9	421	8.5	34	7.0	26	5.4	73	15.0
DISTRICT 11	10	5.0	9	4.5	23	11.4	10	5.0	9	4.5	23	11.5	0	0.0	0	0.0	0	0.0
FLOYD	3	5.3	2	3.5	6	10.5	3	5.3	2	3.6	6	10.6	0	0.0	0	0.0	0	0.0
JOHNSON	2	6.6	2	6.6	4	13.1	2	6.6	2	6.6	4	13.1	0	0.0	0	0.0	0	0.0
MAGOFFIN	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MARTIN	0	0.0	0	0.0	1	6.0	0	0.0	0	0.0	1	6.0	0	0.0	0	0.0	0	0.0
PIKE	5	6.5	5	6.5	12	15.4	5	6.5	5	6.5	12	15.5	0	0.0	0	0.0	0	0.0
DISTRICT 12	7	4.8	6	4.1	17	11.6	7	4.8	6	4.2	17	11.7	0	0.0	0	0.0	0	0.0
BREATHITT	2	10.4	2	10.4	4	20.6	2	10.4	2	10.4	4	20.6	0	0.0	0	0.0	0	0.0
KNOTT	0	0.0	0	0.0	2	10.8	0	0.0	0	0.0	2	10.8	0	0.0	0	0.0	0	0.0
LEE	1	11.0	1	11.0	1	11.0	1	11.1	1	11.1	1	11.1	0	0.0	0	0.0	0	0.0
LESLIE	0	0.0	0	0.0	3	24.0	0	0.0	0	0.0	3	24.0	0	0.0	0	0.0	0	0.0
LETCHER	1	3.5	1	3.5	2	6.9	1	3.5	1	3.5	2	7.0	0	0.0	0	0.0	0	0.0
OWSLEY	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
PERRY	2	5.0	2	5.0	4	9.9	2	5.0	2	5.0	4	10.0	0	0.0	0	0.0	0	0.0
WOLFE	1	8.8	0	0.0	1	8.7	1	8.8	0	0.0	1	8.7	0	0.0	0	0.0	0	0.0
DISTRICT 13	17	5.2	11	3.4	22	6.7	17	5.3	11	3.4	21	6.5	0	0.0	0	0.0	1	32.3
BELL	2	5.0	2	5.0	4	9.9	2	5.1	2	5.1	4	10.1	0	0.0	0	0.0	0	0.0
CLAY	2	6.6	1	3.3	2	6.5	2	6.6	1	3.3	2	6.6	0	0.0	0	0.0	0	0.0
HARLAN	1	2.5	1	2.5	2	5.0	1	2.6	1	2.6	2	5.2	0	0.0	0	0.0	0	0.0
JACKSON	1	5.7	0	0.0	0	0.0	1	5.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
KNOX	2	4.2	1	2.1	2	4.2	2	4.3	1	2.1	2	4.3	0	0.0	0	0.0	0	0.0
LAUREL	4	5.3	3	4.0	6	8.0	4	5.4	3	4.1	5	6.7	0	0.0	0	0.0	1	33.3
ROCKCASTLE	1	5.1	1	5.1	2	10.2	1	5.1	1	5.1	2	10.2	0	0.0	0	0.0	0	0.0
WHITLEY	4	7.1	2	3.6	4	7.1	4	7.2	2	3.6	4	7.2	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone (1), Breathitt (1), Gallatin (1), Jefferson (2), Kenton (1), Perry (1)

Table 2-N
Resident Birth-Related Deaths, by Race of Mother
Number and Crude Rate*: Kentucky, Districts, and Counties, 2003

DISTRICTS AND COUNTIES	Total						White						Black					
	Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal		Neonatal		Under 1 Week		Perinatal	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	220	4.0	173	3.1	498	9.0	184	3.7	145	2.9	421	8.5	34	7.0	26	5.4	73	15.0
DISTRICT 14	10	4.2	5	2.1	28	11.6	9	3.8	4	1.7	26	10.9	1	41.7	1	41.7	2	80.0
ADAIR	0	0.0	0	0.0	2	9.9	0	0.0	0	0.0	2	10.0	0	0.0	0	0.0	0	0.0
CASEY	1	5.1	0	0.0	2	10.0	1	5.1	0	0.0	2	10.0	0	0.0	0	0.0	0	0.0
CLINTON	1	7.9	0	0.0	1	7.9	1	8.1	0	0.0	1	8.0	0	0.0	0	0.0	0	0.0
CUMBERLAND	0	0.0	0	0.0	1	11.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1000.0
GREEN	0	0.0	0	0.0	3	23.6	0	0.0	0	0.0	3	23.8	0	0.0	0	0.0	0	0.0
MCCREARY	1	4.1	0	0.0	1	4.1	1	4.1	0	0.0	1	4.1	0	0.0	0	0.0	0	0.0
PULASKI	2	2.8	1	1.4	8	11.0	2	2.8	1	1.4	8	11.2	0	0.0	0	0.0	0	0.0
RUSSELL	1	5.2	1	5.2	1	5.2	1	5.3	1	5.3	1	5.3	0	0.0	0	0.0	0	0.0
TAYLOR	3	11.2	2	7.5	5	18.5	2	7.8	1	3.9	4	15.5	1	76.9	1	76.9	1	76.9
WAYNE	1	4.3	1	4.3	4	16.9	1	4.3	1	4.3	4	17.2	0	0.0	0	0.0	0	0.0
DISTRICT 15	41	4.3	33	3.5	91	9.5	37	4.4	29	3.4	85	10.0	3	3.5	3	3.5	5	5.9
ANDERSON	2	8.3	1	4.1	2	8.2	2	8.7	1	4.3	2	8.6	0	0.0	0	0.0	0	0.0
BOURBON	1	4.2	1	4.2	2	8.3	1	4.5	1	4.5	2	9.0	0	0.0	0	0.0	0	0.0
BOYLE	2	6.5	1	3.2	3	9.6	2	7.3	1	3.6	3	10.8	0	0.0	0	0.0	0	0.0
CLARK	0	0.0	0	0.0	5	11.5	0	0.0	0	0.0	4	9.5	0	0.0	0	0.0	1	58.8
ESTILL	0	0.0	0	0.0	2	10.8	0	0.0	0	0.0	2	10.8	0	0.0	0	0.0	0	0.0
FAYETTE	18	4.8	14	3.7	35	9.2	15	5.0	11	3.6	31	10.2	2	3.2	2	3.2	3	4.8
FRANKLIN	3	4.8	3	4.8	8	12.7	3	5.4	3	5.4	8	14.3	0	0.0	0	0.0	0	0.0
GARRARD	1	5.0	0	0.0	2	10.0	1	5.2	0	0.0	2	10.2	0	0.0	0	0.0	0	0.0
HARRISON	0	0.0	0	0.0	2	8.1	0	0.0	0	0.0	2	8.3	0	0.0	0	0.0	0	0.0
JESSAMINE	3	5.2	3	5.2	7	12.0	3	5.4	3	5.4	7	12.4	0	0.0	0	0.0	0	0.0
LINCOLN	1	3.4	1	3.4	2	6.7	1	3.4	1	3.4	2	6.8	0	0.0	0	0.0	0	0.0
MADISON	2	2.1	2	2.1	7	7.2	1	1.1	1	1.1	6	6.5	1	31.3	1	31.3	1	31.3
MERCER	0	0.0	0	0.0	1	3.7	0	0.0	0	0.0	1	3.9	0	0.0	0	0.0	0	0.0
NICHOLAS	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
POWELL	2	11.0	2	11.0	4	21.9	2	11.0	2	11.0	4	21.9	0	0.0	0	0.0	0	0.0
SCOTT	4	7.3	3	5.5	7	12.7	4	7.9	3	5.9	7	13.7	0	0.0	0	0.0	0	0.0
WOODFORD	2	6.1	2	6.1	2	6.1	2	6.5	2	6.5	2	6.5	0	0.0	0	0.0	0	0.0

*Crude rate: Neonatal and deaths under 1 week per 1,000 live births; Perinatal deaths per 1,000 total births.

Note: Resident maternal deaths - Boone (1), Breathitt (1), Gallatin (1), Jefferson (2), Kenton (1), Perry (1)