

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2000**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>943</b>	<b>23.3</b>	<b>384</b>	<b>9.5</b>	<b>3,306</b>	<b>81.8</b>	<b>120</b>	<b>3.0</b>	<b>595</b>	<b>28.8</b>	<b>67</b>	<b>3.2</b>	<b>453</b>	<b>22.9</b>	<b>354</b>	<b>8.8</b>
<b>DISTRICT 01</b>	<b>54</b>	<b>27.9</b>	<b>18</b>	<b>9.3</b>	<b>152</b>	<b>78.6</b>	<b>6</b>	<b>3.1</b>	<b>31</b>	<b>30.9</b>	<b>3</b>	<b>3.0</b>	<b>19</b>	<b>20.4</b>	<b>19</b>	<b>9.8</b>
BALLARD	4	48.3	1	12.1	5	60.3	0	0.0	1	23.8	0	0.0	0	0.0	1	12.1
CALLOWAY	10	29.3	4	11.7	20	58.5	0	0.0	2	11.3	1	5.7	1	6.1	4	11.7
CARLISLE	1	18.7	1	18.7	6	112.1	0	0.0	0	0.0	0	0.0	2	76.6	1	18.7
FULTON	1	12.9	0	0.0	9	116.1	0	0.0	0	0.0	1	24.2	0	0.0	0	0.0
GRAVES	8	21.6	3	8.1	35	94.5	1	2.7	5	26.3	0	0.0	6	33.3	5	13.5
HICKMAN	1	19.0	1	19.0	2	38.0	0	0.0	0	0.0	0	0.0	2	79.6	1	19.0
MARSHALL	11	36.5	2	6.6	29	96.3	2	6.6	9	58.6	0	0.0	4	27.1	2	6.6
MCCRACKEN	18	27.5	6	9.2	46	70.2	3	4.6	14	40.7	1	2.9	4	12.9	5	7.6
<b>DISTRICT 02</b>	<b>44</b>	<b>20.4</b>	<b>24</b>	<b>11.1</b>	<b>181</b>	<b>84.0</b>	<b>11</b>	<b>5.1</b>	<b>44</b>	<b>40.7</b>	<b>4</b>	<b>3.7</b>	<b>24</b>	<b>22.3</b>	<b>19</b>	<b>8.8</b>
CALDWELL	4	30.6	1	7.7	10	76.6	0	0.0	6	88.5	0	0.0	1	15.9	1	7.7
CHRISTIAN	9	12.5	7	9.7	49	67.8	6	8.3	8	22.9	1	2.9	5	13.4	2	2.8
CRITTENDEN	1	10.7	0	0.0	7	74.6	0	0.0	2	41.3	0	0.0	3	66.1	5	53.3
HOPKINS	12	25.8	7	15.0	47	101.0	3	6.4	15	61.6	1	4.1	5	22.6	6	12.9
LIVINGSTON	1	10.2	0	0.0	9	91.8	0	0.0	1	20.2	1	20.2	2	41.3	0	0.0
LYON	1	12.4	0	0.0	8	99.0	0	0.0	2	57.8	0	0.0	1	21.6	0	0.0
MUHLENBERG	8	25.1	8	25.1	27	84.8	1	3.1	6	37.3	0	0.0	5	31.7	3	9.4
TODD	2	16.7	1	8.4	6	50.1	0	0.0	0	0.0	0	0.0	1	17.2	2	16.7
TRIGG	6	47.6	0	0.0	18	142.9	1	7.9	4	62.5	1	15.6	1	16.1	0	0.0
<b>DISTRICT 03</b>	<b>49</b>	<b>23.6</b>	<b>23</b>	<b>11.1</b>	<b>183</b>	<b>88.2</b>	<b>11</b>	<b>5.3</b>	<b>35</b>	<b>32.8</b>	<b>3</b>	<b>2.8</b>	<b>33</b>	<b>32.8</b>	<b>26</b>	<b>12.5</b>
DAVIESS	23	25.1	10	10.9	82	89.6	5	5.5	17	35.8	2	4.2	15	34.1	12	13.1
HANCOCK	2	23.8	1	11.9	4	47.7	0	0.0	1	23.5	0	0.0	0	0.0	1	11.9
HENDERSON	10	22.3	4	8.9	35	78.1	3	6.7	8	34.5	1	4.3	7	32.3	3	6.7
MCLEAN	0	0.0	3	30.2	5	50.3	1	10.1	0	0.0	0	0.0	2	41.0	0	0.0
OHIO	5	21.8	4	17.5	22	96.0	1	4.4	5	42.9	0	0.0	7	62.2	4	17.5
UNION	4	25.6	1	6.4	17	108.7	0	0.0	2	25.8	0	0.0	0	0.0	2	12.8
WEBSTER	5	35.4	0	0.0	18	127.5	1	7.1	2	27.7	0	0.0	2	29.0	4	28.3

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2000**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>943</b>	<b>23.3</b>	<b>384</b>	<b>9.5</b>	<b>3,306</b>	<b>81.8</b>	<b>120</b>	<b>3.0</b>	<b>595</b>	<b>28.8</b>	<b>67</b>	<b>3.2</b>	<b>453</b>	<b>22.9</b>	<b>354</b>	<b>8.8</b>
<b>DISTRICT 04</b>	<b>63</b>	<b>24.7</b>	<b>18</b>	<b>7.1</b>	<b>217</b>	<b>85.0</b>	<b>6</b>	<b>2.4</b>	<b>21</b>	<b>16.1</b>	<b>2</b>	<b>1.5</b>	<b>19</b>	<b>15.3</b>	<b>17</b>	<b>6.7</b>
ALLEN	1	5.6	2	11.2	18	101.1	1	5.6	2	22.0	0	0.0	2	22.9	0	0.0
BARREN	7	18.4	4	10.5	25	65.7	3	7.9	6	30.4	1	5.1	6	32.8	4	10.5
BUTLER	3	23.1	1	7.7	17	130.7	0	0.0	1	15.3	0	0.0	1	15.5	1	7.7
EDMONSON	4	34.4	0	0.0	13	111.6	0	0.0	0	0.0	0	0.0	0	0.0	2	17.2
HART	4	22.9	3	17.2	24	137.6	0	0.0	2	22.6	0	0.0	2	23.3	1	5.7
LOGAN	14	52.7	0	0.0	23	86.6	0	0.0	2	14.5	0	0.0	1	7.8	0	0.0
METCALFE	2	19.9	0	0.0	7	69.7	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0
MONROE	2	17.0	3	25.5	10	85.1	0	0.0	0	0.0	1	16.5	0	0.0	1	8.5
SIMPSON	7	42.7	0	0.0	13	79.2	0	0.0	2	23.8	0	0.0	1	12.5	1	6.1
WARREN	19	20.5	5	5.4	67	72.4	2	2.2	6	12.7	0	0.0	6	13.2	6	6.5
<b>DISTRICT 05</b>	<b>59</b>	<b>24.3</b>	<b>30</b>	<b>12.3</b>	<b>194</b>	<b>79.8</b>	<b>9</b>	<b>3.7</b>	<b>31</b>	<b>25.5</b>	<b>4</b>	<b>3.3</b>	<b>27</b>	<b>22.2</b>	<b>24</b>	<b>9.9</b>
BRECKINRIDGE	5	26.8	5	26.8	16	85.8	1	5.4	4	42.6	0	0.0	3	32.4	2	10.7
GRAYSON	7	29.1	3	12.5	26	108.1	0	0.0	6	49.4	1	8.2	2	16.8	2	8.3
HARDIN	22	23.4	11	11.7	75	79.6	2	2.1	10	21.5	0	0.0	8	16.8	5	5.3
LARUE	2	15.0	1	7.5	12	89.7	0	0.0	2	29.2	1	14.6	3	45.9	0	0.0
MARION	5	27.5	2	11.0	14	76.9	0	0.0	5	55.5	0	0.0	3	32.6	4	22.0
MEADE	3	11.4	1	3.8	19	72.1	2	7.6	1	7.6	0	0.0	4	30.3	3	11.4
NELSON	8	21.3	5	13.3	22	58.7	3	8.0	3	15.7	2	10.5	4	21.7	5	13.3
WASHINGTON	7	64.1	2	18.3	10	91.6	1	9.2	0	0.0	0	0.0	0	0.0	3	27.5
<b>DISTRICT 06</b>	<b>201</b>	<b>23.1</b>	<b>93</b>	<b>10.7</b>	<b>699</b>	<b>80.4</b>	<b>20</b>	<b>2.3</b>	<b>137</b>	<b>30.5</b>	<b>20</b>	<b>4.5</b>	<b>112</b>	<b>26.6</b>	<b>77</b>	<b>8.9</b>
BULLITT	11	18.0	2	3.3	39	63.7	1	1.6	5	16.2	1	3.2	4	13.1	6	9.8
HENRY	4	26.6	3	19.9	8	53.1	0	0.0	1	13.2	1	13.2	4	53.3	1	6.6
JEFFERSON	173	24.9	81	11.7	594	85.6	17	2.5	117	32.3	18	5.0	96	29.0	62	8.9
OLDHAM	7	15.2	3	6.5	17	36.8	1	2.2	5	23.2	0	0.0	6	24.4	2	4.3
SHELBY	5	15.0	3	9.0	29	87.0	0	0.0	5	29.2	0	0.0	1	6.2	5	15.0
SPENCER	0	0.0	1	8.5	7	59.5	1	8.5	2	34.3	0	0.0	0	0.0	0	0.0
TRIMBLE	1	12.3	0	0.0	5	61.5	0	0.0	2	48.4	0	0.0	1	25.0	1	12.3

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2000**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>943</b>	<b>23.3</b>	<b>384</b>	<b>9.5</b>	<b>3,306</b>	<b>81.8</b>	<b>120</b>	<b>3.0</b>	<b>595</b>	<b>28.8</b>	<b>67</b>	<b>3.2</b>	<b>453</b>	<b>22.9</b>	<b>354</b>	<b>8.8</b>
<b>DISTRICT 07</b>	<b>95</b>	<b>24.3</b>	<b>31</b>	<b>7.9</b>	<b>269</b>	<b>68.7</b>	<b>13</b>	<b>3.3</b>	<b>49</b>	<b>24.6</b>	<b>2</b>	<b>1.0</b>	<b>30</b>	<b>15.6</b>	<b>31</b>	<b>7.9</b>
BOONE	13	15.1	10	11.6	42	48.8	3	3.5	9	20.7	0	0.0	4	9.4	7	8.1
CAMPBELL	31	35.0	5	5.6	78	88.0	2	2.3	9	19.6	0	0.0	10	23.4	7	7.9
CARROLL	5	49.2	1	9.8	9	88.6	0	0.0	2	39.6	0	0.0	3	58.7	1	9.8
GALLATIN	3	38.1	0	0.0	9	114.4	1	12.7	4	101.1	0	0.0	0	0.0	1	12.7
GRANT	4	17.9	2	8.9	17	75.9	1	4.5	4	35.2	0	0.0	1	9.1	1	4.5
KENTON	35	23.1	13	8.6	95	62.7	5	3.3	19	24.6	2	2.6	8	10.8	13	8.6
OWEN	3	28.4	0	0.0	10	94.8	1	9.5	1	19.0	0	0.0	4	75.7	1	9.5
PENDLETON	1	6.9	0	0.0	9	62.5	0	0.0	1	13.9	0	0.0	0	0.0	0	0.0
<b>DISTRICT 08</b>	<b>13</b>	<b>23.5</b>	<b>5</b>	<b>9.1</b>	<b>36</b>	<b>65.2</b>	<b>2</b>	<b>3.6</b>	<b>12</b>	<b>42.6</b>	<b>1</b>	<b>3.6</b>	<b>8</b>	<b>29.5</b>	<b>2</b>	<b>3.6</b>
BRACKEN	2	24.2	0	0.0	10	120.8	1	12.1	0	0.0	0	0.0	2	48.8	1	12.1
FLEMING	1	7.3	4	29.0	5	36.3	0	0.0	5	71.0	0	0.0	5	74.0	0	0.0
LEWIS	2	14.2	0	0.0	10	71.0	1	7.1	2	28.2	0	0.0	1	14.3	1	7.1
MASON	8	47.6	1	6.0	9	53.6	0	0.0	4	46.1	1	11.5	0	0.0	0	0.0
ROBERTSON	0	0.0	0	0.0	2	88.3	0	0.0	1	86.0	0	0.0	0	0.0	0	0.0
<b>DISTRICT 09</b>	<b>16</b>	<b>21.0</b>	<b>1</b>	<b>1.3</b>	<b>67</b>	<b>87.9</b>	<b>6</b>	<b>7.9</b>	<b>15</b>	<b>39.4</b>	<b>3</b>	<b>7.9</b>	<b>7</b>	<b>18.3</b>	<b>7</b>	<b>9.2</b>
BATH	2	18.0	0	0.0	17	153.4	1	9.0	7	124.8	0	0.0	3	54.8	0	0.0
MENIFEE	0	0.0	0	0.0	3	45.8	0	0.0	1	30.8	0	0.0	0	0.0	0	0.0
MONTGOMERY	5	22.2	0	0.0	23	102.0	3	13.3	2	17.3	2	17.3	2	18.2	2	8.9
MORGAN	4	28.7	1	7.2	7	50.2	1	7.2	2	32.0	1	16.0	1	13.0	0	0.0
ROWAN	5	22.6	0	0.0	17	76.9	1	4.5	3	26.4	0	0.0	1	9.3	5	22.6

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2000**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>943</b>	<b>23.3</b>	<b>384</b>	<b>9.5</b>	<b>3,306</b>	<b>81.8</b>	<b>120</b>	<b>3.0</b>	<b>595</b>	<b>28.8</b>	<b>67</b>	<b>3.2</b>	<b>453</b>	<b>22.9</b>	<b>354</b>	<b>8.8</b>
<b>DISTRICT 10</b>	<b>33</b>	<b>24.3</b>	<b>18</b>	<b>13.3</b>	<b>136</b>	<b>100.1</b>	<b>4</b>	<b>2.9</b>	<b>37</b>	<b>53.2</b>	<b>5</b>	<b>7.2</b>	<b>12</b>	<b>18.1</b>	<b>10</b>	<b>7.4</b>
BOYD	15	30.1	6	12.1	47	94.5	2	4.0	18	70.9	2	7.9	4	16.4	7	14.1
CARTER	4	14.9	2	7.4	20	74.4	0	0.0	7	51.0	1	7.3	1	7.6	0	0.0
ELLIOTT	3	44.5	0	0.0	5	74.1	1	14.8	1	28.9	0	0.0	2	60.8	1	14.8
GREENUP	8	21.7	8	21.7	42	113.8	1	2.7	4	20.9	1	5.2	3	16.9	2	5.4
LAWRENCE	3	19.3	2	12.8	22	141.3	0	0.0	7	88.7	1	12.7	2	26.0	0	0.0
<b>DISTRICT 11</b>	<b>47</b>	<b>29.3</b>	<b>14</b>	<b>8.7</b>	<b>172</b>	<b>107.1</b>	<b>2</b>	<b>1.2</b>	<b>32</b>	<b>39.0</b>	<b>3</b>	<b>3.7</b>	<b>17</b>	<b>21.6</b>	<b>13</b>	<b>8.1</b>
FLOYD	13	30.6	6	14.1	51	120.2	1	2.4	8	37.1	0	0.0	5	24.0	1	2.4
JOHNSON	5	21.3	1	4.3	22	93.8	0	0.0	3	24.7	2	16.5	2	17.7	5	21.3
MAGOFFIN	7	52.5	0	0.0	17	127.5	0	0.0	1	14.8	1	14.8	3	45.6	1	7.5
MARTIN	2	15.9	2	15.9	17	135.2	0	0.0	1	15.7	0	0.0	1	16.1	0	0.0
PIKE	20	29.1	5	7.3	65	94.6	1	1.5	19	54.0	0	0.0	6	17.9	6	8.7
<b>DISTRICT 12</b>	<b>17</b>	<b>14.1</b>	<b>8</b>	<b>6.6</b>	<b>123</b>	<b>101.9</b>	<b>2</b>	<b>1.7</b>	<b>13</b>	<b>21.2</b>	<b>2</b>	<b>3.3</b>	<b>14</b>	<b>23.6</b>	<b>8</b>	<b>6.6</b>
BREATHITT	2	12.4	2	12.4	23	142.9	0	0.0	1	12.3	0	0.0	2	25.2	1	6.2
KNOTT	1	5.7	2	11.3	14	79.3	1	5.7	3	33.5	0	0.0	0	0.0	2	11.3
LEE	0	0.0	0	0.0	9	113.7	0	0.0	1	26.5	0	0.0	0	0.0	1	12.6
LESLIE	4	32.3	0	0.0	6	48.4	0	0.0	2	31.5	0	0.0	4	66.2	1	8.1
LETCHER	3	11.9	2	7.9	28	110.8	1	4.0	1	7.7	1	7.7	5	40.4	1	4.0
OWSLEY	0	0.0	0	0.0	5	102.9	0	0.0	0	0.0	0	0.0	1	40.8	1	20.6
PERRY	5	17.0	1	3.4	32	108.9	0	0.0	4	26.5	1	6.6	2	14.0	1	3.4
WOLFE	2	28.3	1	14.2	6	84.9	0	0.0	1	28.1	0	0.0	0	0.0	0	0.0
<b>DISTRICT 13</b>	<b>57</b>	<b>23.9</b>	<b>25</b>	<b>10.5</b>	<b>203</b>	<b>85.2</b>	<b>8</b>	<b>3.4</b>	<b>28</b>	<b>23.0</b>	<b>7</b>	<b>5.7</b>	<b>41</b>	<b>35.2</b>	<b>14</b>	<b>5.9</b>
BELL	12	39.9	2	6.7	27	89.8	0	0.0	4	25.5	0	0.0	4	27.8	2	6.7
CLAY	6	24.4	2	8.1	14	57.0	0	0.0	4	34.5	1	8.6	6	46.3	0	0.0
HARLAN	11	33.1	5	15.1	39	117.5	0	0.0	5	28.9	2	11.6	5	31.5	3	9.0
JACKSON	2	14.8	1	7.4	7	51.9	1	7.4	1	14.6	0	0.0	2	30.1	0	0.0
KNOX	2	6.3	4	12.6	29	91.2	3	9.4	3	18.2	1	6.1	4	26.1	2	6.3
LAUREL	16	30.4	5	9.5	46	87.3	2	3.8	7	26.0	2	7.4	10	38.8	6	11.4
ROCKCASTLE	4	24.1	3	18.1	11	66.3	0	0.0	3	35.8	0	0.0	4	48.8	0	0.0
WHITLEY	4	11.2	3	8.4	30	83.6	2	5.6	1	5.4	1	5.4	6	34.7	1	2.8

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 2000**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>943</b>	<b>23.3</b>	<b>384</b>	<b>9.5</b>	<b>3,306</b>	<b>81.8</b>	<b>120</b>	<b>3.0</b>	<b>595</b>	<b>28.8</b>	<b>67</b>	<b>3.2</b>	<b>453</b>	<b>22.9</b>	<b>354</b>	<b>8.8</b>
<b>DISTRICT 14</b>	<b>59</b>	<b>30.5</b>	<b>19</b>	<b>9.8</b>	<b>196</b>	<b>101.3</b>	<b>6</b>	<b>3.1</b>	<b>32</b>	<b>32.3</b>	<b>3</b>	<b>3.0</b>	<b>14</b>	<b>14.8</b>	<b>26</b>	<b>13.4</b>
ADAIR	7	40.6	1	5.8	20	116.0	1	5.8	0	0.0	0	0.0	1	12.0	2	11.6
CASEY	2	12.9	2	12.9	16	103.6	0	0.0	2	25.3	0	0.0	1	13.2	3	19.4
CLINTON	2	20.8	2	20.8	12	124.6	0	0.0	3	60.1	0	0.0	1	21.6	1	10.4
CUMBERLAND	6	84.0	2	28.0	7	97.9	1	14.0	1	27.0	0	0.0	0	0.0	3	42.0
GREEN	1	8.7	1	8.7	9	78.1	0	0.0	3	51.3	0	0.0	0	0.0	0	0.0
MCCREARY	2	11.7	0	0.0	16	93.7	0	0.0	2	23.1	1	11.5	0	0.0	2	11.7
PULASKI	20	35.6	4	7.1	57	101.4	3	5.3	11	38.3	0	0.0	8	29.1	10	17.8
RUSSELL	5	30.6	2	12.3	20	122.6	0	0.0	4	47.6	1	11.9	1	12.7	2	12.3
TAYLOR	9	39.3	3	13.1	20	87.2	1	4.4	5	42.0	1	8.4	2	18.1	1	4.4
WAYNE	5	25.1	2	10.0	19	95.4	0	0.0	1	9.9	0	0.0	0	0.0	2	10.0
<b>DISTRICT 15</b>	<b>136</b>	<b>19.8</b>	<b>57</b>	<b>8.3</b>	<b>478</b>	<b>69.7</b>	<b>14</b>	<b>2.0</b>	<b>78</b>	<b>22.2</b>	<b>5</b>	<b>1.4</b>	<b>76</b>	<b>22.7</b>	<b>61</b>	<b>8.9</b>
ANDERSON	3	15.7	0	0.0	18	94.2	0	0.0	0	0.0	0	0.0	5	53.5	3	15.7
BOURBON	9	46.5	0	0.0	20	103.3	1	5.2	4	40.2	1	10.1	1	10.6	1	5.2
BOYLE	7	25.3	4	14.4	23	83.0	2	7.2	2	14.3	1	7.2	5	36.4	7	25.3
CLARK	8	24.1	5	15.1	30	90.5	1	3.0	2	11.7	0	0.0	6	37.4	4	12.1
ESTILL	3	19.6	1	6.5	10	65.3	1	6.5	3	38.0	0	0.0	0	0.0	3	19.6
FAYETTE	44	16.9	20	7.7	151	58.0	5	1.9	35	26.4	2	1.5	25	19.5	20	7.7
FRANKLIN	9	18.9	7	14.7	40	83.9	2	4.2	9	36.6	0	0.0	4	17.3	4	8.4
GARRARD	4	27.0	3	20.3	11	74.4	1	6.8	2	26.6	0	0.0	2	27.5	1	6.8
HARRISON	6	33.4	1	5.6	15	83.4	0	0.0	2	21.7	0	0.0	3	34.2	1	5.6
JESSAMINE	6	15.4	3	7.7	18	46.1	0	0.0	0	0.0	0	0.0	4	20.8	4	10.2
LINCOLN	6	25.7	0	0.0	20	85.6	0	0.0	3	25.2	0	0.0	5	43.6	1	4.3
MADISON	9	12.7	4	5.6	41	57.9	0	0.0	3	8.2	0	0.0	4	11.7	10	14.1
MERCER	6	28.8	1	4.8	26	124.9	0	0.0	3	28.0	0	0.0	4	39.6	0	0.0
NICHOLAS	3	44.0	2	29.4	6	88.1	0	0.0	2	56.9	0	0.0	3	91.0	1	14.7
POWELL	1	7.6	2	15.1	10	75.5	0	0.0	2	30.1	0	0.0	0	0.0	0	0.0
SCOTT	9	27.2	3	9.1	25	75.6	1	3.0	3	17.8	0	0.0	3	18.5	0	0.0
WOODFORD	3	12.9	1	4.3	14	60.3	0	0.0	3	24.9	1	8.3	2	17.9	1	4.3

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population