

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,646	933.4	921.9	10,475	253.0	250.3	9,167	221.4	215.0	2,336	56.4	56.5
DISTRICT 01	2,097	1084.9	843.6	638	330.1	248.2	455	235.4	185.0	140	72.4	53.6
Ballard	93	1131.9	914.4	34	413.8	323.3	17	206.9	159.2	4	48.7	35.9
Calloway	298	856.8	717.8	85	244.4	200.8	76	218.5	190.4	18	51.8	42.6
Carlisle	62	1162.1	816.9	24	449.9	310.5	15	281.2	203.3	7	131.2	81.8
Fulton	89	1214.7	875.8	29	395.8	279.0	18	245.7	175.2	4	54.6	38.2
Graves	430	1152.4	919.0	110	294.8	229.0	81	217.1	174.3	23	61.6	47.3
Hickman	59	1156.2	802.2	14	274.3	166.8	9	176.4	122.8	2	39.2	18.1
McCracken	683	1058.8	825.1	228	353.4	264.2	157	243.4	192.0	45	69.8	52.4
Marshall	383	1247.1	920.1	114	371.2	267.9	82	267.0	196.0	37	120.5	86.7
DISTRICT 02	2,267	1063.1	967.6	627	294.0	264.6	496	232.6	212.0	140	65.7	58.9
Caldwell	165	1285.6	959.6	42	327.3	240.2	34	264.9	191.8	12	93.5	67.2
Christian	554	791.0	943.5	169	241.3	288.3	102	145.6	179.0	34	48.5	59.5
Crittenden	106	1175.9	880.8	47	521.4	379.2	17	188.6	140.9	7	77.7	56.3
Hopkins	568	1215.0	1017.4	146	312.3	256.3	133	284.5	241.0	32	68.5	56.2
Livingston	123	1266.2	1035.0	34	350.0	284.7	31	319.1	256.3	7	72.1	60.4
Lyon	103	1267.4	916.4	17	209.2	157.8	24	295.3	217.1	7	86.1	59.4
Muhlenberg	363	1147.2	946.6	95	300.2	237.8	92	290.8	237.5	18	56.9	45.2
Todd	131	1103.4	1036.9	31	261.1	247.4	31	261.1	236.8	13	109.5	98.4
Trigg	154	1162.2	934.5	46	347.1	271.5	32	241.5	183.8	10	75.5	57.7
DISTRICT 03	1,989	949.2	861.3	550	262.5	236.6	478	228.1	205.3	120	57.3	51.7
Daviess	875	945.5	840.2	221	238.8	211.8	209	225.8	199.8	61	65.9	57.7
Hancock	69	816.4	860.7	13	153.8	156.6	24	284.0	282.9	5	59.2	73.9
Henderson	414	913.1	865.4	127	280.1	264.3	98	216.1	199.3	22	48.5	47.0
McLean	103	1036.6	891.6	31	312.0	259.3	24	241.5	211.0	5	50.3	43.6
Ohio	229	972.2	857.0	69	292.9	254.2	63	267.4	233.6	6	25.5	22.9
Union	145	927.3	912.8	42	268.6	266.3	29	185.5	178.2	11	70.4	70.3
Webster	154	1093.5	920.1	47	333.7	273.9	31	220.1	187.4	10	71.0	55.7

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,646	933.4	921.9	10,475	253.0	250.3	9,167	221.4	215.0	2,336	56.4	56.5
DISTRICT 04	2,427	918.9	894.6	643	243.5	237.2	586	221.9	212.9	160	60.6	59.4
Allen	184	992.6	945.3	46	248.2	236.9	55	296.7	277.1	9	48.6	48.4
Barren	412	1042.2	888.0	110	278.3	236.1	114	288.4	245.5	26	65.8	54.3
Butler	132	986.2	965.4	34	254.0	252.4	34	254.0	237.7	10	74.7	75.2
Edmonson	99	834.0	765.3	22	185.3	170.1	30	252.7	218.5	6	50.5	46.8
Hart	194	1072.6	1024.0	48	265.4	249.6	53	293.0	273.7	12	66.3	65.1
Logan	264	976.6	870.1	78	288.5	252.1	59	218.3	192.9	19	70.3	60.5
Metcalfe	145	1430.7	1261.6	33	325.6	283.1	37	365.1	310.4	10	98.7	89.4
Monroe	126	1084.1	894.1	42	361.4	293.3	24	206.5	165.0	6	51.6	41.6
Simpson	158	939.0	879.8	57	338.8	318.9	32	190.2	176.6	8	47.5	43.1
Warren	713	734.5	830.7	173	178.2	204.4	148	152.5	170.6	54	55.6	65.0
DISTRICT 05	2,095	832.1	900.3	572	227.2	249.1	496	197.0	207.0	143	56.8	63.6
Breckinridge	225	1178.1	1120.7	64	335.1	323.2	55	288.0	262.5	6	31.4	28.6
Grayson	248	992.3	934.7	78	312.1	298.2	52	208.1	184.1	18	72.0	66.7
Hardin	686	717.1	838.7	192	200.7	238.1	179	187.1	211.2	54	56.4	70.4
Larue	146	1081.7	897.1	32	237.1	192.1	43	318.6	263.7	8	59.3	47.2
Marion	177	947.9	898.0	49	262.4	242.5	31	166.0	159.2	10	53.6	50.8
Meade	191	677.1	955.5	50	177.3	242.7	39	138.3	194.3	5	17.7	30.7
Nelson	310	767.9	871.8	76	188.3	215.2	68	168.4	185.2	37	91.7	108.4
Washington	112	994.9	871.4	31	275.4	240.2	29	257.6	224.4	5	44.4	38.4
DISTRICT 06	7,992	892.0	879.0	2,120	236.6	233.7	1,945	217.1	210.8	514	57.4	57.2
Bullitt	355	512.9	737.7	79	114.1	176.1	98	141.6	182.2	18	26.0	45.4
Henry	143	907.0	931.5	35	222.0	236.5	38	241.0	235.0	12	76.1	81.7
Jefferson	6,786	972.1	899.0	1,828	261.9	240.8	1,633	233.9	215.1	410	58.7	53.9
Oldham	250	480.6	751.9	62	119.2	199.2	69	132.6	184.9	22	42.3	84.2
Shelby	281	758.0	846.3	69	186.1	211.0	72	194.2	209.0	43	116.0	135.6
Spencer	98	660.5	866.3	29	195.4	264.5	19	128.0	171.8	6	40.4	56.2
Trimble	79	877.0	955.3	18	199.8	224.2	16	177.6	187.1	3	33.3	38.6

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,646	933.4	921.9	10,475	253.0	250.3	9,167	221.4	215.0	2,336	56.4	56.5
DISTRICT 07	3,285	800.2	902.2	823	200.5	229.0	802	195.4	215.4	213	51.9	61.4
Boone	561	553.0	805.9	146	143.9	215.2	132	130.1	187.4	46	45.3	74.5
Campbell	835	958.0	929.6	209	239.8	232.2	209	239.8	231.3	59	67.7	65.7
Carroll	99	960.0	936.2	25	242.4	239.4	26	252.1	234.7	4	38.8	36.7
Gallatin	84	1051.1	1206.7	26	325.3	381.6	24	300.3	348.3	2	25.0	33.5
Grant	163	669.7	817.6	36	147.9	187.7	32	131.5	150.1	16	65.7	90.0
Kenton	1,322	864.8	943.7	310	202.8	223.3	340	222.4	239.7	73	47.8	53.9
Owen	100	885.6	835.2	37	327.7	304.7	15	132.8	121.9	5	44.3	42.8
Pendleton	121	802.5	907.3	34	225.5	257.1	24	159.2	168.1	8	53.1	67.1
DISTRICT 08	585	1040.1	951.7	152	270.2	243.7	140	248.9	225.0	44	78.2	70.2
Bracken	83	954.6	939.0	20	230.0	224.2	25	287.5	277.5	4	46.0	48.1
Fleming	147	1016.2	959.1	39	269.6	254.0	26	179.7	168.0	15	103.7	97.3
Lewis	151	1089.0	1055.3	40	288.5	278.6	43	310.1	292.4	6	43.3	40.8
Mason	184	1087.3	906.7	49	289.6	234.4	41	242.3	205.7	18	106.4	85.7
Robertson	20	871.1	669.2	4	174.2	121.7	5	217.8	165.6	1	43.6	25.8
DISTRICT 09	708	903.5	895.2	181	231.0	230.3	175	223.3	219.1	36	45.9	45.5
Bath	123	1070.6	938.9	34	295.9	249.5	23	200.2	169.0	6	52.2	46.2
Menifee	58	857.4	831.2	12	177.4	158.0	16	236.5	235.0	4	59.1	60.0
Montgomery	203	857.0	820.8	56	236.4	222.4	53	223.8	213.5	13	54.9	52.2
Morgan	114	795.5	823.4	32	223.3	240.2	27	188.4	193.9	3	20.9	22.1
Rowan	210	950.5	1060.8	47	212.7	244.2	56	253.5	273.6	10	45.3	50.7
DISTRICT 10	1,609	1177.7	1050.8	406	297.2	264.4	408	298.6	255.4	135	98.8	90.2
Boyd	629	1270.2	1082.2	171	345.3	293.6	147	296.9	243.7	71	143.4	124.7
Carter	303	1116.1	1078.5	70	257.9	248.5	69	254.2	232.9	16	58.9	57.9
Elliott	79	1153.5	1022.0	19	277.4	228.7	20	292.0	255.0	4	58.4	46.7
Greenup	412	1110.5	953.2	95	256.1	215.4	131	353.1	287.9	31	83.6	75.1
Lawrence	186	1161.6	1155.7	51	318.5	325.2	41	256.1	243.2	13	81.2	82.3

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,646	933.4	921.9	10,475	253.0	250.3	9,167	221.4	215.0	2,336	56.4	56.5
DISTRICT 11	1,745	1099.3	1124.2	524	330.1	341.3	402	253.2	244.5	77	48.5	52.3
Floyd	499	1181.8	1199.5	122	288.9	295.8	130	307.9	296.4	18	42.6	48.0
Johnson	263	1105.5	1110.1	83	348.9	350.3	53	222.8	213.2	13	54.6	58.2
Magoffin	133	993.3	1076.9	25	186.7	209.8	32	239.0	254.2	4	29.9	35.9
Martin	118	958.3	1113.0	42	341.1	400.7	26	211.1	233.8	6	48.7	53.6
Pike	732	1092.2	1090.0	252	376.0	381.4	161	240.2	223.8	36	53.7	54.0
DISTRICT 12	1,332	1117.4	1116.1	409	343.1	342.0	290	243.3	233.4	49	41.1	42.9
Breathitt	174	1094.7	1162.7	51	320.9	356.2	36	226.5	230.1	9	56.6	65.3
Knott	142	810.8	829.9	37	211.3	215.8	30	171.3	166.2	8	45.7	47.2
Lee	103	1321.5	1170.5	37	474.7	414.5	27	346.4	305.6	3	38.5	33.8
Leslie	143	1193.8	1224.1	44	367.3	393.1	29	242.1	223.3	3	25.0	24.2
Letcher	277	1124.0	1103.5	73	296.2	288.2	58	235.3	219.6	11	44.6	45.5
Owsley	67	1404.3	1161.2	19	398.2	307.9	16	335.4	283.8	4	83.8	74.4
Perry	324	1093.9	1146.6	116	391.6	407.0	70	236.3	236.4	6	20.3	22.5
Wolfe	102	1459.6	1375.9	32	457.9	416.7	24	343.4	317.9	5	71.6	67.0
DISTRICT 13	2,555	1059.7	1054.1	735	304.8	304.6	575	238.5	230.4	149	61.8	62.5
Bell	317	1067.0	985.5	97	326.5	296.9	68	228.9	206.6	20	67.3	62.3
Clay	243	1003.2	1121.7	61	251.8	292.2	66	272.5	290.5	11	45.4	56.5
Harlan	416	1310.1	1209.8	92	289.7	264.0	106	333.8	302.1	22	69.3	64.0
Jackson	133	978.5	1058.6	45	331.1	366.5	29	213.4	220.0	6	44.1	49.5
Knox	355	1112.9	1084.2	107	335.4	329.1	81	253.9	246.3	27	84.6	79.3
Laurel	514	922.2	1009.4	144	258.3	289.5	113	202.7	210.1	31	55.6	62.7
Rockcastle	184	1101.5	1030.0	67	401.1	378.7	36	215.5	188.9	16	95.8	90.1
Whitley	393	1048.4	1007.4	122	325.4	311.7	76	202.7	191.3	16	42.7	41.9

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	All Causes			Diseases of Heart			Malignant Neoplasms			Cerebrovascular Diseases		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	38,646	933.4	921.9	10,475	253.0	250.3	9,167	221.4	215.0	2,336	56.4	56.5
DISTRICT 14	2,203	1110.9	967.1	628	316.7	273.7	525	264.7	224.3	101	50.9	44.2
Adair	168	959.5	833.4	49	279.9	240.9	36	205.6	175.7	13	74.2	65.8
Casey	175	1089.0	948.6	53	329.8	283.5	34	211.6	187.4	4	24.9	21.9
Clinton	124	1298.6	1085.4	43	450.3	373.4	25	261.8	197.6	5	52.4	40.1
Cumberland	86	1198.1	870.0	31	431.9	310.2	12	167.2	117.1	11	153.2	111.3
Green	144	1237.3	962.7	43	369.5	277.0	37	317.9	245.4	6	51.6	39.8
McCreary	191	1117.6	1287.1	50	292.6	347.1	58	339.4	383.6	6	35.1	41.8
Pulaski	656	1117.6	949.9	184	313.5	265.7	161	274.3	227.4	25	42.6	35.3
Russell	183	1087.8	888.1	44	261.5	211.3	60	356.7	285.3	9	53.5	44.8
Taylor	248	1059.0	893.3	69	294.6	244.1	58	247.7	201.9	13	55.5	47.8
Wayne	228	1120.8	1090.8	62	304.8	302.8	44	216.3	200.0	9	44.2	45.1
DISTRICT 15	5,757	807.0	872.9	1,467	205.6	224.8	1,394	195.4	208.6	315	44.2	49.3
Anderson	155	771.5	831.1	46	229.0	244.7	42	209.1	227.4	9	44.8	50.6
Bourbon	204	1037.6	960.7	55	279.7	256.8	56	284.8	259.8	13	66.1	61.2
Boyle	296	1049.5	930.8	71	251.7	221.1	64	226.9	205.6	20	70.9	60.2
Clark	314	913.2	919.9	88	255.9	256.7	67	194.9	188.7	17	49.4	51.2
Estill	162	1069.8	1029.7	53	350.0	334.9	37	244.3	224.8	5	33.0	32.6
Fayette	1,866	700.6	796.7	460	172.7	200.0	446	167.5	191.8	100	37.5	44.6
Franklin	438	909.7	916.2	101	209.8	211.9	124	257.5	247.4	34	70.6	75.3
Garrard	133	823.5	820.2	39	241.5	243.2	32	198.1	191.4	8	49.5	48.9
Harrison	185	1012.3	921.0	50	273.6	241.3	54	295.5	269.2	10	54.7	51.8
Jessamine	320	757.3	912.2	69	163.3	204.0	58	137.3	159.6	17	40.2	49.0
Lincoln	242	976.8	966.5	54	218.0	215.5	62	250.2	234.6	8	32.3	33.4
Madison	530	697.0	852.6	137	180.2	224.7	123	161.7	193.7	28	36.8	48.2
Mercer	240	1117.3	983.0	53	246.7	217.2	63	293.3	253.2	12	55.9	49.3
Nicholas	101	1435.1	1192.0	35	497.3	397.7	20	284.2	248.3	2	28.4	20.7
Powell	142	1046.9	1094.2	37	272.8	284.3	38	280.2	283.6	6	44.2	47.1
Scott	237	624.5	837.1	73	192.3	259.6	55	144.9	189.8	15	39.5	56.3
Woodford	192	803.5	903.6	46	192.5	214.1	53	221.8	233.6	11	46.0	53.5

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Alzheimer's Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,272	54.9	54.4	2,199	53.1	53.0	1,207	29.2	28.6	986	23.8	24.2
DISTRICT 01	118	61.0	47.2	101	52.3	48.5	75	38.8	30.1	54	27.9	19.6
Ballard	4	48.7	41.7	7	85.2	78.1	3	36.5	26.6	2	24.3	17.7
Calloway	22	63.3	52.4	13	37.4	34.7	12	34.5	29.6	6	17.3	12.7
Carlisle	1	18.7	14.4	4	75.0	65.9	0	0.0	0.0	1	18.7	11.6
Fulton	6	81.9	57.8	3	40.9	36.2	4	54.6	42.4	1	13.6	7.7
Graves	35	93.8	74.9	24	64.3	58.9	25	67.0	51.6	16	42.9	30.1
Hickman	4	78.4	61.4	7	137.2	131.4	7	137.2	94.9	2	39.2	23.3
McCracken	22	34.1	26.7	22	34.1	33.7	11	17.1	14.1	17	26.4	19.4
Marshall	24	78.1	54.8	21	68.4	63.6	13	42.3	29.5	9	29.3	19.7
DISTRICT 02	154	72.2	65.3	126	59.1	58.1	69	32.4	29.8	62	29.1	25.5
Caldwell	9	70.1	51.1	12	93.5	89.9	13	101.3	73.7	10	77.9	52.7
Christian	32	45.7	56.3	23	32.8	35.6	19	27.1	33.0	9	12.9	15.2
Crittenden	2	22.2	15.7	2	22.2	20.8	2	22.2	16.9	2	22.2	15.7
Hopkins	52	111.2	90.7	30	64.2	60.2	7	15.0	12.3	15	32.1	25.6
Livingston	7	72.1	57.8	7	72.1	59.4	3	30.9	25.2	3	30.9	23.7
Lyon	11	135.4	94.0	3	36.9	30.0	7	86.1	61.2	8	98.4	68.8
Muhlenberg	23	72.7	60.0	33	104.3	100.5	6	19.0	14.7	9	28.4	21.7
Todd	7	59.0	55.1	8	67.4	69.6	4	33.7	33.6	1	8.4	7.7
Trigg	11	83.0	69.3	8	60.4	55.3	8	60.4	47.0	5	37.7	30.2
DISTRICT 03	103	49.2	44.6	99	47.2	45.3	75	35.8	31.8	87	41.5	37.0
Daviess	36	38.9	34.3	44	47.5	44.4	38	41.1	35.9	37	40.0	34.1
Hancock	3	35.5	37.1	2	23.7	25.8	2	23.7	25.2	4	47.3	58.6
Henderson	27	59.6	56.3	17	37.5	36.6	9	19.9	18.5	20	44.1	43.3
McLean	9	90.6	77.9	3	30.2	25.9	2	20.1	15.6	7	70.5	61.1
Ohio	10	42.5	38.6	16	67.9	65.5	12	50.9	44.0	10	42.5	36.4
Union	6	38.4	38.8	8	51.2	49.8	4	25.6	25.6	8	51.2	51.7
Webster	12	85.2	71.7	9	63.9	62.5	8	56.8	46.8	1	7.1	6.2

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Alzheimer's Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,272	54.9	54.4	2,199	53.1	53.0	1,207	29.2	28.6	986	23.8	24.2
DISTRICT 04	126	47.7	46.6	143	54.1	53.4	57	21.6	20.9	65	24.6	24.2
Allen	3	16.2	14.2	10	53.9	52.4	6	32.4	30.8	1	5.4	5.2
Barren	24	60.7	52.2	21	53.1	49.9	10	25.3	22.1	15	37.9	31.1
Butler	5	37.4	36.1	7	52.3	48.5	5	37.4	36.6	0	0.0	0.0
Edmonson	2	16.8	14.6	5	42.1	44.2	1	8.4	6.7	4	33.7	32.3
Hart	11	60.8	58.0	17	94.0	91.8	5	27.6	27.7	5	27.6	27.1
Logan	13	48.1	44.4	15	55.5	56.3	1	3.7	3.4	8	29.6	24.3
Metcalfe	10	98.7	85.5	6	59.2	61.1	2	19.7	17.2	5	49.3	45.4
Monroe	5	43.0	34.0	7	60.2	56.0	2	17.2	13.2	3	25.8	20.7
Simpson	3	17.8	17.9	12	71.3	73.5	6	35.7	32.1	5	29.7	27.5
Warren	50	51.5	60.4	43	44.3	44.6	19	19.6	21.9	19	19.6	23.5
DISTRICT 05	110	43.7	48.0	115	45.7	47.1	65	25.8	27.6	43	17.1	20.0
Breckinridge	11	57.6	54.3	10	52.4	54.5	12	62.8	55.8	3	15.7	16.2
Grayson	14	56.0	51.9	20	80.0	78.8	5	20.0	19.0	4	16.0	16.2
Hardin	29	30.3	37.3	36	37.6	41.7	13	13.6	14.7	11	11.5	14.9
Larue	7	51.9	42.4	7	51.9	48.9	5	37.0	30.6	10	74.1	58.9
Marion	10	53.6	53.9	11	58.9	56.6	9	48.2	43.7	7	37.5	33.8
Meade	13	46.1	76.3	14	49.6	59.2	9	31.9	45.7	5	17.7	32.3
Nelson	19	47.1	53.6	14	34.7	36.8	10	24.8	29.1	1	2.5	3.1
Washington	7	62.2	52.7	3	26.7	25.6	2	17.8	17.8	2	17.8	15.1
DISTRICT 06	472	52.7	52.5	361	40.3	40.4	265	29.6	28.8	178	19.9	20.0
Bullitt	24	34.7	59.4	24	34.7	38.0	10	14.4	20.0	8	11.6	23.6
Henry	6	38.1	40.4	11	69.8	68.8	5	31.7	32.4	1	6.3	6.9
Jefferson	414	59.3	54.8	278	39.8	38.7	229	32.8	30.2	153	21.9	20.0
Oldham	7	13.5	25.5	15	28.8	36.9	8	15.4	23.1	8	15.4	29.5
Shelby	15	40.5	47.5	15	40.5	42.6	6	16.2	18.2	1	2.7	3.2
Spencer	4	27.0	38.2	10	67.4	71.5	4	27.0	32.7	1	6.7	6.2
Trimble	2	22.2	26.1	8	88.8	87.4	3	33.3	35.0	6	66.6	74.6

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Alzheimer's Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,272	54.9	54.4	2,199	53.1	53.0	1,207	29.2	28.6	986	23.8	24.2
DISTRICT 07	183	44.6	52.0	153	37.3	38.9	117	28.5	32.2	95	23.1	28.3
Boone	30	29.6	44.5	24	23.7	25.9	20	19.7	27.9	16	15.8	29.2
Campbell	45	51.6	50.0	38	43.6	43.4	33	37.9	37.0	21	24.1	23.4
Carroll	4	38.8	37.3	1	9.7	10.0	3	29.1	27.5	2	19.4	19.9
Gallatin	6	75.1	90.0	3	37.5	39.4	6	75.1	87.5	3	37.5	43.0
Grant	9	37.0	47.7	14	57.5	56.9	9	37.0	48.7	9	37.0	54.3
Kenton	76	49.7	56.1	53	34.7	35.5	38	24.9	27.0	42	27.5	31.7
Owen	8	70.8	71.3	8	70.8	66.6	3	26.6	25.1	0	0.0	0.0
Pendleton	5	33.2	38.1	12	79.6	84.5	5	33.2	38.8	2	13.3	18.0
DISTRICT 08	41	72.9	66.4	36	64.0	64.3	19	33.8	31.0	8	14.2	13.1
Bracken	7	80.5	80.6	8	92.0	92.6	1	11.5	10.9	0	0.0	0.0
Fleming	4	27.7	22.7	8	55.3	55.2	5	34.6	32.0	5	34.6	34.6
Lewis	11	79.3	76.8	12	86.5	87.7	6	43.3	39.5	0	0.0	0.0
Mason	16	94.6	75.2	7	41.4	42.9	6	35.5	29.7	3	17.7	13.8
Robertson	3	130.7	108.5	1	43.6	45.4	1	43.6	36.2	0	0.0	0.0
DISTRICT 09	31	39.6	39.7	62	79.1	76.8	19	24.2	24.9	13	16.6	16.5
Bath	8	69.6	64.9	14	121.9	119.0	5	43.5	39.2	1	8.7	6.5
Menifee	2	29.6	29.5	8	118.3	113.8	3	44.3	41.5	2	29.6	33.3
Montgomery	5	21.1	20.0	14	59.1	60.7	4	16.9	16.5	3	12.7	11.7
Morgan	6	41.9	43.9	10	69.8	68.9	5	34.9	39.8	2	14.0	13.2
Rowan	10	45.3	50.9	16	72.4	71.4	2	9.1	10.9	5	22.6	27.4
DISTRICT 10	115	84.2	72.7	78	57.1	57.3	45	32.9	28.6	41	30.0	28.2
Boyd	36	72.7	59.8	20	40.4	39.4	14	28.3	22.6	24	48.5	43.6
Carter	20	73.7	69.9	19	70.0	70.0	12	44.2	43.0	5	18.4	18.8
Elliott	6	87.6	78.7	2	29.2	31.8	5	73.0	64.5	1	14.6	16.2
Greenup	32	86.3	70.7	26	70.1	68.8	8	21.6	18.2	9	24.3	22.4
Lawrence	21	131.2	123.9	11	68.7	73.2	6	37.5	40.6	2	12.5	13.8

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Alzheimer's Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,272	54.9	54.4	2,199	53.1	53.0	1,207	29.2	28.6	986	23.8	24.2
DISTRICT 11	108	68.0	69.5	131	82.5	84.0	65	40.9	42.0	28	17.6	20.6
Floyd	27	63.9	65.8	41	97.1	97.0	12	28.4	29.6	8	18.9	21.3
Johnson	14	58.8	58.2	17	71.5	73.7	13	54.6	51.9	4	16.8	19.1
Magoffin	13	97.1	111.3	21	156.8	152.3	2	14.9	17.5	2	14.9	19.0
Martin	2	16.2	23.4	6	48.7	52.7	3	24.4	24.4	2	16.2	23.4
Pike	52	77.6	75.2	46	68.6	71.3	35	52.2	53.4	12	17.9	20.9
DISTRICT 12	98	82.2	82.2	112	94.0	94.4	36	30.2	30.6	18	15.1	16.5
Breathitt	17	107.0	113.4	20	125.8	126.6	5	31.5	33.1	1	6.3	8.1
Knott	8	45.7	45.4	14	79.9	84.4	3	17.1	19.4	2	11.4	12.0
Lee	4	51.3	44.1	5	64.2	58.9	2	25.7	21.0	1	12.8	12.5
Leslie	14	116.9	114.2	15	125.2	125.3	6	50.1	51.9	3	25.0	29.8
Letcher	19	77.1	78.0	25	101.4	103.1	11	44.6	41.5	5	20.3	22.6
Owsley	6	125.8	105.1	5	104.8	102.2	0	0.0	0.0	0	0.0	0.0
Perry	16	54.0	56.9	24	81.0	83.0	8	27.0	30.1	3	10.1	11.7
Wolfe	14	200.3	200.8	4	57.2	59.7	1	14.3	17.0	3	42.9	37.5
DISTRICT 13	171	70.9	70.3	205	85.0	85.7	81	33.6	33.3	51	21.2	22.3
Bell	15	50.5	45.8	37	124.5	122.8	10	33.7	29.9	6	20.2	18.7
Clay	13	53.7	60.3	29	119.7	123.5	3	12.4	15.5	4	16.5	22.1
Harlan	40	126.0	115.8	19	59.8	61.8	26	81.9	74.9	7	22.0	20.7
Jackson	11	80.9	92.5	10	73.6	70.1	1	7.4	8.7	4	29.4	34.6
Knox	15	47.0	44.5	30	94.0	95.2	14	43.9	43.7	5	15.7	14.3
Laurel	37	66.4	73.3	39	70.0	72.6	11	19.7	20.7	10	17.9	22.9
Rockcastle	13	77.8	71.2	13	77.8	78.2	3	18.0	17.4	1	6.0	6.3
Whitley	27	72.0	66.1	28	74.7	76.6	13	34.7	33.5	14	37.3	36.6

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Chronic Lower Respiratory Diseases			Unintentional Injuries			Diabetes Mellitus			Alzheimer's Disease		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	2,272	54.9	54.4	2,199	53.1	53.0	1,207	29.2	28.6	986	23.8	24.2
DISTRICT 14	121	61.0	50.9	141	71.1	70.4	68	34.3	29.3	48	24.2	21.2
Adair	7	40.0	34.3	11	62.8	59.7	4	22.8	19.1	2	11.4	9.9
Casey	15	93.3	79.1	8	49.8	50.4	3	18.7	13.8	4	24.9	21.2
Clinton	5	52.4	43.4	14	146.6	148.5	4	41.9	33.5	1	10.5	9.3
Cumberland	4	55.7	38.7	3	41.8	35.7	1	13.9	9.3	1	13.9	9.3
Green	6	51.6	40.1	4	34.4	29.9	3	25.8	20.7	2	17.2	12.1
McCreary	6	35.1	40.2	17	99.5	99.1	5	29.3	39.2	2	11.7	16.6
Pulaski	40	68.1	56.1	46	78.4	75.3	22	37.5	31.0	15	25.6	21.8
Russell	6	35.7	25.9	4	23.8	24.4	7	41.6	32.8	6	35.7	29.0
Taylor	9	38.4	31.0	14	59.8	58.4	11	47.0	42.8	8	34.2	28.8
Wayne	23	113.1	103.8	20	98.3	103.8	8	39.3	35.9	7	34.4	35.1
DISTRICT 15	321	45.0	49.5	336	47.1	47.1	151	21.2	22.8	195	27.3	31.5
Anderson	10	49.8	55.6	8	39.8	43.0	1	5.0	6.1	6	29.9	33.2
Bourbon	15	76.3	68.8	12	61.0	61.2	5	25.4	23.6	5	25.4	22.8
Boyle	11	39.0	34.4	12	42.5	40.9	4	14.2	12.2	18	63.8	54.1
Clark	16	46.5	46.4	22	64.0	65.3	6	17.4	16.5	13	37.8	41.6
Estill	8	52.8	49.8	7	46.2	49.9	4	26.4	25.2	4	26.4	27.1
Fayette	91	34.2	39.7	109	40.9	40.9	65	24.4	28.0	58	21.8	26.4
Franklin	31	64.4	65.2	19	39.5	41.1	7	14.5	14.1	21	43.6	47.1
Garrard	7	43.3	43.5	10	61.9	61.0	1	6.2	6.5	2	12.4	12.4
Harrison	9	49.2	47.8	9	49.2	47.3	6	32.8	28.8	1	5.5	4.3
Jessamine	19	45.0	54.6	21	49.7	50.0	8	18.9	21.0	14	33.1	44.4
Lincoln	25	100.9	99.9	13	52.5	51.2	5	20.2	20.1	5	20.2	21.1
Madison	31	40.8	51.1	38	50.0	53.0	11	14.5	18.1	14	18.4	24.7
Mercer	11	51.2	45.0	14	65.2	63.0	7	32.6	29.0	8	37.2	32.7
Nicholas	6	85.3	69.3	5	71.0	65.1	6	85.3	68.3	5	71.0	57.3
Powell	13	95.8	93.4	12	88.5	89.5	5	36.9	41.0	9	66.4	80.1
Scott	12	31.6	47.8	9	23.7	25.5	7	18.4	26.9	6	15.8	24.0
Woodford	6	25.1	29.4	16	67.0	70.3	3	12.6	15.6	6	25.1	31.7

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Influenza and Pneumonia			Nephritis, Nephrotic Syndrome & Nephrosis			Septicemia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	970	23.4	23.5	837	20.2	20.1	577	13.9	13.7	553	13.4	13.1
DISTRICT 01	38	19.7	14.1	49	25.3	19.1	18	9.3	7.2	34	17.6	16.8
Ballard	1	12.2	9.1	5	60.9	50.6	1	12.2	9.3	1	12.2	13.9
Calloway	9	25.9	19.0	5	14.4	12.4	2	5.8	4.4	0	0.0	0.0
Carlisle	1	18.7	11.6	1	18.7	11.6	2	37.5	23.9	1	18.7	14.4
Fulton	2	27.3	17.0	3	40.9	30.9	0	0.0	0.0	4	54.6	45.6
Graves	5	13.4	9.8	10	26.8	19.9	3	8.0	5.6	9	24.1	25.5
Hickman	1	19.6	9.1	1	19.6	9.1	0	0.0	0.0	1	19.6	19.6
McCracken	16	24.8	18.3	17	26.4	19.8	7	10.9	9.4	13	20.2	19.0
Marshall	3	9.8	6.8	7	22.8	15.9	3	9.8	6.5	5	16.3	15.3
DISTRICT 02	96	45.0	40.5	37	17.4	15.7	36	16.9	15.0	21	9.8	10.0
Caldwell	1	7.8	5.2	1	7.8	5.8	3	23.4	16.6	0	0.0	0.0
Christian	39	55.7	66.8	5	7.1	8.4	11	15.7	18.2	6	8.6	10.1
Crittenden	4	44.4	31.4	1	11.1	10.4	4	44.4	31.4	4	44.4	47.4
Hopkins	19	40.6	32.3	8	17.1	14.3	5	10.7	8.5	6	12.8	11.9
Livingston	4	41.2	34.5	5	51.5	44.0	4	41.2	34.5	1	10.3	10.9
Lyon	2	24.6	17.5	2	24.6	17.5	1	12.3	9.4	1	12.3	12.2
Muhlenberg	14	44.2	34.8	11	34.8	28.7	4	12.6	10.3	1	3.2	2.3
Todd	7	59.0	57.5	2	16.8	15.3	2	16.8	16.5	1	8.4	6.6
Trigg	6	45.3	43.1	2	15.1	11.1	2	15.1	10.4	1	7.5	8.7
DISTRICT 03	45	21.5	19.3	48	22.9	21.0	16	7.6	6.7	29	13.8	13.9
Daviess	23	24.9	22.1	25	27.0	24.2	7	7.6	6.5	17	18.4	18.9
Hancock	2	23.7	30.7	2	23.7	29.3	1	11.8	8.2	3	35.5	35.9
Henderson	11	24.3	23.3	5	11.0	10.4	3	6.6	6.5	5	11.0	10.1
McLean	1	10.1	9.2	3	30.2	25.9	0	0.0	0.0	0	0.0	0.0
Ohio	4	17.0	14.3	3	12.7	10.8	0	0.0	0.0	2	8.5	9.5
Union	3	19.2	18.4	3	19.2	18.9	4	25.6	25.5	0	0.0	0.0
Webster	1	7.1	5.2	7	49.7	45.9	1	7.1	6.2	2	14.2	11.8

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Influenza and Pneumonia			Nephritis, Nephrotic Syndrome & Nephrosis			Septicemia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	970	23.4	23.5	837	20.2	20.1	577	13.9	13.7	553	13.4	13.1
DISTRICT 04	76	28.8	28.2	59	22.3	21.7	44	16.7	16.3	27	10.2	10.2
Allen	4	21.6	21.5	9	48.6	47.8	1	5.4	4.9	3	16.2	16.3
Barren	15	37.9	31.8	7	17.7	13.6	10	25.3	20.9	3	7.6	8.2
Butler	2	14.9	16.1	1	7.5	7.4	7	52.3	52.0	1	7.5	7.1
Edmonson	0	0.0	0.0	3	25.3	24.1	3	25.3	24.7	3	25.3	21.9
Hart	10	55.3	55.0	4	22.1	20.5	2	11.1	11.1	3	16.6	17.5
Logan	11	40.7	33.6	9	33.3	30.2	3	11.1	10.0	5	18.5	18.2
Metcalfe	7	69.1	62.0	4	39.5	34.6	7	69.1	58.8	2	19.7	19.9
Monroe	7	60.2	48.1	5	43.0	34.8	2	17.2	13.4	3	25.8	24.5
Simpson	2	11.9	10.7	3	17.8	15.6	3	17.8	15.7	0	0.0	0.0
Warren	18	18.5	21.5	14	14.4	16.1	6	6.2	7.1	4	4.1	4.4
DISTRICT 05	62	24.6	28.0	40	15.9	18.1	23	9.1	9.9	42	16.7	16.3
Breckinridge	7	36.7	36.4	7	36.7	36.8	1	5.2	6.0	3	15.7	14.1
Grayson	13	52.0	49.9	2	8.0	7.7	3	12.0	10.2	2	8.0	8.5
Hardin	22	23.0	28.7	10	10.5	12.9	6	6.3	8.3	11	11.5	11.1
Larue	1	7.4	6.9	3	22.2	20.2	2	14.8	11.5	1	7.4	8.2
Marion	4	21.4	20.0	5	26.8	26.4	3	16.1	16.1	4	21.4	21.0
Meade	6	21.3	36.7	2	7.1	13.8	2	7.1	9.6	10	35.5	37.8
Nelson	6	14.9	18.5	8	19.8	24.3	5	12.4	13.5	9	22.3	21.9
Washington	3	26.7	22.7	3	26.7	22.3	1	8.9	7.4	2	17.8	19.3
DISTRICT 06	161	18.0	17.8	174	19.4	19.3	134	15.0	14.8	114	12.7	12.5
Bullitt	6	8.7	13.0	7	10.1	15.6	3	4.3	5.8	4	5.8	5.5
Henry	3	19.0	17.8	4	25.4	27.9	3	19.0	15.8	2	12.7	14.6
Jefferson	131	18.8	17.2	154	22.1	20.4	119	17.0	15.8	91	13.0	12.9
Oldham	5	9.6	12.7	4	7.7	9.9	6	11.5	20.5	5	9.6	8.4
Shelby	10	27.0	33.0	2	5.4	5.7	2	5.4	5.9	4	10.8	11.3
Spencer	4	27.0	39.2	1	6.7	9.1	1	6.7	10.8	3	20.2	18.2
Trimble	2	22.2	23.6	2	22.2	22.7	0	0.0	0.0	5	55.5	58.2

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Influenza and Pneumonia			Nephritis, Nephrotic Syndrome & Nephrosis			Septicemia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	970	23.4	23.5	837	20.2	20.1	577	13.9	13.7	553	13.4	13.1
DISTRICT 07	84	20.5	24.2	60	14.6	17.3	30	7.3	8.2	65	15.8	15.6
Boone	12	11.8	17.6	5	4.9	8.1	5	4.9	6.8	10	9.9	9.5
Campbell	17	19.5	19.0	19	21.8	21.1	8	9.2	9.0	16	18.4	18.3
Carroll	2	19.4	19.9	1	9.7	9.9	2	19.4	19.5	5	48.5	50.1
Gallatin	4	50.1	57.5	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Grant	3	12.3	14.1	3	12.3	17.3	1	4.1	5.2	3	12.3	12.1
Kenton	38	24.9	28.4	27	17.7	19.9	13	8.5	9.3	26	17.0	16.8
Owen	5	44.3	43.4	4	35.4	33.8	1	8.9	8.7	1	8.9	8.2
Pendleton	3	19.9	27.0	1	6.6	9.0	0	0.0	0.0	4	26.5	25.3
DISTRICT 08	11	19.6	17.7	23	40.9	36.7	8	14.2	12.9	7	12.4	12.5
Bracken	0	0.0	0.0	6	69.0	65.2	1	11.5	10.3	2	23.0	24.2
Fleming	1	6.9	7.2	7	48.4	47.1	4	27.7	26.0	2	13.8	12.6
Lewis	6	43.3	42.4	6	43.3	42.4	1	7.2	8.2	1	7.2	7.8
Mason	4	23.6	18.3	3	17.7	15.3	2	11.8	9.8	2	11.8	11.0
Robertson	0	0.0	0.0	1	43.6	33.9	0	0.0	0.0	0	0.0	0.0
DISTRICT 09	24	30.6	30.4	25	31.9	31.2	11	14.0	13.5	10	12.8	13.1
Bath	6	52.2	45.0	5	43.5	37.0	1	8.7	7.6	3	26.1	26.5
Menifee	1	14.8	10.5	2	29.6	33.2	0	0.0	0.0	1	14.8	17.7
Montgomery	6	25.3	24.0	6	25.3	25.3	5	21.1	18.8	3	12.7	12.8
Morgan	3	20.9	19.6	8	55.8	57.2	1	7.0	6.4	0	0.0	0.0
Rowan	8	36.2	42.7	4	18.1	20.7	4	18.1	20.2	3	13.6	12.5
DISTRICT 10	39	28.5	25.6	38	27.8	24.9	28	20.5	17.9	18	13.2	12.9
Boyd	12	24.2	20.2	15	30.3	25.3	12	24.2	20.1	4	8.1	7.0
Carter	7	25.8	23.8	9	33.2	33.6	5	18.4	17.9	4	14.7	16.1
Elliott	0	0.0	0.0	2	29.2	32.5	5	73.0	63.9	1	14.6	18.7
Greenup	11	29.6	26.3	9	24.3	21.4	4	10.8	9.0	7	18.9	17.3
Lawrence	9	56.2	59.3	3	18.7	19.8	2	12.5	10.5	2	12.5	12.7

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Influenza and Pneumonia			Nephritis, Nephrotic Syndrome & Nephrosis			Septicemia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	970	23.4	23.5	837	20.2	20.1	577	13.9	13.7	553	13.4	13.1
DISTRICT 11	34	21.4	24.0	32	20.2	20.8	25	15.7	17.3	27	17.0	16.2
Floyd	10	23.7	25.8	11	26.1	27.5	8	18.9	20.8	9	21.3	20.0
Johnson	12	50.4	54.9	3	12.6	11.6	2	8.4	7.9	2	8.4	8.2
Magoffin	4	29.9	33.5	4	29.9	30.5	2	14.9	17.9	3	22.4	22.2
Martin	2	16.2	23.4	1	8.1	12.6	2	16.2	19.8	1	8.1	6.9
Pike	6	9.0	9.2	13	19.4	19.2	11	16.4	17.9	12	17.9	17.3
DISTRICT 12	27	22.7	24.0	20	16.8	18.3	32	26.8	26.7	12	10.1	10.4
Breathitt	3	18.9	22.2	3	18.9	20.5	5	31.5	36.0	1	6.3	6.4
Knott	1	5.7	6.6	2	11.4	12.0	3	17.1	17.6	3	17.1	18.5
Lee	4	51.3	46.2	2	25.7	21.2	2	25.7	23.1	0	0.0	0.0
Leslie	4	33.4	39.9	1	8.3	10.1	5	41.7	43.9	1	8.3	8.7
Letcher	6	24.3	26.0	5	20.3	23.1	3	12.2	11.4	1	4.1	4.5
Owsley	1	21.0	14.1	0	0.0	0.0	3	62.9	44.1	0	0.0	0.0
Perry	7	23.6	25.1	7	23.6	29.0	9	30.4	32.5	4	13.5	13.5
Wolfe	1	14.3	17.0	0	0.0	0.0	2	28.6	24.0	2	28.6	30.0
DISTRICT 13	52	21.6	21.8	41	17.0	17.0	51	21.2	21.1	33	13.7	13.6
Bell	6	20.2	18.9	4	13.5	12.6	5	16.8	14.1	2	6.7	7.2
Clay	7	28.9	32.4	3	12.4	15.2	7	28.9	33.0	4	16.5	15.6
Harlan	9	28.3	25.5	4	12.6	11.8	2	6.3	5.9	5	15.7	15.6
Jackson	2	14.7	18.0	3	22.1	24.7	1	7.4	8.7	4	29.4	27.2
Knox	4	12.5	11.6	8	25.1	23.8	7	21.9	23.1	1	3.1	3.2
Laurel	12	21.5	25.1	11	19.7	21.3	18	32.3	36.6	8	14.4	15.5
Rockcastle	6	35.9	33.1	3	18.0	17.2	4	23.9	22.2	1	6.0	5.7
Whitley	6	16.0	15.6	5	13.3	12.5	7	18.7	18.4	8	21.3	20.9

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Influenza and Pneumonia			Nephritis, Nephrotic Syndrome & Nephrosis			Septicemia			Intentional Self-Harm (Suicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	970	23.4	23.5	837	20.2	20.1	577	13.9	13.7	553	13.4	13.1
DISTRICT 14	65	32.8	28.3	58	29.2	25.1	38	19.2	16.5	24	12.1	11.2
Adair	5	28.6	24.0	3	17.1	14.1	6	34.3	30.2	1	5.7	5.2
Casey	5	31.1	25.9	5	31.1	26.6	7	43.6	36.4	5	31.1	30.4
Clinton	6	62.8	49.9	3	31.4	28.7	2	20.9	18.4	2	20.9	18.0
Cumberland	5	69.7	47.6	4	55.7	37.8	2	27.9	19.1	0	0.0	0.0
Green	7	60.1	42.0	2	17.2	12.1	1	8.6	5.5	4	34.4	30.9
McCreary	6	35.1	45.0	6	35.1	41.8	2	11.7	11.8	2	11.7	12.8
Pulaski	15	25.6	21.8	18	30.7	25.5	11	18.7	15.4	5	8.5	7.0
Russell	6	35.7	30.8	2	11.9	9.9	2	11.9	9.0	1	5.9	4.4
Taylor	6	25.6	22.6	8	34.2	27.9	2	8.5	6.9	3	12.8	11.4
Wayne	4	19.7	18.5	7	34.4	34.4	3	14.7	14.2	1	4.9	4.7
DISTRICT 15	156	21.9	24.7	133	18.6	20.4	83	11.6	12.6	90	12.6	12.2
Anderson	1	5.0	5.2	3	14.9	14.3	4	19.9	22.1	1	5.0	4.6
Bourbon	3	15.3	14.1	2	10.2	9.6	1	5.1	4.5	5	25.4	25.8
Boyle	13	46.1	38.4	7	24.8	21.1	7	24.8	22.3	4	14.2	13.5
Clark	3	8.7	8.5	6	17.4	17.8	6	17.4	17.7	9	26.2	26.1
Estill	6	39.6	40.4	5	33.0	32.5	1	6.6	5.9	4	26.4	23.6
Fayette	44	16.5	19.6	43	16.1	18.7	24	9.0	10.5	31	11.6	11.4
Franklin	12	24.9	26.4	7	14.5	14.1	4	8.3	8.2	4	8.3	7.2
Garrard	8	49.5	51.5	2	12.4	13.0	1	6.2	5.9	0	0.0	0.0
Harrison	4	21.9	19.3	7	38.3	35.1	2	10.9	10.1	3	16.4	15.9
Jessamine	12	28.4	37.4	10	23.7	29.5	3	7.1	8.7	4	9.5	9.1
Lincoln	12	48.4	50.3	10	40.4	41.1	7	28.3	28.4	3	12.1	13.0
Madison	12	15.8	19.7	14	18.4	24.1	10	13.2	16.3	10	13.2	12.5
Mercer	9	41.9	37.1	6	27.9	24.7	6	27.9	23.4	3	14.0	14.0
Nicholas	2	28.4	22.6	1	14.2	10.3	1	14.2	12.2	0	0.0	0.0
Powell	3	22.1	22.7	3	22.1	22.0	1	7.4	7.2	1	7.4	8.1
Scott	9	23.7	34.4	2	5.3	6.9	1	2.6	4.2	5	13.2	12.7
Woodford	3	12.6	16.6	5	20.9	27.3	4	16.7	18.3	3	12.6	12.5

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Chronic Liver Disease and Cirrhosis			Essential (Primary) Hypertension & Renal Disease			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Assault (Homicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	350	8.5	8.0	310	7.5	7.5	307	7.4	7.5	256	6.2	6.3	224	5.4	5.4
DISTRICT 01	18	9.3	7.8	20	10.3	7.7	7	3.6	2.5	10	5.2	3.9	10	5.2	5.5
Ballard	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	12.2	15.2
Calloway	3	8.6	8.7	1	2.9	2.0	1	2.9	2.0	2	5.8	4.6	2	5.8	5.7
Carlisle	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Fulton	1	13.6	16.4	0	0.0	0.0	3	40.9	26.1	0	0.0	0.0	0	0.0	0.0
Graves	3	8.0	6.7	6	16.1	12.9	0	0.0	0.0	2	5.4	3.9	2	5.4	6.0
Hickman	1	19.6	19.6	1	19.6	9.1	0	0.0	0.0	1	19.6	9.1	0	0.0	0.0
McCracken	7	10.9	8.2	10	15.5	11.3	1	1.6	1.0	4	6.2	4.7	3	4.7	5.4
Marshall	3	9.8	7.0	2	6.5	4.4	2	6.5	4.6	1	3.3	2.2	2	6.5	5.9
DISTRICT 02	16	7.5	7.0	13	6.1	5.5	14	6.6	5.8	17	8.0	6.9	7	3.3	3.3
Caldwell	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	15.6	10.4	0	0.0	0.0
Christian	8	11.4	14.3	5	7.1	8.8	2	2.9	3.4	5	7.1	7.8	3	4.3	4.2
Crittenden	0	0.0	0.0	0	0.0	0.0	3	33.3	23.9	0	0.0	0.0	0	0.0	0.0
Hopkins	2	4.3	3.8	3	6.4	5.3	6	12.8	10.3	4	8.6	6.7	1	2.1	2.4
Livingston	1	10.3	8.1	1	10.3	8.5	0	0.0	0.0	2	20.6	17.4	1	10.3	8.1
Lyon	1	12.3	8.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Muhlenberg	3	9.5	8.0	2	6.3	5.3	3	9.5	6.8	2	6.3	5.0	2	6.3	6.3
Todd	0	0.0	0.0	1	8.4	6.6	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Trigg	1	7.5	6.0	1	7.5	6.0	0	0.0	0.0	2	15.1	12.9	0	0.0	0.0
DISTRICT 03	14	6.7	6.1	17	8.1	7.3	7	3.3	3.0	16	7.6	6.9	3	1.4	1.5
Daviess	8	8.6	8.0	9	9.7	8.4	3	3.2	2.8	9	9.7	8.5	1	1.1	1.2
Hancock	0	0.0	0.0	1	11.8	13.9	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Henderson	2	4.4	4.3	4	8.8	8.5	0	0.0	0.0	0	0.0	0.0	2	4.4	4.8
McLean	0	0.0	0.0	1	10.1	8.7	1	10.1	8.7	0	0.0	0.0	0	0.0	0.0
Ohio	0	0.0	0.0	0	0.0	0.0	2	8.5	7.8	5	21.2	18.0	0	0.0	0.0
Union	3	19.2	19.2	2	12.8	12.8	0	0.0	0.0	2	12.8	13.1	0	0.0	0.0
Webster	1	7.1	5.7	0	0.0	0.0	1	7.1	5.2	0	0.0	0.0	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Chronic Liver Disease and Cirrhosis			Essential (Primary) Hypertension & Renal Disease			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Assault (Homicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	350	8.5	8.0	310	7.5	7.5	307	7.4	7.5	256	6.2	6.3	224	5.4	5.4
DISTRICT 04	27	10.2	9.4	6	2.3	2.2	8	3.0	2.9	14	5.3	5.1	8	3.0	3.0
Allen	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	5.4	4.4	1	5.4	4.4
Barren	3	7.6	6.4	1	2.5	1.9	0	0.0	0.0	2	5.1	3.8	1	2.5	2.9
Butler	2	14.9	14.3	2	14.9	14.9	1	7.5	7.8	0	0.0	0.0	0	0.0	0.0
Edmonson	3	25.3	20.0	0	0.0	0.0	2	16.8	14.6	0	0.0	0.0	0	0.0	0.0
Hart	0	0.0	0.0	1	5.5	5.4	0	0.0	0.0	4	22.1	21.6	2	11.1	9.7
Logan	3	11.1	9.0	1	3.7	3.0	1	3.7	3.4	1	3.7	3.4	1	3.7	3.9
Metcalfe	2	19.7	16.6	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Monroe	2	17.2	14.2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Simpson	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Warren	12	12.4	12.6	1	1.0	1.2	4	4.1	4.9	6	6.2	7.4	3	3.1	3.2
DISTRICT 05	19	7.5	7.2	22	8.7	9.8	13	5.2	6.0	24	9.5	11.1	13	5.2	5.1
Breckinridge	2	10.5	7.7	0	0.0	0.0	0	0.0	0.0	7	36.7	36.5	1	5.2	4.8
Grayson	0	0.0	0.0	1	4.0	4.2	3	12.0	12.7	1	4.0	3.9	1	4.0	3.8
Hardin	7	7.3	7.1	11	11.5	13.5	5	5.2	6.9	5	5.2	6.4	4	4.2	4.1
Larue	2	14.8	12.8	3	22.2	17.2	2	14.8	12.2	0	0.0	0.0	1	7.4	6.9
Marion	2	10.7	11.1	2	10.7	10.0	0	0.0	0.0	3	16.1	15.5	0	0.0	0.0
Meade	2	7.1	8.1	2	7.1	9.6	1	3.5	6.2	1	3.5	6.2	2	7.1	7.0
Nelson	3	7.4	7.0	3	7.4	9.2	1	2.5	3.2	6	14.9	18.8	3	7.4	7.2
Washington	1	8.9	7.9	0	0.0	0.0	1	8.9	7.7	1	8.9	7.7	1	8.9	7.9
DISTRICT 06	71	7.9	7.4	85	9.5	9.5	73	8.1	8.2	57	6.4	6.4	72	8.0	8.2
Bullitt	2	2.9	2.5	10	14.4	23.4	1	1.4	3.5	1	1.4	3.5	2	2.9	2.6
Henry	2	12.7	14.1	0	0.0	0.0	2	12.7	14.1	1	6.3	7.3	2	12.7	14.3
Jefferson	65	9.3	8.5	72	10.3	9.4	63	9.0	8.3	51	7.3	6.7	66	9.5	9.8
Oldham	2	3.8	3.5	1	1.9	4.1	2	3.8	8.1	1	1.9	4.1	1	1.9	1.8
Shelby	0	0.0	0.0	1	2.7	3.3	3	8.1	9.1	2	5.4	6.7	1	2.7	2.5
Spencer	0	0.0	0.0	1	6.7	10.8	1	6.7	10.8	0	0.0	0.0	0	0.0	0.0
Trimble	0	0.0	0.0	0	0.0	0.0	1	11.1	12.1	1	11.1	14.0	0	0.0	0.0

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Chronic Liver Disease and Cirrhosis			Essential (Primary) Hypertension & Renal Disease			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Assault (Homicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	350	8.5	8.0	310	7.5	7.5	307	7.4	7.5	256	6.2	6.3	224	5.4	5.4
DISTRICT 07	28	6.8	7.2	30	7.3	8.5	30	7.3	8.8	25	6.1	7.4	14	3.4	3.3
Boone	4	3.9	4.5	4	3.9	6.1	8	7.9	12.6	7	6.9	11.5	2	2.0	1.8
Campbell	7	8.0	7.9	6	6.9	6.7	7	8.0	7.8	10	11.5	11.1	1	1.1	1.2
Carroll	0	0.0	0.0	1	9.7	9.9	1	9.7	10.0	0	0.0	0.0	1	9.7	9.4
Gallatin	0	0.0	0.0	1	12.5	10.2	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Grant	4	16.4	19.5	2	8.2	9.8	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Kenton	12	7.8	8.0	14	9.2	10.1	13	8.5	9.8	8	5.2	6.0	9	5.9	5.7
Owen	0	0.0	0.0	1	8.9	8.0	0	0.0	0.0	0	0.0	0.0	1	8.9	9.9
Pendleton	1	6.6	9.0	1	6.6	8.2	1	6.6	8.2	0	0.0	0.0	0	0.0	0.0
DISTRICT 08	2	3.6	3.0	4	7.1	6.2	7	12.4	11.3	4	7.1	6.7	1	1.8	1.9
Bracken	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	11.5	11.8	0	0.0	0.0
Fleming	2	13.8	12.0	1	6.9	5.4	7	48.4	47.2	0	0.0	0.0	0	0.0	0.0
Lewis	0	0.0	0.0	1	7.2	8.2	0	0.0	0.0	1	7.2	6.6	1	7.2	7.6
Mason	0	0.0	0.0	2	11.8	9.0	0	0.0	0.0	2	11.8	9.3	0	0.0	0.0
Robertson	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
DISTRICT 09	11	14.0	13.8	10	12.8	13.0	10	12.8	13.3	5	6.4	6.5	4	5.1	5.0
Bath	1	8.7	7.6	1	8.7	8.3	2	17.4	16.8	2	17.4	16.8	0	0.0	0.0
Menifee	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	29.6	31.9
Montgomery	2	8.4	8.1	1	4.2	3.9	1	4.2	4.2	2	8.4	8.2	2	8.4	8.6
Morgan	1	7.0	6.7	1	7.0	5.7	3	20.9	24.4	0	0.0	0.0	0	0.0	0.0
Rowan	7	31.7	34.8	7	31.7	37.7	4	18.1	21.0	1	4.5	5.5	0	0.0	0.0
DISTRICT 10	20	14.6	12.4	12	8.8	8.0	15	11.0	10.1	7	5.1	4.9	13	9.5	9.9
Boyd	12	24.2	19.4	4	8.1	6.8	1	2.0	1.6	5	10.1	9.6	4	8.1	8.9
Carter	4	14.7	14.2	3	11.1	11.6	10	36.8	36.8	0	0.0	0.0	5	18.4	19.4
Elliott	0	0.0	0.0	1	14.6	12.8	1	14.6	11.1	1	14.6	16.2	0	0.0	0.0
Greenup	3	8.1	6.6	2	5.4	5.3	3	8.1	7.9	1	2.7	2.6	2	5.4	5.5
Lawrence	1	6.2	4.9	2	12.5	12.7	0	0.0	0.0	0	0.0	0.0	2	12.5	12.5

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Chronic Liver Disease and Cirrhosis			Essential (Primary) Hypertension & Renal Disease			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Assault (Homicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	350	8.5	8.0	310	7.5	7.5	307	7.4	7.5	256	6.2	6.3	224	5.4	5.4
DISTRICT 11	17	10.7	10.2	15	9.4	9.7	11	6.9	7.6	10	6.3	7.0	11	6.9	7.4
Floyd	5	11.8	10.9	5	11.8	11.7	2	4.7	5.5	3	7.1	8.3	4	9.5	9.6
Johnson	4	16.8	16.9	2	8.4	9.2	3	12.6	12.5	4	16.8	18.3	0	0.0	0.0
Magoffin	1	7.5	6.6	0	0.0	0.0	2	14.9	16.9	0	0.0	0.0	1	7.5	6.9
Martin	2	16.2	13.8	0	0.0	0.0	2	16.2	19.6	0	0.0	0.0	3	24.4	32.4
Pike	5	7.5	7.7	8	11.9	12.0	2	3.0	3.6	3	4.5	4.5	3	4.5	4.8
DISTRICT 12	3	2.5	2.2	6	5.0	4.9	12	10.1	10.5	6	5.0	5.3	7	5.9	6.2
Breathitt	1	6.3	5.6	0	0.0	0.0	1	6.3	5.9	0	0.0	0.0	0	0.0	0.0
Knott	0	0.0	0.0	1	5.7	6.6	5	28.6	28.9	0	0.0	0.0	2	11.4	11.5
Lee	0	0.0	0.0	0	0.0	0.0	2	25.7	25.1	0	0.0	0.0	1	12.8	10.3
Leslie	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
Letcher	1	4.1	3.4	0	0.0	0.0	0	0.0	0.0	5	20.3	19.4	1	4.1	4.8
Owsley	0	0.0	0.0	2	41.9	34.0	1	21.0	17.0	0	0.0	0.0	1	21.0	24.5
Perry	1	3.4	3.4	1	3.4	3.4	3	10.1	11.7	1	3.4	4.0	2	6.8	7.0
Wolfe	0	0.0	0.0	2	28.6	24.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
DISTRICT 13	24	10.0	9.4	15	6.2	6.2	25	10.4	10.6	9	3.7	4.0	18	7.5	7.3
Bell	4	13.5	12.4	2	6.7	6.1	3	10.1	9.4	1	3.4	3.1	2	6.7	6.6
Clay	2	8.3	8.9	2	8.3	10.0	1	4.1	5.2	0	0.0	0.0	1	4.1	3.6
Harlan	5	15.7	13.7	4	12.6	11.7	4	12.6	11.6	1	3.1	3.0	3	9.4	10.5
Jackson	1	7.4	6.2	2	14.7	15.6	2	14.7	16.3	0	0.0	0.0	1	7.4	6.4
Knox	3	9.4	9.3	1	3.1	2.7	3	9.4	8.9	0	0.0	0.0	2	6.3	6.8
Laurel	6	10.8	10.9	1	1.8	2.3	8	14.4	17.8	4	7.2	9.1	7	12.6	11.6
Rockcastle	2	12.0	11.1	0	0.0	0.0	2	12.0	12.6	0	0.0	0.0	0	0.0	0.0
Whitley	1	2.7	2.1	3	8.0	7.1	2	5.3	5.2	3	8.0	7.9	2	5.3	4.8

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	Chronic Liver Disease and Cirrhosis			Essential (Primary) Hypertension & Renal Disease			Pneumonitis Due to Solids & Liquids			Parkinson's Disease			Assault (Homicide)		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	350	8.5	8.0	310	7.5	7.5	307	7.4	7.5	256	6.2	6.3	224	5.4	5.4
DISTRICT 14	28	14.1	12.6	16	8.1	6.9	18	9.1	7.9	10	5.0	4.3	8	4.0	4.0
Adair	3	17.1	16.9	1	5.7	4.7	4	22.8	18.8	2	11.4	9.9	0	0.0	0.0
Casey	4	24.9	21.8	1	6.2	5.3	4	24.9	21.2	0	0.0	0.0	0	0.0	0.0
Clinton	0	0.0	0.0	0	0.0	0.0	1	10.5	9.3	0	0.0	0.0	1	10.5	10.2
Cumberland	0	0.0	0.0	0	0.0	0.0	1	13.9	9.8	0	0.0	0.0	1	13.9	9.8
Green	2	17.2	13.2	0	0.0	0.0	1	8.6	6.6	0	0.0	0.0	0	0.0	0.0
McCreary	1	5.9	5.9	2	11.7	13.4	1	5.9	9.1	1	5.9	5.9	2	11.7	11.8
Pulaski	9	15.3	13.8	4	6.8	5.5	4	6.8	5.8	5	8.5	7.3	0	0.0	0.0
Russell	2	11.9	11.7	3	17.8	14.3	1	5.9	5.0	1	5.9	4.4	1	5.9	6.8
Taylor	5	21.4	16.8	1	4.3	3.7	0	0.0	0.0	0	0.0	0.0	2	8.5	8.9
Wayne	2	9.8	9.7	4	19.7	21.2	1	4.9	4.1	1	4.9	5.0	1	4.9	5.3
DISTRICT 15	52	7.3	7.5	39	5.5	6.1	57	8.0	9.1	42	5.9	6.7	35	4.9	4.7
Anderson	2	10.0	8.9	0	0.0	0.0	2	10.0	11.6	1	5.0	5.2	1	5.0	4.9
Bourbon	0	0.0	0.0	1	5.1	5.1	5	25.4	23.2	1	5.1	5.1	1	5.1	5.7
Boyle	5	17.7	16.7	1	3.5	3.4	8	28.4	24.5	1	3.5	3.3	2	7.1	6.0
Clark	1	2.9	3.0	1	2.9	3.4	4	11.6	11.8	0	0.0	0.0	1	2.9	2.8
Estill	2	13.2	13.6	2	13.2	13.0	1	6.6	5.9	0	0.0	0.0	2	13.2	12.9
Fayette	20	7.5	7.8	14	5.3	6.3	14	5.3	6.2	21	7.9	9.5	20	7.5	7.0
Franklin	2	4.2	3.3	0	0.0	0.0	2	4.2	4.7	3	6.2	6.5	0	0.0	0.0
Garrard	2	12.4	10.9	1	6.2	5.0	0	0.0	0.0	1	6.2	5.9	0	0.0	0.0
Harrison	0	0.0	0.0	1	5.5	5.2	4	21.9	19.4	1	5.5	4.3	0	0.0	0.0
Jessamine	2	4.7	6.0	5	11.8	15.0	2	4.7	6.4	5	11.8	16.0	0	0.0	0.0
Lincoln	1	4.0	3.6	2	8.1	9.0	5	20.2	22.0	0	0.0	0.0	0	0.0	0.0
Madison	5	6.6	8.0	4	5.3	7.1	4	5.3	7.1	1	1.3	1.8	3	3.9	4.2
Mercer	3	14.0	13.0	4	18.6	16.5	0	0.0	0.0	2	9.3	8.1	0	0.0	0.0
Nicholas	1	14.2	12.2	1	14.2	10.3	1	14.2	10.3	0	0.0	0.0	1	14.2	15.6
Powell	1	7.4	7.2	0	0.0	0.0	0	0.0	0.0	1	7.4	9.6	0	0.0	0.0
Scott	3	7.9	7.9	1	2.6	2.2	1	2.6	3.9	2	5.3	8.1	3	7.9	7.3
Woodford	2	8.4	8.6	1	4.2	5.8	4	16.7	23.2	2	8.4	10.8	1	4.2	4.4

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	In Situ Neoplasms, Benign Neoplasms, etc.			Aortic Aneurysm and Dissection			Certain Conditions Orig. In Perinatal Period			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	219	5.3	5.2	217	5.2	5.2	153	3.7	3.8	139	3.4	3.4	4,892	118.2	117.2
DISTRICT 01	12	6.2	4.7	6	3.1	2.4	6	3.1	3.6	4	2.1	2.5	284	146.9	113.8
Ballard	0	0.0	0.0	0	0.0	0.0	2	24.3	29.7	0	0.0	0.0	11	133.9	104.2
Calloway	2	5.8	4.6	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	39	112.1	91.2
Carlisle	0	0.0	0.0	1	18.7	14.5	0	0.0	0.0	0	0.0	0.0	4	75.0	53.4
Fulton	1	13.6	7.7	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	10	136.5	95.6
Graves	2	5.4	3.9	4	10.7	8.3	2	5.4	5.6	1	2.7	2.9	67	179.6	141.9
Hickman	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	19.6	24.7	7	137.2	83.4
McCracken	3	4.7	4.0	0	0.0	0.0	2	3.1	3.4	2	3.1	3.5	96	148.8	114.6
Marshall	4	13.0	9.6	1	3.3	2.2	0	0.0	0.0	0	0.0	0.0	50	162.8	121.5
DISTRICT 02	8	3.8	3.6	11	5.2	4.7	5	2.3	2.2	8	3.8	3.5	304	142.6	129.8
Caldwell	0	0.0	0.0	1	7.8	5.8	0	0.0	0.0	0	0.0	0.0	25	194.8	149.2
Christian	1	1.4	1.9	2	2.9	3.1	2	2.9	1.9	3	4.3	2.8	74	105.7	125.1
Crittenden	1	11.1	8.4	1	11.1	7.0	0	0.0	0.0	0	0.0	0.0	9	99.8	75.6
Hopkins	1	2.1	1.9	5	10.7	9.0	2	4.3	4.7	3	6.4	7.1	88	188.2	157.0
Livingston	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	12	123.5	101.5
Lyon	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	19	233.8	162.8
Muhlenberg	2	6.3	6.4	2	6.3	5.6	0	0.0	0.0	2	6.3	7.2	39	123.3	102.6
Todd	2	16.8	16.4	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	21	176.9	169.4
Trigg	1	7.5	6.0	0	0.0	0.0	1	7.5	9.6	0	0.0	0.0	17	128.3	105.9
DISTRICT 03	20	9.5	8.6	12	5.7	5.3	7	3.3	3.4	14	6.7	6.8	229	109.3	99.3
Daviess	10	10.8	9.3	4	4.3	3.8	4	4.3	4.2	5	5.4	5.4	104	112.4	99.0
Hancock	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	23.7	23.2	5	59.2	59.2
Henderson	8	17.6	16.9	5	11.0	10.5	3	6.6	6.8	2	4.4	4.6	44	97.0	93.5
McLean	0	0.0	0.0	2	20.1	17.8	0	0.0	0.0	2	20.1	20.1	12	120.8	106.8
Ohio	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	2	8.5	8.4	25	106.1	93.1
Union	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	20	127.9	124.2
Webster	2	14.2	12.3	1	7.1	6.2	0	0.0	0.0	1	7.1	7.3	19	134.9	110.1

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	In Situ Neoplasms, Benign Neoplasms, etc.			Aortic Aneurysm and Dissection			Certain Conditions Orig. In Perinatal Period			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	219	5.3	5.2	217	5.2	5.2	153	3.7	3.8	139	3.4	3.4	4,892	118.2	117.2
DISTRICT 04	18	6.8	6.3	17	6.4	6.3	6	2.3	2.4	8	3.0	3.2	329	124.6	122.8
Allen	2	10.8	9.4	1	5.4	5.2	0	0.0	0.0	0	0.0	0.0	32	172.6	166.5
Barren	0	0.0	0.0	2	5.1	4.1	0	0.0	0.0	1	2.5	2.9	47	118.9	100.5
Butler	3	22.4	22.3	0	0.0	0.0	0	0.0	0.0	3	22.4	24.0	15	112.1	113.0
Edmonson	0	0.0	0.0	0	0.0	0.0	1	8.4	10.4	0	0.0	0.0	14	117.9	116.4
Hart	2	11.1	10.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	15	82.9	80.3
Logan	2	7.4	6.4	1	3.7	3.0	0	0.0	0.0	2	7.4	8.0	31	114.7	104.4
Metcalfe	2	19.7	16.3	2	19.7	16.3	1	9.9	10.7	1	9.9	10.7	14	138.1	123.5
Monroe	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	18	154.9	135.3
Simpson	0	0.0	0.0	1	5.9	5.9	1	5.9	6.1	0	0.0	0.0	25	148.6	136.3
Warren	7	7.2	7.5	10	10.3	12.1	3	3.1	3.2	1	1.0	1.1	118	121.6	138.2
DISTRICT 05	15	6.0	6.7	19	7.5	8.1	13	5.2	5.1	4	1.6	1.6	242	96.1	104.9
Breckinridge	2	10.5	10.7	2	10.5	8.6	1	5.2	6.0	0	0.0	0.0	31	162.3	157.9
Grayson	1	4.0	3.9	0	0.0	0.0	1	4.0	4.3	1	4.0	4.3	28	112.0	106.5
Hardin	4	4.2	5.2	7	7.3	9.2	8	8.4	7.6	1	1.0	0.9	71	74.2	88.3
Larue	1	7.4	5.7	2	14.8	11.9	0	0.0	0.0	0	0.0	0.0	16	118.5	99.8
Marion	3	16.1	16.2	3	16.1	16.2	0	0.0	0.0	1	5.4	4.5	20	107.1	100.3
Meade	1	3.5	3.5	3	10.6	14.2	1	3.5	3.9	0	0.0	0.0	23	81.5	117.9
Nelson	3	7.4	9.2	2	5.0	5.0	2	5.0	4.9	1	2.5	2.3	33	81.7	95.5
Washington	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	20	177.7	154.5
DISTRICT 06	31	3.5	3.4	51	5.7	5.6	42	4.7	4.7	23	2.6	2.5	1,049	117.1	115.2
Bullitt	0	0.0	0.0	4	5.8	6.9	3	4.3	4.9	2	2.9	3.0	49	70.8	102.8
Henry	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	6.3	6.5	15	95.1	97.5
Jefferson	29	4.2	3.8	40	5.7	5.3	33	4.7	4.7	15	2.1	2.1	912	130.6	120.7
Oldham	1	1.9	1.5	4	7.7	13.4	0	0.0	0.0	2	3.8	4.7	25	48.1	76.3
Shelby	0	0.0	0.0	2	5.4	5.6	4	10.8	10.3	3	8.1	7.8	26	70.1	78.1
Spencer	1	6.7	9.1	0	0.0	0.0	1	6.7	7.0	0	0.0	0.0	12	80.9	110.0
Trimble	0	0.0	0.0	1	11.1	9.0	1	11.1	12.6	0	0.0	0.0	10	111.0	130.1

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	In Situ Neoplasms, Benign Neoplasms, etc.			Aortic Aneurysm and Dissection			Certain Conditions Orig. In Perinatal Period			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	219	5.3	5.2	217	5.2	5.2	153	3.7	3.8	139	3.4	3.4	4,892	118.2	117.2
DISTRICT 07	19	4.6	5.3	29	7.1	7.9	19	4.6	4.3	19	4.6	4.5	447	108.9	122.2
Boone	1	1.0	1.6	7	6.9	7.8	7	6.9	6.2	4	3.9	3.6	71	70.0	103.6
Campbell	5	5.7	5.6	8	9.2	8.6	4	4.6	4.7	6	6.9	6.8	107	122.8	118.9
Carroll	1	9.7	9.9	2	19.4	19.9	0	0.0	0.0	0	0.0	0.0	18	174.5	172.1
Gallatin	0	0.0	0.0	1	12.5	14.5	0	0.0	0.0	1	12.5	12.7	7	87.6	88.7
Grant	1	4.1	6.0	3	12.3	14.7	0	0.0	0.0	0	0.0	0.0	18	73.9	83.7
Kenton	9	5.9	6.7	5	3.3	3.8	8	5.2	4.8	6	3.9	3.8	202	132.1	143.2
Owen	1	8.9	9.1	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	10	88.6	81.6
Pendleton	1	6.6	5.6	3	19.9	24.1	0	0.0	0.0	2	13.3	13.1	14	92.9	106.0
DISTRICT 08	4	7.1	6.5	3	5.3	5.3	1	1.8	2.0	0	0.0	0.0	70	124.5	115.3
Bracken	0	0.0	0.0	1	11.5	10.9	0	0.0	0.0	0	0.0	0.0	7	80.5	82.8
Fleming	0	0.0	0.0	0	0.0	0.0	1	6.9	7.3	0	0.0	0.0	20	138.3	130.3
Lewis	2	14.4	14.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	14	101.0	102.3
Mason	2	11.8	9.3	2	11.8	11.3	0	0.0	0.0	0	0.0	0.0	25	147.7	126.2
Robertson	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	4	174.2	132.0
DISTRICT 09	1	1.3	1.4	3	3.8	3.8	2	2.6	2.8	1	1.3	1.4	74	94.4	93.2
Bath	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	11	95.7	79.0
Menifee	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	5	73.9	66.8
Montgomery	1	4.2	4.2	2	8.4	8.2	1	4.2	4.0	1	4.2	4.0	22	92.9	89.4
Morgan	0	0.0	0.0	1	7.0	6.4	1	7.0	8.9	0	0.0	0.0	10	69.8	66.2
Rowan	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	26	117.7	136.7
DISTRICT 10	11	8.1	6.9	8	5.9	5.1	8	5.9	6.8	7	5.1	5.4	157	114.9	103.2
Boyd	3	6.1	4.6	5	10.1	8.4	3	6.1	7.2	2	4.0	4.1	64	129.2	111.5
Carter	6	22.1	22.3	0	0.0	0.0	3	11.1	11.9	2	7.4	7.6	34	125.2	122.5
Elliott	1	14.6	12.8	0	0.0	0.0	1	14.6	16.5	0	0.0	0.0	9	131.4	116.0
Greenup	1	2.7	1.9	3	8.1	6.6	1	2.7	3.3	2	5.4	5.7	31	83.6	75.2
Lawrence	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	1	6.2	7.2	19	118.7	113.8

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	In Situ Neoplasms, Benign Neoplasms, etc.			Aortic Aneurysm and Dissection			Certain Conditions Orig. In Perinatal Period			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	219	5.3	5.2	217	5.2	5.2	153	3.7	3.8	139	3.4	3.4	4,892	118.2	117.2
DISTRICT 11	8	5.0	5.6	9	5.7	6.1	2	1.3	1.4	5	3.1	3.4	204	128.5	133.5
Floyd	3	7.1	8.0	4	9.5	10.4	0	0.0	0.0	0	0.0	0.0	77	182.4	187.1
Johnson	0	0.0	0.0	1	4.2	4.8	0	0.0	0.0	0	0.0	0.0	33	138.7	141.2
Magoffin	0	0.0	0.0	1	7.5	7.7	0	0.0	0.0	0	0.0	0.0	16	119.5	134.8
Martin	1	8.1	6.9	1	8.1	7.9	1	8.1	8.1	1	8.1	8.1	14	113.7	141.5
Pike	4	6.0	6.8	2	3.0	2.8	1	1.5	1.8	4	6.0	6.7	64	95.5	95.9
DISTRICT 12	6	5.0	4.9	5	4.2	4.3	5	4.2	4.8	2	1.7	1.7	177	148.5	150.1
Breathitt	1	6.3	5.0	1	6.3	5.0	0	0.0	0.0	0	0.0	0.0	19	119.5	123.5
Knott	1	5.7	6.6	0	0.0	0.0	2	11.4	14.8	0	0.0	0.0	20	114.2	116.5
Lee	0	0.0	0.0	1	12.8	12.5	1	12.8	17.3	1	12.8	10.7	10	128.3	113.8
Leslie	0	0.0	0.0	0	0.0	0.0	1	8.3	9.9	0	0.0	0.0	17	141.9	149.7
Letcher	3	12.2	11.5	2	8.1	7.9	0	0.0	0.0	1	4.1	4.8	47	190.7	188.1
Owsley	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	9	188.6	154.1
Perry	1	3.4	3.4	1	3.4	4.0	1	3.4	3.4	0	0.0	0.0	43	145.2	158.5
Wolfe	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	12	171.7	164.4
DISTRICT 13	14	5.8	5.7	11	4.6	4.6	8	3.3	3.5	10	4.1	4.2	277	114.9	116.1
Bell	2	6.7	6.0	1	3.4	3.2	1	3.4	3.8	0	0.0	0.0	31	104.3	99.1
Clay	1	4.1	5.2	1	4.1	5.5	2	8.3	9.6	1	4.1	3.6	24	99.1	113.2
Harlan	5	15.7	13.0	1	3.1	2.9	0	0.0	0.0	0	0.0	0.0	61	192.1	181.3
Jackson	1	7.4	8.7	1	7.4	7.2	0	0.0	0.0	0	0.0	0.0	9	66.2	77.6
Knox	0	0.0	0.0	2	6.3	6.5	0	0.0	0.0	1	3.1	3.0	44	137.9	132.9
Laurel	1	1.8	2.2	2	3.6	3.9	1	1.8	1.8	3	5.4	5.2	47	84.3	94.3
Rockcastle	2	12.0	10.9	2	12.0	12.2	0	0.0	0.0	0	0.0	0.0	13	77.8	74.1
Whitley	2	5.3	5.2	1	2.7	2.5	4	10.7	11.1	5	13.3	13.4	48	128.0	122.9

*Age-adjusted and crude rates per 100,000 2004 population.

Table 2-O
Leading Causes of Resident Deaths
Number, Crude and Age-Adjusted Rates*: Kentucky, Districts and Counties, 2004

DISTRICTS AND COUNTIES	In Situ Neoplasms, Benign Neoplasms, etc.			Aortic Aneurysm and Dissection			Certain Conditions Orig. In Perinatal Period			Congenital Malformations and Deformations			All Other Causes		
	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate	Number	Crude Rate	Age Adj Rate
KENTUCKY	219	5.3	5.2	217	5.2	5.2	153	3.7	3.8	139	3.4	3.4	4,892	118.2	117.2
DISTRICT 14	13	6.6	5.7	9	4.5	3.9	6	3.0	3.3	6	3.0	3.0	272	137.2	120.3
Adair	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	21	119.9	104.1
Casey	1	6.2	5.3	0	0.0	0.0	2	12.4	13.3	0	0.0	0.0	20	124.5	105.0
Clinton	0	0.0	0.0	1	10.5	7.1	0	0.0	0.0	0	0.0	0.0	11	115.2	98.0
Cumberland	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	10	139.3	114.1
Green	0	0.0	0.0	1	8.6	5.5	1	8.6	10.2	1	8.6	10.2	23	197.6	161.4
McCreary	2	11.7	11.8	0	0.0	0.0	1	5.9	6.0	1	5.9	6.0	20	117.0	138.3
Pulaski	2	3.4	3.4	3	5.1	4.7	1	1.7	1.8	1	1.7	1.8	85	144.8	123.3
Russell	2	11.9	8.3	0	0.0	0.0	0	0.0	0.0	2	11.9	8.6	24	142.7	121.3
Taylor	4	17.1	14.2	2	8.5	6.7	1	4.3	4.8	0	0.0	0.0	32	136.6	114.7
Wayne	2	9.8	8.8	2	9.8	9.4	0	0.0	0.0	1	4.9	5.5	26	127.8	123.3
DISTRICT 15	39	5.5	6.0	24	3.4	3.8	23	3.2	3.3	28	3.9	4.0	777	108.9	118.0
Anderson	1	5.0	6.1	0	0.0	0.0	0	0.0	0.0	1	5.0	6.1	16	79.6	81.2
Bourbon	0	0.0	0.0	1	5.1	4.5	1	5.1	5.7	0	0.0	0.0	22	111.9	103.1
Boyle	4	14.2	11.6	3	10.6	9.4	1	3.5	4.4	0	0.0	0.0	40	141.8	127.8
Clark	0	0.0	0.0	1	2.9	2.8	2	5.8	6.4	3	8.7	8.6	48	139.6	144.8
Estill	0	0.0	0.0	1	6.6	6.6	1	6.6	7.1	0	0.0	0.0	19	125.5	124.1
Fayette	15	5.6	6.6	9	3.4	4.0	12	4.5	4.5	9	3.4	3.2	261	98.0	110.0
Franklin	3	6.2	6.7	0	0.0	0.0	0	0.0	0.0	4	8.3	8.6	60	124.6	128.2
Garrard	0	0.0	0.0	0	0.0	0.0	1	6.2	7.6	0	0.0	0.0	18	111.4	113.5
Harrison	0	0.0	0.0	0	0.0	0.0	1	5.5	5.9	3	16.4	17.2	20	109.4	97.9
Jessamine	2	4.7	6.4	0	0.0	0.0	0	0.0	0.0	3	7.1	7.2	66	156.2	187.9
Lincoln	2	8.1	7.9	2	8.1	7.7	1	4.0	4.1	3	12.1	12.7	22	88.8	91.0
Madison	6	7.9	9.2	3	3.9	5.3	0	0.0	0.0	1	1.3	1.4	75	98.6	122.3
Mercer	3	14.0	12.4	1	4.7	4.1	0	0.0	0.0	1	4.7	5.0	34	158.3	135.4
Nicholas	1	14.2	12.2	1	14.2	11.9	1	14.2	14.4	0	0.0	0.0	11	156.3	133.3
Powell	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	12	88.5	98.2
Scott	1	2.6	4.2	1	2.6	4.2	2	5.3	4.8	0	0.0	0.0	29	76.4	106.5
Woodford	1	4.2	4.9	1	4.2	5.8	0	0.0	0.0	0	0.0	0.0	24	100.4	117.2

*Age-adjusted and crude rates per 100,000 2004 population.