

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts and Counties, 2004**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>868</b>	<b>21.0</b>	<b>439</b>	<b>10.6</b>	<b>3,316</b>	<b>80.1</b>	<b>132</b>	<b>3.2</b>	<b>590</b>	<b>27.9</b>	<b>45</b>	<b>2.1</b>	<b>386</b>	<b>19.0</b>	<b>307</b>	<b>7.4</b>
<b>DISTRICT 01</b>	<b>42</b>	<b>21.7</b>	<b>23</b>	<b>11.9</b>	<b>184</b>	<b>95.2</b>	<b>10</b>	<b>5.2</b>	<b>19</b>	<b>19.0</b>	<b>0</b>	<b>0.0</b>	<b>17</b>	<b>18.2</b>	<b>18</b>	<b>9.3</b>
Ballard	4	48.7	0	0.0	9	109.5	1	12.2	0	0.0	0	0.0	1	24.4	0	0.0
Calloway	5	14.4	3	8.6	32	92.0	1	2.9	3	16.8	0	0.0	2	11.8	4	11.5
Carlisle	2	37.5	0	0.0	9	168.7	0	0.0	0	0.0	0	0.0	1	38.0	0	0.0
Fulton	1	13.6	0	0.0	9	122.8	0	0.0	1	25.6	0	0.0	0	0.0	0	0.0
Graves	8	21.4	3	8.0	27	72.4	4	10.7	3	15.7	0	0.0	5	27.5	1	2.7
Hickman	0	0.0	0	0.0	5	98.0	0	0.0	1	37.9	0	0.0	0	0.0	0	0.0
McCracken	18	27.9	8	12.4	58	89.9	2	3.1	7	20.7	0	0.0	5	16.3	11	17.1
Marshall	4	13.0	9	29.3	35	114.0	2	6.5	4	25.6	0	0.0	3	19.9	2	6.5
<b>DISTRICT 02</b>	<b>58</b>	<b>27.2</b>	<b>26</b>	<b>12.2</b>	<b>170</b>	<b>79.7</b>	<b>2</b>	<b>0.9</b>	<b>27</b>	<b>25.1</b>	<b>3</b>	<b>2.8</b>	<b>25</b>	<b>23.7</b>	<b>12</b>	<b>5.6</b>
Caldwell	5	39.0	2	15.6	9	70.1	1	7.8	5	75.1	1	15.0	0	0.0	0	0.0
Christian	14	20.0	5	7.1	33	47.1	0	0.0	8	23.0	1	2.9	6	17.0	3	4.3
Crittenden	2	22.2	1	11.1	7	77.7	0	0.0	0	0.0	0	0.0	1	23.0	1	11.1
Hopkins	20	42.8	6	12.8	47	100.5	0	0.0	4	16.4	0	0.0	9	40.2	4	8.6
Livingston	3	30.9	0	0.0	17	175.0	1	10.3	1	20.4	0	0.0	0	0.0	0	0.0
Lyon	2	24.6	0	0.0	5	61.5	0	0.0	1	28.8	0	0.0	1	21.5	0	0.0
Muhlenberg	5	15.8	9	28.4	33	104.3	0	0.0	4	25.0	1	6.3	4	25.5	4	12.6
Todd	2	16.8	2	16.8	11	92.7	0	0.0	1	16.5	0	0.0	1	17.2	0	0.0
Trigg	5	37.7	1	7.5	8	60.4	0	0.0	3	44.4	0	0.0	3	46.1	0	0.0
<b>DISTRICT 03</b>	<b>46</b>	<b>22.0</b>	<b>23</b>	<b>11.0</b>	<b>187</b>	<b>89.2</b>	<b>4</b>	<b>1.9</b>	<b>29</b>	<b>27.0</b>	<b>3</b>	<b>2.8</b>	<b>18</b>	<b>17.6</b>	<b>15</b>	<b>7.2</b>
Daviess	20	21.6	9	9.7	84	90.8	3	3.2	15	31.4	0	0.0	6	13.4	9	9.7
Hancock	4	47.3	2	23.7	11	130.1	0	0.0	1	23.4	0	0.0	0	0.0	0	0.0
Henderson	10	22.1	3	6.6	41	90.4	0	0.0	5	21.4	1	4.3	4	18.2	4	8.8
McLean	3	30.2	1	10.1	8	80.5	0	0.0	0	0.0	1	19.7	2	41.1	0	0.0
Ohio	4	17.0	5	21.2	21	89.1	1	4.2	3	25.2	0	0.0	4	34.4	1	4.2
Union	4	25.6	2	12.8	9	57.6	0	0.0	2	25.8	1	12.9	2	25.4	1	6.4
Webster	1	7.1	1	7.1	13	92.3	0	0.0	3	42.0	0	0.0	0	0.0	0	0.0

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population.

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts and Counties, 2004**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>868</b>	<b>21.0</b>	<b>439</b>	<b>10.6</b>	<b>3,316</b>	<b>80.1</b>	<b>132</b>	<b>3.2</b>	<b>590</b>	<b>27.9</b>	<b>45</b>	<b>2.1</b>	<b>386</b>	<b>19.0</b>	<b>307</b>	<b>7.4</b>
<b>DISTRICT 04</b>	<b>48</b>	<b>18.2</b>	<b>24</b>	<b>9.1</b>	<b>219</b>	<b>82.9</b>	<b>11</b>	<b>4.2</b>	<b>47</b>	<b>34.8</b>	<b>2</b>	<b>1.5</b>	<b>28</b>	<b>21.7</b>	<b>18</b>	<b>6.8</b>
Allen	1	5.4	3	16.2	27	145.7	2	10.8	4	42.4	0	0.0	1	11.0	1	5.4
Barren	14	35.4	7	17.7	32	80.9	3	7.6	17	83.0	0	0.0	5	26.2	4	10.1
Butler	4	29.9	2	14.9	16	119.5	0	0.0	3	44.7	0	0.0	2	29.9	1	7.5
Edmonson	1	8.4	0	0.0	13	109.5	1	8.4	0	0.0	0	0.0	3	51.4	2	16.8
Hart	4	22.1	2	11.1	18	99.5	1	5.5	3	32.7	0	0.0	5	56.0	0	0.0
Logan	6	22.2	0	0.0	23	85.1	2	7.4	4	28.6	0	0.0	3	23.0	1	3.7
Metcalfe	3	29.6	3	29.6	14	138.1	0	0.0	1	19.4	0	0.0	1	20.1	2	19.7
Monroe	4	34.4	1	8.6	8	68.8	0	0.0	2	33.6	0	0.0	0	0.0	2	17.2
Simpson	2	11.9	3	17.8	9	53.5	0	0.0	1	11.6	0	0.0	2	24.4	1	5.9
Warren	9	9.3	3	3.1	59	60.8	2	2.1	12	24.3	2	4.0	6	12.6	4	4.1
<b>DISTRICT 05</b>	<b>41</b>	<b>16.3</b>	<b>22</b>	<b>8.7</b>	<b>160</b>	<b>63.6</b>	<b>5</b>	<b>2.0</b>	<b>33</b>	<b>26.0</b>	<b>5</b>	<b>3.9</b>	<b>21</b>	<b>16.8</b>	<b>21</b>	<b>8.3</b>
Breckinridge	6	31.4	1	5.2	17	89.0	1	5.2	6	62.5	0	0.0	2	21.1	0	0.0
Grayson	4	16.0	1	4.0	14	56.0	0	0.0	1	7.9	2	15.9	6	48.4	2	8.0
Hardin	11	11.5	8	8.4	73	76.3	2	2.1	11	22.9	1	2.1	6	12.6	8	8.4
Larue	4	29.6	2	14.8	15	111.1	1	7.4	4	57.8	0	0.0	2	30.4	3	22.2
Marion	3	16.1	0	0.0	9	48.2	1	5.4	1	10.9	0	0.0	1	10.6	2	10.7
Meade	2	7.1	2	7.1	6	21.3	0	0.0	7	49.4	2	14.1	1	7.1	1	3.5
Nelson	7	17.3	5	12.4	20	49.5	0	0.0	2	9.7	0	0.0	0	0.0	2	5.0
Washington	4	35.5	3	26.7	6	53.3	0	0.0	1	17.6	0	0.0	3	53.7	3	26.7
<b>DISTRICT 06</b>	<b>205</b>	<b>22.9</b>	<b>86</b>	<b>9.6</b>	<b>696</b>	<b>77.7</b>	<b>21</b>	<b>2.3</b>	<b>135</b>	<b>29.3</b>	<b>11</b>	<b>2.4</b>	<b>68</b>	<b>15.6</b>	<b>69</b>	<b>7.7</b>
Bullitt	11	15.9	1	1.4	41	59.2	1	1.4	5	14.3	2	5.7	3	8.7	5	7.2
Henry	4	25.4	0	0.0	19	120.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Jefferson	174	24.9	81	11.6	557	79.8	18	2.6	123	33.9	9	2.5	60	17.9	62	8.9
Oldham	7	13.5	3	5.8	25	48.1	0	0.0	2	8.1	0	0.0	1	3.6	1	1.9
Shelby	7	18.9	0	0.0	42	113.3	2	5.4	4	21.2	0	0.0	2	11.0	0	0.0
Spencer	2	13.5	0	0.0	5	33.7	0	0.0	1	13.6	0	0.0	1	13.3	1	6.7
Trimble	0	0.0	1	11.1	7	77.7	0	0.0	0	0.0	0	0.0	1	22.4	0	0.0

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population.

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts and Counties, 2004**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>868</b>	<b>21.0</b>	<b>439</b>	<b>10.6</b>	<b>3,316</b>	<b>80.1</b>	<b>132</b>	<b>3.2</b>	<b>590</b>	<b>27.9</b>	<b>45</b>	<b>2.1</b>	<b>386</b>	<b>19.0</b>	<b>307</b>	<b>7.4</b>
<b>DISTRICT 07</b>	<b>91</b>	<b>22.2</b>	<b>39</b>	<b>9.5</b>	<b>292</b>	<b>71.1</b>	<b>15</b>	<b>3.7</b>	<b>45</b>	<b>21.6</b>	<b>2</b>	<b>1.0</b>	<b>25</b>	<b>12.4</b>	<b>22</b>	<b>5.4</b>
Boone	13	12.8	8	7.9	39	38.4	3	3.0	13	25.4	0	0.0	5	9.9	7	6.9
Campbell	21	24.1	9	10.3	89	102.1	5	5.7	11	24.5	1	2.2	11	26.0	3	3.4
Carroll	3	29.1	1	9.7	8	77.6	0	0.0	2	38.9	0	0.0	0	0.0	1	9.7
Gallatin	1	12.5	2	25.0	9	112.6	1	12.5	1	24.9	1	24.9	1	25.2	0	0.0
Grant	2	8.2	2	8.2	9	37.0	1	4.1	2	16.2	0	0.0	1	8.3	1	4.1
Kenton	44	28.8	15	9.8	125	81.8	5	3.3	16	20.6	0	0.0	6	8.0	9	5.9
Owen	3	26.6	2	17.7	6	53.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pendleton	4	26.5	0	0.0	7	46.4	0	0.0	0	0.0	0	0.0	1	13.2	1	6.6
<b>DISTRICT 08</b>	<b>15</b>	<b>26.7</b>	<b>6</b>	<b>10.7</b>	<b>41</b>	<b>72.9</b>	<b>4</b>	<b>7.1</b>	<b>11</b>	<b>38.5</b>	<b>1</b>	<b>3.5</b>	<b>9</b>	<b>32.5</b>	<b>4</b>	<b>7.1</b>
Bracken	3	34.5	0	0.0	10	115.0	0	0.0	0	0.0	0	0.0	3	69.5	0	0.0
Fleming	3	20.7	0	0.0	8	55.3	1	6.9	5	67.9	0	0.0	1	14.1	1	6.9
Lewis	3	21.6	3	21.6	12	86.5	1	7.2	4	57.7	1	14.4	2	28.8	0	0.0
Mason	6	35.5	3	17.7	11	65.0	2	11.8	2	22.9	0	0.0	2	24.4	1	5.9
Robertson	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	89.3	2	87.1
<b>DISTRICT 09</b>	<b>14</b>	<b>17.9</b>	<b>7</b>	<b>8.9</b>	<b>62</b>	<b>79.1</b>	<b>1</b>	<b>1.3</b>	<b>10</b>	<b>25.6</b>	<b>0</b>	<b>0.0</b>	<b>9</b>	<b>22.9</b>	<b>5</b>	<b>6.4</b>
Bath	2	17.4	0	0.0	10	87.0	0	0.0	1	17.1	0	0.0	3	53.1	0	0.0
Menifee	0	0.0	0	0.0	4	59.1	0	0.0	1	29.7	0	0.0	1	29.4	0	0.0
Montgomery	7	29.6	5	21.1	16	67.6	1	4.2	3	24.8	0	0.0	4	34.6	1	4.2
Morgan	1	7.0	1	7.0	12	83.7	0	0.0	1	15.6	0	0.0	0	0.0	0	0.0
Rowan	4	18.1	1	4.5	20	90.5	0	0.0	4	35.3	0	0.0	1	9.3	4	18.1
<b>DISTRICT 10</b>	<b>36</b>	<b>26.3</b>	<b>18</b>	<b>13.2</b>	<b>135</b>	<b>98.8</b>	<b>7</b>	<b>5.1</b>	<b>23</b>	<b>33.0</b>	<b>6</b>	<b>8.6</b>	<b>17</b>	<b>25.4</b>	<b>17</b>	<b>12.4</b>
Boyd	14	28.3	9	18.2	43	86.8	5	10.1	6	23.9	3	12.0	4	16.4	7	14.1
Carter	3	11.1	3	11.1	19	70.0	1	3.7	5	36.1	2	14.5	2	15.0	0	0.0
Elliott	1	14.6	0	0.0	8	116.8	0	0.0	2	57.0	0	0.0	3	89.8	2	29.2
Greenup	14	37.7	5	13.5	44	118.6	1	2.7	7	36.4	1	5.2	7	39.1	7	18.9
Lawrence	4	25.0	1	6.2	21	131.2	0	0.0	3	37.3	0	0.0	1	12.6	1	6.2

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population.

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts and Counties, 2004**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>868</b>	<b>21.0</b>	<b>439</b>	<b>10.6</b>	<b>3,316</b>	<b>80.1</b>	<b>132</b>	<b>3.2</b>	<b>590</b>	<b>27.9</b>	<b>45</b>	<b>2.1</b>	<b>386</b>	<b>19.0</b>	<b>307</b>	<b>7.4</b>
<b>DISTRICT 11</b>	<b>33</b>	<b>20.8</b>	<b>20</b>	<b>12.6</b>	<b>142</b>	<b>89.5</b>	<b>5</b>	<b>3.1</b>	<b>26</b>	<b>32.1</b>	<b>0</b>	<b>0.0</b>	<b>13</b>	<b>16.7</b>	<b>11</b>	<b>6.9</b>
Floyd	13	30.8	8	18.9	52	123.2	0	0.0	9	42.0	0	0.0	4	19.2	4	9.5
Johnson	3	12.6	2	8.4	20	84.1	0	0.0	3	24.3	0	0.0	0	0.0	1	4.2
Magoffin	2	14.9	2	14.9	8	59.7	2	14.9	1	14.8	0	0.0	1	15.1	1	7.5
Martin	3	24.4	1	8.1	11	89.3	1	8.1	2	32.1	0	0.0	0	0.0	0	0.0
Pike	12	17.9	7	10.4	51	76.1	2	3.0	11	32.1	0	0.0	8	24.4	5	7.5
<b>DISTRICT 12</b>	<b>25</b>	<b>21.0</b>	<b>16</b>	<b>13.4</b>	<b>122</b>	<b>102.3</b>	<b>4</b>	<b>3.4</b>	<b>11</b>	<b>18.2</b>	<b>1</b>	<b>1.7</b>	<b>14</b>	<b>23.8</b>	<b>6</b>	<b>5.0</b>
Breathitt	1	6.3	1	6.3	9	56.6	0	0.0	4	49.8	0	0.0	1	12.7	0	0.0
Knott	2	11.4	1	5.7	14	79.9	1	5.7	0	0.0	0	0.0	0	0.0	0	0.0
Lee	2	25.7	2	25.7	14	179.6	0	0.0	1	27.0	0	0.0	2	48.9	1	12.8
Leslie	3	25.0	2	16.7	11	91.8	1	8.3	1	16.2	1	16.2	2	34.4	2	16.7
Letcher	10	40.6	5	20.3	21	85.2	2	8.1	1	7.9	0	0.0	4	33.2	0	0.0
Owsley	2	41.9	1	21.0	3	62.9	0	0.0	0	0.0	0	0.0	2	84.3	2	41.9
Perry	3	10.1	3	10.1	42	141.8	0	0.0	2	13.2	0	0.0	2	13.9	1	3.4
Wolfe	2	28.6	1	14.3	8	114.5	0	0.0	2	56.7	0	0.0	1	28.9	0	0.0
<b>DISTRICT 13</b>	<b>51</b>	<b>21.2</b>	<b>29</b>	<b>12.0</b>	<b>220</b>	<b>91.2</b>	<b>12</b>	<b>5.0</b>	<b>36</b>	<b>29.3</b>	<b>3</b>	<b>2.4</b>	<b>24</b>	<b>20.3</b>	<b>14</b>	<b>5.8</b>
Bell	7	23.6	1	3.4	25	84.1	2	6.7	3	19.4	0	0.0	3	21.1	2	6.7
Clay	9	37.2	5	20.6	25	103.2	1	4.1	2	17.5	1	8.7	2	15.6	2	8.3
Harlan	9	28.3	9	28.3	43	135.4	4	12.6	6	36.4	1	6.1	5	32.8	0	0.0
Jackson	4	29.4	1	7.4	15	110.4	1	7.4	0	0.0	0	0.0	1	14.9	0	0.0
Knox	5	15.7	1	3.1	26	81.5	2	6.3	8	48.5	0	0.0	2	13.0	6	18.8
Laurel	11	19.7	6	10.8	33	59.2	2	3.6	6	21.1	1	3.5	7	25.6	4	7.2
Rockcastle	2	12.0	2	12.0	13	77.8	0	0.0	5	59.2	0	0.0	2	24.2	0	0.0
Whitley	4	10.7	4	10.7	40	106.7	0	0.0	6	31.0	0	0.0	2	11.0	0	0.0

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population.

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts and Counties, 2004**

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>868</b>	<b>21.0</b>	<b>439</b>	<b>10.6</b>	<b>3,316</b>	<b>80.1</b>	<b>132</b>	<b>3.2</b>	<b>590</b>	<b>27.9</b>	<b>45</b>	<b>2.1</b>	<b>386</b>	<b>19.0</b>	<b>307</b>	<b>7.4</b>
<b>DISTRICT 14</b>	<b>32</b>	<b>16.1</b>	<b>21</b>	<b>10.6</b>	<b>200</b>	<b>100.9</b>	<b>11</b>	<b>5.5</b>	<b>32</b>	<b>31.5</b>	<b>2</b>	<b>2.0</b>	<b>26</b>	<b>26.9</b>	<b>26</b>	<b>13.1</b>
Adair	1	5.7	2	11.4	14	80.0	1	5.7	3	33.5	0	0.0	0	0.0	0	0.0
Casey	4	24.9	3	18.7	10	62.2	0	0.0	1	12.2	0	0.0	5	63.8	0	0.0
Clinton	0	0.0	0	0.0	12	125.7	1	10.5	2	40.4	0	0.0	1	21.7	1	10.5
Cumberland	0	0.0	0	0.0	3	41.8	0	0.0	2	54.3	0	0.0	0	0.0	2	27.9
Green	1	8.6	1	8.6	13	111.7	2	17.2	3	50.9	0	0.0	0	0.0	3	25.8
McCreary	1	5.9	2	11.7	30	175.5	0	0.0	5	57.9	1	11.6	3	35.5	1	5.9
Pulaski	8	13.6	8	13.6	56	95.4	5	8.5	7	23.2	1	3.3	8	28.0	11	18.7
Russell	7	41.6	0	0.0	29	172.4	2	11.9	1	11.5	0	0.0	4	49.1	1	5.9
Taylor	3	12.8	3	12.8	19	81.1	0	0.0	5	41.0	0	0.0	1	8.9	4	17.1
Wayne	7	34.4	2	9.8	14	68.8	0	0.0	3	29.2	0	0.0	4	39.7	3	14.7
<b>DISTRICT 15</b>	<b>131</b>	<b>18.4</b>	<b>79</b>	<b>11.1</b>	<b>486</b>	<b>68.1</b>	<b>20</b>	<b>2.8</b>	<b>106</b>	<b>29.1</b>	<b>6</b>	<b>1.6</b>	<b>72</b>	<b>20.6</b>	<b>49</b>	<b>6.9</b>
Anderson	4	19.9	2	10.0	16	79.6	1	5.0	4	39.0	0	0.0	0	0.0	3	14.9
Bourbon	5	25.4	3	15.3	20	101.7	0	0.0	5	49.5	0	0.0	2	20.9	2	10.2
Boyle	6	21.3	6	21.3	22	78.0	0	0.0	3	21.1	0	0.0	5	35.7	1	3.5
Clark	7	20.4	3	8.7	21	61.1	0	0.0	5	28.2	0	0.0	3	18.0	6	17.4
Estill	4	26.4	2	13.2	11	72.6	1	6.6	2	25.7	1	12.9	2	27.1	2	13.2
Fayette	34	12.8	28	10.5	154	57.8	9	3.4	34	25.2	1	0.7	26	19.8	14	5.3
Franklin	13	27.0	5	10.4	51	105.9	2	4.2	10	40.3	0	0.0	4	17.1	2	4.2
Garrard	7	43.3	0	0.0	9	55.7	0	0.0	2	24.4	0	0.0	1	12.6	3	18.6
Harrison	9	49.2	4	21.9	15	82.1	3	16.4	3	32.0	1	10.7	3	33.7	1	5.5
Jessamine	3	7.1	3	7.1	22	52.1	1	2.4	1	4.6	1	4.6	3	14.5	2	4.7
Lincoln	6	24.2	2	8.1	23	92.8	1	4.0	4	31.7	0	0.0	2	16.5	2	8.1
Madison	12	15.8	4	5.3	45	59.2	2	2.6	13	33.1	0	0.0	7	19.0	3	3.9
Mercer	7	32.6	1	4.7	24	111.7	0	0.0	4	36.3	1	9.1	5	47.9	3	14.0
Nicholas	1	14.2	3	42.6	5	71.0	0	0.0	1	27.8	0	0.0	1	29.1	0	0.0
Powell	2	14.7	1	7.4	12	88.5	0	0.0	9	131.8	1	14.6	3	44.6	1	7.4
Scott	7	18.4	5	13.2	19	50.1	0	0.0	3	15.5	0	0.0	2	10.8	2	5.3
Woodford	4	16.7	7	29.3	17	71.1	0	0.0	3	24.5	0	0.0	3	25.7	2	8.4

\*Crude rate for female breast and cervix uteri per 100,000 female population;  
for prostate per 100,000 male population; for all other sites per 100,000 total population.