

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	878	21.0	452	10.8	3,343	80.1	157	3.8	573	26.9	69	3.2	411	20.1	332	8.0
DISTRICT 01	53	27.3	21	10.8	159	81.9	6	3.1	22	22.0	4	4.0	26	27.7	17	8.8
Ballard	4	48.4	2	24.2	7	84.7	1	12.1	0	0.0	0	0.0	1	24.3	1	12.1
Calloway	11	31.4	4	11.4	23	65.7	1	2.9	2	11.1	0	0.0	4	23.5	1	2.9
Carlisle	3	56.6	0	0.0	5	94.4	0	0.0	2	75.0	0	0.0	2	76.0	1	18.9
Fulton	3	41.9	3	41.9	4	55.8	0	0.0	2	52.4	1	26.2	2	59.7	0	0.0
Graves	9	23.9	4	10.6	31	82.3	0	0.0	4	20.8	0	0.0	4	21.7	5	13.3
Hickman	0	0.0	0	0.0	6	118.5	0	0.0	0	0.0	0	0.0	1	40.9	0	0.0
McCracken	16	24.7	2	3.1	61	94.3	3	4.6	9	26.5	2	5.9	7	22.7	4	6.2
Marshall	7	22.6	6	19.4	22	71.1	1	3.2	3	19.0	1	6.3	5	33.0	5	16.2
DISTRICT 02	31	14.6	26	12.2	143	67.1	8	3.8	30	27.9	2	1.9	18	17.0	21	9.9
Caldwell	3	23.3	4	31.0	14	108.6	0	0.0	3	44.8	0	0.0	1	16.1	5	38.8
Christian	10	14.3	11	15.8	35	50.2	3	4.3	6	17.4	1	2.9	6	17.0	2	2.9
Crittenden	2	22.2	0	0.0	6	66.7	1	11.1	4	85.9	0	0.0	0	0.0	1	11.1
Hopkins	5	10.7	5	10.7	32	68.6	2	4.3	5	20.6	0	0.0	3	13.4	8	17.1
Livingston	1	10.2	2	20.4	7	71.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Lyon	0	0.0	0	0.0	7	86.0	0	0.0	1	28.8	0	0.0	2	42.8	0	0.0
Muhlenberg	6	19.0	2	6.3	25	79.2	1	3.2	5	31.4	1	6.3	1	6.4	4	12.7
Todd	1	8.4	2	16.8	8	67.0	0	0.0	3	49.4	0	0.0	3	51.2	1	8.4
Trigg	3	22.5	0	0.0	9	67.5	1	7.5	3	44.1	0	0.0	2	30.6	0	0.0
DISTRICT 03	41	19.5	20	9.5	199	94.6	9	4.3	35	32.5	4	3.7	15	14.6	21	10.0
Daviess	14	15.1	13	14.0	81	87.2	8	8.6	17	35.4	1	2.1	6	13.4	11	11.8
Hancock	1	11.6	1	11.6	16	185.7	0	0.0	1	23.0	0	0.0	0	0.0	1	11.6
Henderson	12	26.3	1	2.2	33	72.4	0	0.0	7	29.9	1	4.3	5	22.6	0	0.0
McLean	1	10.1	0	0.0	10	100.6	0	0.0	5	98.5	0	0.0	0	0.0	2	20.1
Ohio	4	16.9	3	12.6	26	109.6	1	4.2	3	25.0	1	8.3	1	8.5	3	12.6
Union	3	19.3	2	12.9	19	122.2	0	0.0	1	13.0	1	13.0	2	25.4	2	12.9
Webster	6	42.4	0	0.0	14	99.0	0	0.0	1	13.9	0	0.0	1	14.4	2	14.1

*Crude rate for female breast and cervix uteri per 100,000 female population;
for prostate per 100,000 male population; for all other sites per 100,000 total population.

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	878	21.0	452	10.8	3,343	80.1	157	3.8	573	26.9	69	3.2	411	20.1	332	8.0
DISTRICT 04	55	20.6	29	10.8	238	89.0	16	6.0	38	27.8	5	3.7	28	21.4	18	6.7
Allen	4	21.5	2	10.7	22	118.2	0	0.0	5	52.8	1	10.6	3	32.8	1	5.4
Barren	12	29.9	1	2.5	39	97.3	3	7.5	7	33.7	2	9.6	8	41.4	4	10.0
Butler	1	7.5	1	7.5	18	134.7	2	15.0	2	29.9	0	0.0	1	15.0	0	0.0
Edmonson	2	16.6	1	8.3	15	124.9	0	0.0	1	16.4	0	0.0	0	0.0	1	8.3
Hart	10	54.4	3	16.3	24	130.7	3	16.3	0	0.0	0	0.0	3	33.1	0	0.0
Logan	7	25.8	4	14.7	35	128.8	1	3.7	4	28.4	1	7.1	3	22.9	4	14.7
Metcalfe	1	9.8	2	19.6	9	88.1	1	9.8	1	19.2	0	0.0	2	40.0	0	0.0
Monroe	1	8.5	2	17.1	6	51.2	0	0.0	0	0.0	0	0.0	0	0.0	4	34.1
Simpson	5	29.4	2	11.8	12	70.6	0	0.0	0	0.0	0	0.0	1	12.1	0	0.0
Warren	12	12.1	11	11.1	58	58.6	6	6.1	18	35.7	1	2.0	7	14.4	4	4.0
DISTRICT 05	51	20.0	23	9.0	171	67.2	10	3.9	29	22.6	2	1.6	38	30.1	20	7.9
Breckinridge	3	15.6	5	26.0	20	104.0	4	20.8	3	31.0	0	0.0	5	52.4	1	5.2
Grayson	5	19.8	1	4.0	21	83.2	0	0.0	3	23.6	1	7.9	7	56.0	2	7.9
Hardin	16	16.5	6	6.2	60	62.0	4	4.1	11	22.6	0	0.0	7	14.5	8	8.3
Larue	3	22.0	0	0.0	12	87.8	0	0.0	2	28.6	0	0.0	0	0.0	2	14.6
Marion	5	26.5	4	21.2	20	106.1	0	0.0	2	21.5	0	0.0	5	52.4	2	10.6
Meade	3	10.6	3	10.6	12	42.5	1	3.5	1	7.0	1	7.0	4	28.5	0	0.0
Nelson	12	29.2	1	2.4	21	51.1	0	0.0	4	19.1	0	0.0	8	39.7	4	9.7
Washington	4	35.3	3	26.4	5	44.1	1	8.8	3	52.5	0	0.0	2	35.5	1	8.8
DISTRICT 06	183	20.3	98	10.9	693	76.8	28	3.1	131	28.2	13	2.8	81	18.5	70	7.8
Bullitt	10	14.0	5	7.0	28	39.2	1	1.4	7	19.5	0	0.0	1	2.8	4	5.6
Henry	2	12.6	3	19.0	14	88.5	1	6.3	3	37.5	0	0.0	2	25.5	2	12.6
Jefferson	153	21.9	84	12.0	583	83.4	22	3.1	111	30.5	13	3.6	73	21.7	57	8.2
Oldham	10	18.7	3	5.6	27	50.5	1	1.9	5	19.8	0	0.0	3	10.6	3	5.6
Shelby	3	7.9	2	5.2	28	73.3	2	5.2	2	10.3	0	0.0	0	0.0	4	10.5
Spencer	3	19.2	0	0.0	6	38.4	0	0.0	1	13.0	0	0.0	1	12.6	0	0.0
Trimble	2	22.1	1	11.1	7	77.5	1	11.1	2	43.7	0	0.0	1	22.4	0	0.0

*Crude rate for female breast and cervix uteri per 100,000 female population;
for prostate per 100,000 male population; for all other sites per 100,000 total population.

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	878	21.0	452	10.8	3,343	80.1	157	3.8	573	26.9	69	3.2	411	20.1	332	8.0
DISTRICT 07	84	20.2	42	10.1	291	69.9	20	4.8	56	26.5	7	3.3	31	15.1	28	6.7
Boone	15	14.1	6	5.6	55	51.7	6	5.6	9	16.8	1	1.9	6	11.4	8	7.5
Campbell	18	20.7	9	10.3	53	60.9	8	9.2	16	35.7	1	2.2	10	23.7	3	3.4
Carroll	4	38.2	2	19.1	10	95.6	0	0.0	1	19.2	0	0.0	2	38.2	1	9.6
Gallatin	0	0.0	2	24.5	9	110.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Grant	2	8.1	4	16.3	18	73.2	0	0.0	3	24.2	2	16.1	2	16.4	2	8.1
Kenton	37	24.1	17	11.1	118	77.0	6	3.9	26	33.5	2	2.6	10	13.2	11	7.2
Owen	2	17.6	2	17.6	17	149.3	0	0.0	0	0.0	0	0.0	1	17.5	1	8.8
Pendleton	6	39.5	0	0.0	11	72.5	0	0.0	1	13.3	1	13.3	0	0.0	2	13.2
DISTRICT 08	13	23.0	9	15.9	57	100.8	1	1.8	6	20.9	5	17.4	6	21.6	6	10.6
Bracken	0	0.0	2	23.1	8	92.5	0	0.0	0	0.0	0	0.0	0	0.0	2	23.1
Fleming	5	34.3	4	27.4	14	96.0	1	6.9	1	13.5	0	0.0	0	0.0	1	6.9
Lewis	4	28.8	2	14.4	21	151.3	0	0.0	2	28.8	0	0.0	0	0.0	1	7.2
Mason	3	17.5	1	5.8	12	69.9	0	0.0	3	33.9	3	33.9	5	60.2	2	11.7
Robertson	1	44.3	0	0.0	2	88.6	0	0.0	0	0.0	2	172.7	1	91.0	0	0.0
DISTRICT 09	17	21.5	3	3.8	67	84.8	4	5.1	7	17.8	1	2.5	12	30.3	6	7.6
Bath	5	43.2	1	8.6	10	86.3	3	25.9	1	17.0	0	0.0	4	70.3	2	17.3
Menifee	1	14.8	0	0.0	9	133.0	0	0.0	0	0.0	0	0.0	1	29.5	0	0.0
Montgomery	7	28.9	2	8.2	16	66.0	0	0.0	2	16.1	0	0.0	1	8.4	2	8.2
Morgan	3	21.0	0	0.0	14	97.9	0	0.0	1	15.6	0	0.0	3	38.0	2	14.0
Rowan	1	4.5	0	0.0	18	81.4	1	4.5	3	26.6	1	8.9	3	27.7	0	0.0
DISTRICT 10	41	29.9	19	13.9	130	94.9	8	5.8	19	27.2	4	5.7	16	23.8	19	13.9
Boyd	17	34.4	6	12.2	51	103.3	3	6.1	7	28.0	1	4.0	4	16.4	8	16.2
Carter	13	47.7	4	14.7	23	84.4	3	11.0	6	43.3	1	7.2	3	22.4	2	7.3
Elliott	3	43.1	2	28.7	6	86.2	0	0.0	2	56.0	0	0.0	3	88.6	2	28.7
Greenup	5	13.4	6	16.1	37	99.5	2	5.4	2	10.4	2	10.4	4	22.3	7	18.8
Lawrence	3	18.6	1	6.2	13	80.4	0	0.0	2	24.7	0	0.0	2	24.8	0	0.0

*Crude rate for female breast and cervix uteri per 100,000 female population;
for prostate per 100,000 male population; for all other sites per 100,000 total population.

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	878	21.0	452	10.8	3,343	80.1	157	3.8	573	26.9	69	3.2	411	20.1	332	8.0
DISTRICT 11	26	16.4	13	8.2	160	100.8	5	3.2	34	42.0	3	3.7	13	16.7	7	4.4
Floyd	8	18.9	3	7.1	50	118.2	1	2.4	8	37.3	1	4.7	5	24.0	1	2.4
Johnson	5	20.9	2	8.3	23	96.0	1	4.2	9	72.4	1	8.0	3	26.0	2	8.3
Magoffin	0	0.0	3	22.3	6	44.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Martin	2	16.4	0	0.0	8	65.6	1	8.2	1	16.2	0	0.0	0	0.0	0	0.0
Pike	11	16.5	5	7.5	73	109.4	2	3.0	16	46.8	1	2.9	5	15.3	4	6.0
DISTRICT 12	31	26.0	10	8.4	131	110.0	2	1.7	11	18.2	1	1.7	12	20.5	11	9.2
Breathitt	6	37.6	1	6.3	15	94.0	1	6.3	2	24.8	1	12.4	1	12.7	1	6.3
Knott	3	17.0	1	5.7	13	73.8	0	0.0	1	11.2	0	0.0	1	11.5	2	11.3
Lee	4	52.2	1	13.0	10	130.4	0	0.0	0	0.0	0	0.0	0	0.0	1	13.0
Leslie	1	8.3	0	0.0	19	158.1	0	0.0	0	0.0	0	0.0	1	17.2	1	8.3
Letcher	5	20.4	2	8.2	20	81.6	0	0.0	3	23.9	0	0.0	3	25.1	1	4.1
Owsley	1	21.1	0	0.0	11	232.2	0	0.0	0	0.0	0	0.0	1	42.3	1	21.1
Perry	10	33.9	4	13.6	37	125.4	1	3.4	4	26.4	0	0.0	4	27.8	4	13.6
Wolfe	1	14.1	1	14.1	6	84.6	0	0.0	1	27.9	0	0.0	1	28.5	0	0.0
DISTRICT 13	54	22.3	35	14.4	240	99.0	6	2.5	39	31.5	6	4.9	26	21.9	21	8.7
Bell	8	27.0	5	16.9	31	104.8	1	3.4	8	51.9	0	0.0	2	14.1	3	10.1
Clay	5	20.7	2	8.3	20	82.8	0	0.0	2	17.5	0	0.0	3	23.5	2	8.3
Harlan	7	22.1	3	9.5	33	104.2	1	3.2	2	12.1	2	12.1	5	32.9	1	3.2
Jackson	2	14.6	2	14.6	9	65.7	1	7.3	1	14.4	0	0.0	0	0.0	1	7.3
Knox	3	9.3	6	18.6	32	99.3	1	3.1	5	30.0	1	6.0	5	32.2	3	9.3
Laurel	13	23.1	7	12.4	57	101.2	2	3.6	12	41.8	3	10.4	5	18.1	4	7.1
Rockcastle	5	29.8	3	17.9	11	65.5	0	0.0	5	58.9	0	0.0	3	36.1	3	17.9
Whitley	11	29.0	7	18.5	47	124.0	0	0.0	4	20.4	0	0.0	3	16.4	4	10.6

*Crude rate for female breast and cervix uteri per 100,000 female population;
for prostate per 100,000 male population; for all other sites per 100,000 total population.

Table 2-T
Resident Deaths from Selected Malignant Neoplasms
Number and Crude Rate*: Kentucky, Districts and Counties, 2005

DISTRICTS AND COUNTIES	Colon, Rectum & Anus (C18 - C21)		Pancreas (C25)		Trachea, Bronchus & Lung (C33 - C34)		Melanoma of Skin (C43)		Female Breast (C50 Female)		Cervix - Uteri (C53)		Prostate (C61)		Non-Hodgkin's Lymphoma (C82 - C85)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
KENTUCKY	878	21.0	452	10.8	3,343	80.1	157	3.8	573	26.9	69	3.2	411	20.1	332	8.0
DISTRICT 14	46	23.1	18	9.0	192	96.3	9	4.5	26	25.4	4	3.9	23	23.6	14	7.0
Adair	4	22.8	2	11.4	16	91.4	1	5.7	2	22.4	1	11.2	0	0.0	1	5.7
Casey	3	18.5	1	6.2	12	73.9	0	0.0	0	0.0	0	0.0	1	12.6	0	0.0
Clinton	3	31.5	0	0.0	8	83.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Cumberland	3	42.4	0	0.0	7	98.9	0	0.0	2	55.0	0	0.0	1	29.1	1	14.1
Green	3	25.9	1	8.6	10	86.3	4	34.5	1	17.0	0	0.0	2	35.0	0	0.0
McCreary	1	5.8	4	23.2	26	150.8	1	5.8	0	0.0	0	0.0	0	0.0	2	11.6
Pulaski	19	32.1	2	3.4	49	82.7	3	5.1	10	32.9	2	6.6	10	34.7	5	8.4
Russell	4	23.5	2	11.8	11	64.8	0	0.0	4	45.6	0	0.0	3	36.5	2	11.8
Taylor	5	21.1	4	16.9	28	118.4	0	0.0	4	32.4	1	8.1	3	26.5	2	8.5
Wayne	1	4.9	2	9.8	25	122.4	0	0.0	3	29.1	0	0.0	3	29.7	1	4.9
DISTRICT 15	152	21.1	86	11.9	472	65.4	25	3.5	90	24.5	8	2.2	66	18.6	53	7.3
Anderson	6	29.4	1	4.9	16	78.5	0	0.0	2	19.2	0	0.0	5	50.0	2	9.8
Bourbon	5	25.2	5	25.2	13	65.5	1	5.0	5	49.1	1	9.8	1	10.3	2	10.1
Boyle	2	7.0	4	14.1	21	74.0	2	7.0	6	42.0	0	0.0	8	56.7	6	21.1
Clark	8	23.0	3	8.6	24	68.9	1	2.9	6	33.5	0	0.0	0	0.0	0	0.0
Estill	9	59.7	1	6.6	16	106.2	1	6.6	4	51.6	0	0.0	1	13.7	2	13.3
Fayette	53	19.8	29	10.8	140	52.3	10	3.7	23	17.0	2	1.5	22	16.6	19	7.1
Franklin	13	27.0	9	18.7	41	85.1	2	4.2	10	40.3	1	4.0	5	21.4	5	10.4
Garrard	2	12.1	5	30.2	13	78.6	0	0.0	0	0.0	0	0.0	1	12.3	0	0.0
Harrison	5	27.2	3	16.3	12	65.2	0	0.0	2	21.2	0	0.0	2	22.3	0	0.0
Jessamine	7	16.1	5	11.5	24	55.3	6	13.8	4	18.1	0	0.0	2	9.4	1	2.3
Lincoln	7	27.8	5	19.9	22	87.4	0	0.0	4	31.2	0	0.0	1	8.1	1	4.0
Madison	16	20.6	3	3.9	48	61.7	0	0.0	7	17.5	0	0.0	6	15.9	6	7.7
Mercer	6	27.7	2	9.2	25	115.4	1	4.6	6	54.1	2	18.0	2	18.9	1	4.6
Nicholas	1	14.3	0	0.0	5	71.4	1	14.3	0	0.0	0	0.0	5	145.8	0	0.0
Powell	2	14.6	1	7.3	16	116.5	0	0.0	3	43.2	1	14.4	1	14.7	1	7.3
Scott	4	10.1	2	5.1	14	35.4	0	0.0	7	34.7	1	5.0	4	20.7	3	7.6
Woodford	6	24.9	8	33.1	22	91.2	0	0.0	1	8.1	0	0.0	0	0.0	4	16.6

*Crude rate for female breast and cervix uteri per 100,000 female population;
for prostate per 100,000 male population; for all other sites per 100,000 total population.