

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 1998**

DISTRICTS AND COUNTIES	Colon - Rectum (153 - 154)		Pancreas (157)		Trachea, Bronchus & Lung (162)		Melanoma of Skin (172)		Female Breast (174)		Cervix - Uteri (180)		Prostate (185)		Lymphoid & Histiocytic Tissue (202)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>908</b>	<b>23.1</b>	<b>416</b>	<b>10.6</b>	<b>3,146</b>	<b>79.9</b>	<b>105</b>	<b>2.7</b>	<b>621</b>	<b>30.7</b>	<b>76</b>	<b>3.8</b>	<b>447</b>	<b>23.4</b>	<b>354</b>	<b>9.0</b>
<b>DISTRICT 01</b>	<b>53</b>	<b>27.8</b>	<b>25</b>	<b>13.1</b>	<b>174</b>	<b>91.3</b>	<b>7</b>	<b>3.7</b>	<b>40</b>	<b>40.3</b>	<b>1</b>	<b>1.0</b>	<b>24</b>	<b>26.3</b>	<b>19</b>	<b>10.0</b>
BALLARD	4	47.2	0	0.0	6	70.8	1	11.8	1	23.3	0	0.0	3	71.7	1	11.8
CALLOWAY	11	32.9	4	12.0	29	86.7	2	6.0	11	63.7	0	0.0	2	12.3	2	6.0
CARLISLE	1	18.8	0	0.0	2	37.7	0	0.0	1	36.4	0	0.0	0	0.0	1	18.8
FULTON	2	26.6	0	0.0	6	79.7	0	0.0	4	98.5	0	0.0	1	28.9	1	13.3
GRAVES	9	25.1	6	16.7	37	103.2	2	5.6	9	48.5	0	0.0	6	34.7	3	8.4
HICKMAN	2	38.2	1	19.1	8	152.7	0	0.0	2	72.5	0	0.0	1	40.3	0	0.0
MCCRACKEN	15	23.3	5	7.8	56	86.9	2	3.1	9	26.4	1	2.9	8	26.3	8	12.4
MARSHALL	9	29.7	9	29.7	30	99.0	0	0.0	3	19.4	0	0.0	3	20.2	3	9.9
<b>DISTRICT 02</b>	<b>56</b>	<b>26.1</b>	<b>25</b>	<b>11.6</b>	<b>174</b>	<b>81.0</b>	<b>7</b>	<b>3.3</b>	<b>24</b>	<b>22.4</b>	<b>4</b>	<b>3.7</b>	<b>29</b>	<b>26.9</b>	<b>21</b>	<b>9.8</b>
CALDWELL	8	60.2	2	15.0	11	82.7	1	7.5	1	14.3	1	14.3	3	47.5	1	7.5
CHRISTIAN	12	16.6	6	8.3	37	51.0	1	1.4	4	11.6	3	8.7	6	15.7	2	2.8
CRITTENDEN	4	41.8	1	10.5	5	52.3	0	0.0	2	40.7	0	0.0	1	21.5	1	10.5
HOPKINS	11	23.7	5	10.8	39	84.1	1	2.2	4	16.7	0	0.0	4	17.9	6	12.9
LIVINGSTON	3	31.8	3	31.8	7	74.2	0	0.0	3	62.7	0	0.0	4	86.1	1	10.6
LYON	4	49.7	0	0.0	7	87.0	1	12.4	1	28.8	0	0.0	2	43.8	3	37.3
MUHLENBERG	8	24.9	4	12.4	41	127.5	2	6.2	5	30.1	0	0.0	6	38.5	4	12.4
TODD	3	26.7	1	8.9	11	98.1	0	0.0	3	52.0	0	0.0	0	0.0	1	8.9
TRIGG	3	24.2	3	24.2	16	129.1	1	8.1	1	15.8	0	0.0	3	49.5	2	16.1
<b>DISTRICT 03</b>	<b>50</b>	<b>24.2</b>	<b>23</b>	<b>11.1</b>	<b>159</b>	<b>77.0</b>	<b>6</b>	<b>2.9</b>	<b>43</b>	<b>40.4</b>	<b>6</b>	<b>5.6</b>	<b>18</b>	<b>18.0</b>	<b>16</b>	<b>7.8</b>
DAVISS	15	16.5	9	9.9	82	90.0	3	3.3	13	27.4	2	4.2	9	20.6	8	8.8
HANCOCK	1	11.2	1	11.2	5	56.1	0	0.0	1	22.6	0	0.0	2	44.6	1	11.2
HENDERSON	4	9.0	7	15.7	20	45.0	2	4.5	9	39.1	0	0.0	0	0.0	2	4.5
MCLEAN	4	40.7	3	30.5	6	61.1	0	0.0	4	80.6	0	0.0	2	41.1	0	0.0
OHIO	10	45.5	1	4.5	24	109.1	0	0.0	9	79.4	3	26.5	2	18.8	3	13.6
UNION	7	42.3	2	12.1	7	42.3	1	6.0	4	49.5	0	0.0	0	0.0	1	6.0
WEBSTER	9	66.8	0	0.0	15	111.4	0	0.0	3	43.1	1	14.4	3	46.1	1	7.4

\* Crude Rate for Female Breast and Cervix Uteri Per 100,000 Female Population;  
for Prostate Per 100,000 Male Population; for All Other Sites Per 100,000 Total Population.

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 1998**

DISTRICTS AND COUNTIES	Colon - Rectum (153 - 154)		Pancreas (157)		Trachea, Bronchus & Lung (162)		Melanoma of Skin (172)		Female Breast (174)		Cervix - Uteri (180)		Prostate (185)		Lymphoid & Histiocytic Tissue (202)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>908</b>	<b>23.1</b>	<b>416</b>	<b>10.6</b>	<b>3,146</b>	<b>79.9</b>	<b>105</b>	<b>2.7</b>	<b>621</b>	<b>30.7</b>	<b>76</b>	<b>3.8</b>	<b>447</b>	<b>23.4</b>	<b>354</b>	<b>9.0</b>
<b>DISTRICT 04</b>	<b>61</b>	<b>25.0</b>	<b>35</b>	<b>14.3</b>	<b>203</b>	<b>83.2</b>	<b>5</b>	<b>2.0</b>	<b>35</b>	<b>27.7</b>	<b>2</b>	<b>1.6</b>	<b>20</b>	<b>17.0</b>	<b>21</b>	<b>8.6</b>
ALLEN	2	12.1	4	24.2	12	72.6	0	0.0	3	35.5	0	0.0	2	24.7	2	12.1
BARREN	5	13.5	7	18.9	27	73.0	1	2.7	5	25.8	0	0.0	3	17.1	7	18.9
BUTLER	3	25.2	1	8.4	9	75.6	0	0.0	0	0.0	1	16.7	1	16.9	1	8.4
EDMONSON	5	44.1	2	17.7	8	70.6	1	8.8	1	17.4	0	0.0	1	17.9	2	17.7
HART	4	23.9	2	12.0	11	65.8	0	0.0	1	11.6	0	0.0	2	24.7	1	6.0
LOGAN	11	42.1	3	11.5	22	84.1	0	0.0	3	22.3	0	0.0	2	15.8	2	7.6
METCALFE	2	20.9	2	20.9	14	146.6	1	10.5	3	60.5	0	0.0	0	0.0	1	10.5
MONROE	5	44.7	1	8.9	11	98.3	0	0.0	2	34.5	1	17.2	2	37.2	1	8.9
SIMPSON	3	18.3	1	6.1	12	73.3	0	0.0	1	11.9	0	0.0	2	25.1	1	6.1
WARREN	21	24.1	12	13.7	77	88.2	2	2.3	16	35.2	0	0.0	5	11.9	3	3.4
<b>DISTRICT 05</b>	<b>45</b>	<b>18.9</b>	<b>16</b>	<b>6.7</b>	<b>167</b>	<b>70.1</b>	<b>5</b>	<b>2.1</b>	<b>29</b>	<b>23.9</b>	<b>2</b>	<b>1.6</b>	<b>31</b>	<b>26.5</b>	<b>22</b>	<b>9.2</b>
BRECKINRIDGE	5	28.6	0	0.0	19	108.8	0	0.0	2	22.8	1	11.4	2	23.1	2	11.5
GRAYSON	5	21.0	7	29.4	16	67.3	1	4.2	3	24.7	0	0.0	3	25.8	5	21.0
HARDIN	13	14.2	5	5.5	51	55.8	3	3.3	11	23.5	0	0.0	12	26.8	6	6.6
LARUE	2	15.3	0	0.0	6	46.0	0	0.0	0	0.0	0	0.0	5	78.3	1	7.7
MARION	8	47.0	2	11.8	10	58.8	0	0.0	4	46.9	0	0.0	1	11.8	0	0.0
MEADE	8	27.8	1	3.5	19	65.9	0	0.0	3	20.7	0	0.0	3	20.9	3	10.4
NELSON	4	11.1	1	2.8	34	94.8	0	0.0	5	27.4	1	5.5	4	22.7	5	13.9
WASHINGTON	0	0.0	0	0.0	12	110.0	1	9.2	1	17.7	0	0.0	1	19.1	0	0.0
<b>DISTRICT 06</b>	<b>195</b>	<b>23.3</b>	<b>77</b>	<b>9.2</b>	<b>671</b>	<b>80.1</b>	<b>20</b>	<b>2.4</b>	<b>170</b>	<b>38.9</b>	<b>12</b>	<b>2.7</b>	<b>112</b>	<b>28.0</b>	<b>72</b>	<b>8.6</b>
BULLITT	8	13.5	1	1.7	36	60.7	0	0.0	13	43.9	0	0.0	5	16.8	3	5.1
HENRY	4	27.1	1	6.8	14	94.9	1	6.8	2	26.8	0	0.0	2	27.4	3	20.3
JEFFERSON	170	25.3	70	10.4	565	84.1	16	2.4	149	42.0	9	2.5	96	30.2	58	8.6
OLDHAM	6	13.5	2	4.5	18	40.5	0	0.0	3	14.0	1	4.7	3	13.1	3	6.8
SHELBY	3	10.1	2	6.8	18	60.8	3	10.1	2	13.0	1	6.5	5	35.2	4	13.5
SPENCER	2	20.7	1	10.3	12	124.2	0	0.0	0	0.0	0	0.0	1	20.5	0	0.0
TRIMBLE	2	26.2	0	0.0	8	105.0	0	0.0	1	25.8	1	25.8	0	0.0	1	13.1

\* Crude Rate for Female Breast and Cervix Uteri Per 100,000 Female Population;  
for Prostate Per 100,000 Male Population; for All Other Sites Per 100,000 Total Population.

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 1998**

DISTRICTS AND COUNTIES	Colon - Rectum (153 - 154)		Pancreas (157)		Trachea, Bronchus & Lung (162)		Melanoma of Skin (172)		Female Breast (174)		Cervix - Uteri (180)		Prostate (185)		Lymphoid & Histiocytic Tissue (202)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>908</b>	<b>23.1</b>	<b>416</b>	<b>10.6</b>	<b>3,146</b>	<b>79.9</b>	<b>105</b>	<b>2.7</b>	<b>621</b>	<b>30.7</b>	<b>76</b>	<b>3.8</b>	<b>447</b>	<b>23.4</b>	<b>354</b>	<b>9.0</b>
<b>DISTRICT 07</b>	<b>98</b>	<b>26.1</b>	<b>35</b>	<b>9.3</b>	<b>256</b>	<b>68.3</b>	<b>7</b>	<b>1.9</b>	<b>28</b>	<b>14.5</b>	<b>9</b>	<b>4.7</b>	<b>43</b>	<b>23.6</b>	<b>33</b>	<b>8.8</b>
BOONE	12	15.1	4	5.0	52	65.3	2	2.5	8	19.7	0	0.0	5	12.8	9	11.3
CAMPBELL	28	32.0	4	4.6	67	76.7	2	2.3	7	15.4	4	8.8	9	21.5	6	6.9
CARROLL	2	20.8	2	20.8	7	73.0	1	10.4	1	20.3	0	0.0	2	42.8	0	0.0
GALLATIN	4	55.7	1	13.9	6	83.5	0	0.0	0	0.0	1	27.8	4	111.5	0	0.0
GRANT	5	24.6	5	24.6	19	93.4	1	4.9	1	9.7	0	0.0	1	9.9	0	0.0
KENTON	41	27.9	15	10.2	88	60.0	1	0.7	10	13.2	2	2.6	18	25.4	17	11.6
OWEN	2	19.5	3	29.3	8	78.0	0	0.0	0	0.0	0	0.0	1	19.5	1	9.8
PENDLETON	4	29.2	1	7.3	9	65.7	0	0.0	1	14.3	2	28.7	3	44.6	0	0.0
<b>DISTRICT 08</b>	<b>14</b>	<b>25.6</b>	<b>8</b>	<b>14.6</b>	<b>44</b>	<b>80.5</b>	<b>2</b>	<b>3.7</b>	<b>6</b>	<b>21.5</b>	<b>2</b>	<b>7.2</b>	<b>14</b>	<b>52.2</b>	<b>2</b>	<b>3.7</b>
BRACKEN	2	23.7	1	11.8	11	130.3	0	0.0	1	23.1	1	23.1	1	24.4	1	11.8
FLEMING	2	14.9	1	7.4	10	74.4	2	14.9	2	29.4	0	0.0	3	45.2	1	7.4
LEWIS	5	36.9	2	14.7	8	59.0	0	0.0	2	29.4	0	0.0	0	0.0	0	0.0
MASON	5	29.4	3	17.6	13	76.4	0	0.0	1	11.4	1	11.4	9	109.7	0	0.0
ROBERTSON	0	0.0	1	45.3	2	90.5	0	0.0	0	0.0	0	0.0	1	92.4	0	0.0
<b>DISTRICT 09</b>	<b>18</b>	<b>24.7</b>	<b>5</b>	<b>6.9</b>	<b>75</b>	<b>102.8</b>	<b>1</b>	<b>1.4</b>	<b>9</b>	<b>24.5</b>	<b>0</b>	<b>0.0</b>	<b>2</b>	<b>5.5</b>	<b>5</b>	<b>6.9</b>
BATH	3	28.4	0	0.0	15	142.0	0	0.0	4	74.2	0	0.0	0	0.0	0	0.0
MENIFEE	1	17.4	0	0.0	6	104.5	0	0.0	0	0.0	0	0.0	0	0.0	1	17.4
MONTGOMERY	8	38.2	4	19.1	25	119.4	0	0.0	4	37.0	0	0.0	1	9.9	3	14.3
MORGAN	3	22.1	1	7.4	12	88.5	0	0.0	1	16.2	0	0.0	1	13.5	1	7.4
ROWAN	3	13.5	0	0.0	17	76.7	1	4.5	0	0.0	0	0.0	0	0.0	0	0.0
<b>DISTRICT 10</b>	<b>38</b>	<b>28.0</b>	<b>14</b>	<b>10.3</b>	<b>128</b>	<b>94.5</b>	<b>2</b>	<b>1.5</b>	<b>25</b>	<b>36.1</b>	<b>1</b>	<b>1.4</b>	<b>14</b>	<b>21.1</b>	<b>12</b>	<b>8.9</b>
BOYD	11	22.2	5	10.1	43	86.8	1	2.0	13	51.2	0	0.0	5	20.7	8	16.1
CARTER	10	37.3	2	7.5	22	82.0	0	0.0	0	0.0	0	0.0	6	45.5	1	3.7
ELLIOTT	1	15.1	1	15.1	7	106.0	0	0.0	0	0.0	0	0.0	1	30.4	1	15.1
GREENUP	12	32.5	5	13.6	41	111.2	1	2.7	7	36.8	0	0.0	1	5.6	2	5.4
LAWRENCE	4	25.6	1	6.4	15	95.9	0	0.0	5	63.2	1	12.6	1	12.9	0	0.0

\* Crude Rate for Female Breast and Cervix Uteri Per 100,000 Female Population;  
for Prostate Per 100,000 Male Population; for All Other Sites Per 100,000 Total Population.

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 1998**

DISTRICTS AND COUNTIES	Colon - Rectum (153 - 154)		Pancreas (157)		Trachea, Bronchus & Lung (162)		Melanoma of Skin (172)		Female Breast (174)		Cervix - Uteri (180)		Prostate (185)		Lymphoid & Histiocytic Tissue (202)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>908</b>	<b>23.1</b>	<b>416</b>	<b>10.6</b>	<b>3,146</b>	<b>79.9</b>	<b>105</b>	<b>2.7</b>	<b>621</b>	<b>30.7</b>	<b>76</b>	<b>3.8</b>	<b>447</b>	<b>23.4</b>	<b>354</b>	<b>9.0</b>
<b>DISTRICT 11</b>	<b>38</b>	<b>23.0</b>	<b>23</b>	<b>13.9</b>	<b>161</b>	<b>97.3</b>	<b>2</b>	<b>1.2</b>	<b>22</b>	<b>26.1</b>	<b>6</b>	<b>7.1</b>	<b>8</b>	<b>9.8</b>	<b>9</b>	<b>5.4</b>
FLOYD	10	23.1	4	9.2	39	90.0	0	0.0	4	18.1	1	4.5	0	0.0	2	4.6
JOHNSON	1	4.2	5	20.8	25	104.1	0	0.0	5	40.9	2	16.4	1	8.5	3	12.5
MAGOFFIN	5	36.1	1	7.2	14	101.2	0	0.0	1	14.4	0	0.0	1	14.6	2	14.5
MARTIN	4	33.0	2	16.5	14	115.5	0	0.0	1	16.3	1	16.3	0	0.0	0	0.0
PIKE	18	25.0	11	15.3	69	95.7	2	2.8	11	30.0	2	5.4	6	17.0	2	2.8
<b>DISTRICT 12</b>	<b>23</b>	<b>18.4</b>	<b>17</b>	<b>13.6</b>	<b>113</b>	<b>90.2</b>	<b>1</b>	<b>0.8</b>	<b>17</b>	<b>26.8</b>	<b>3</b>	<b>4.7</b>	<b>17</b>	<b>27.5</b>	<b>18</b>	<b>14.4</b>
BREATHITT	3	19.2	2	12.8	9	57.5	0	0.0	0	0.0	0	0.0	2	25.7	1	6.4
KNOTT	5	27.8	3	16.7	20	111.2	0	0.0	3	32.9	0	0.0	2	22.5	3	16.7
LEE	1	12.5	2	25.0	8	99.8	0	0.0	1	24.9	0	0.0	3	75.1	5	62.4
LESLIE	2	14.7	2	14.7	13	95.8	0	0.0	2	29.2	1	14.6	4	59.5	2	14.7
LETCHER	5	19.1	2	7.6	23	87.8	0	0.0	3	22.3	1	7.4	2	15.7	2	7.6
OWSLEY	1	18.5	0	0.0	9	166.5	0	0.0	0	0.0	0	0.0	1	36.4	0	0.0
PERRY	3	9.7	5	16.1	26	83.8	0	0.0	6	38.0	1	6.3	3	19.7	4	12.9
WOLFE	3	40.8	1	13.6	5	68.0	1	13.6	2	54.3	0	0.0	0	0.0	1	13.6
<b>DISTRICT 13</b>	<b>40</b>	<b>17.1</b>	<b>28</b>	<b>12.0</b>	<b>229</b>	<b>97.7</b>	<b>6</b>	<b>2.6</b>	<b>42</b>	<b>35.0</b>	<b>10</b>	<b>8.3</b>	<b>17</b>	<b>14.9</b>	<b>23</b>	<b>9.8</b>
BELL	9	30.9	2	6.9	30	103.0	0	0.0	6	39.8	2	13.3	2	14.2	2	6.9
CLAY	2	8.8	2	8.8	21	92.2	0	0.0	6	52.1	0	0.0	1	8.9	2	8.8
HARLAN	4	11.4	4	11.4	38	108.7	0	0.0	7	38.8	0	0.0	4	23.6	2	5.7
JACKSON	2	15.5	1	7.7	14	108.5	0	0.0	5	76.8	0	0.0	0	0.0	1	7.7
KNOX	5	15.7	4	12.5	38	119.1	1	3.1	3	18.3	2	12.2	3	19.4	0	0.0
LAUREL	7	13.8	9	17.7	28	55.2	4	7.9	6	23.3	4	15.5	1	4.0	8	15.8
ROCKCASTLE	1	6.3	1	6.3	19	119.2	0	0.0	3	37.4	2	24.9	4	50.5	0	0.0
WHITLEY	10	27.8	5	13.9	41	114.2	1	2.8	6	32.2	0	0.0	2	11.6	8	22.3

\* Crude Rate for Female Breast and Cervix Uteri Per 100,000 Female Population;  
for Prostate Per 100,000 Male Population; for All Other Sites Per 100,000 Total Population.

**Table 2-T**  
**Resident Deaths from Selected Malignant Neoplasms**  
**Number and Crude Rate\*: Kentucky, Districts, and Counties, 1998**

DISTRICTS AND COUNTIES	Colon - Rectum (153 - 154)		Pancreas (157)		Trachea, Bronchus & Lung (162)		Melanoma of Skin (172)		Female Breast (174)		Cervix - Uteri (180)		Prostate (185)		Lymphoid & Histiocytic Tissue (202)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>KENTUCKY</b>	<b>908</b>	<b>23.1</b>	<b>416</b>	<b>10.6</b>	<b>3,146</b>	<b>79.9</b>	<b>105</b>	<b>2.7</b>	<b>621</b>	<b>30.7</b>	<b>76</b>	<b>3.8</b>	<b>447</b>	<b>23.4</b>	<b>354</b>	<b>9.0</b>
<b>DISTRICT 14</b>	<b>43</b>	<b>22.7</b>	<b>26</b>	<b>13.7</b>	<b>170</b>	<b>89.9</b>	<b>11</b>	<b>5.8</b>	<b>32</b>	<b>33.0</b>	<b>4</b>	<b>4.1</b>	<b>25</b>	<b>27.1</b>	<b>19</b>	<b>10.0</b>
ADAIR	4	24.3	2	12.2	19	115.6	1	6.1	2	23.9	0	0.0	1	12.4	2	12.2
CASEY	2	13.5	1	6.8	10	67.7	0	0.0	1	13.3	0	0.0	0	0.0	4	27.1
CLINTON	2	21.4	1	10.7	13	139.2	2	21.4	2	41.3	0	0.0	0	0.0	1	10.7
CUMBERLAND	2	29.4	1	14.7	2	29.4	1	14.7	0	0.0	0	0.0	0	0.0	2	29.4
GREEN	1	9.4	3	28.2	7	65.9	0	0.0	2	36.8	0	0.0	2	38.5	2	18.8
MCCREARY	5	30.0	4	24.0	21	126.1	0	0.0	2	23.6	0	0.0	0	0.0	0	0.0
PULASKI	11	19.5	9	16.0	50	88.8	3	5.3	10	34.6	2	6.9	10	36.5	3	5.3
RUSSELL	3	18.5	1	6.2	15	92.5	1	6.2	2	23.9	0	0.0	3	38.3	2	12.3
TAYLOR	8	34.9	3	13.1	21	91.6	1	4.4	7	59.1	1	8.4	7	63.1	3	13.1
WAYNE	5	26.2	1	5.2	12	62.8	2	10.5	4	41.2	1	10.3	2	21.3	0	0.0
<b>DISTRICT 15</b>	<b>136</b>	<b>20.9</b>	<b>59</b>	<b>9.1</b>	<b>422</b>	<b>64.7</b>	<b>23</b>	<b>3.5</b>	<b>99</b>	<b>29.4</b>	<b>14</b>	<b>4.2</b>	<b>73</b>	<b>23.2</b>	<b>62</b>	<b>9.5</b>
ANDERSON	2	10.8	3	16.2	10	53.8	1	5.4	0	0.0	0	0.0	3	33.0	2	10.8
BOURBON	5	25.8	2	10.3	18	93.0	0	0.0	2	20.1	1	10.0	4	42.6	4	20.7
BOYLE	7	25.7	5	18.4	30	110.3	2	7.4	7	50.5	1	7.2	0	0.0	1	3.7
CLARK	8	25.0	1	3.1	24	75.1	0	0.0	6	36.3	0	0.0	7	45.3	3	9.4
ESTILL	6	38.5	2	12.8	16	102.6	0	0.0	5	61.9	1	12.4	2	26.6	3	19.2
FAYETTE	40	16.5	18	7.4	130	53.8	9	3.7	33	26.2	8	6.3	21	18.2	20	8.3
FRANKLIN	10	21.5	2	4.3	31	66.8	3	6.5	3	12.5	0	0.0	6	26.7	5	10.8
GARRARD	5	36.0	3	21.6	6	43.2	1	7.2	2	28.1	0	0.0	3	44.3	1	7.2
HARRISON	3	17.1	3	17.1	11	62.6	1	5.7	4	44.3	0	0.0	3	35.1	4	22.8
JESSAMINE	4	10.9	2	5.5	26	71.2	0	0.0	7	37.7	0	0.0	3	16.7	2	5.5
LINCOLN	10	44.7	1	4.5	17	76.1	1	4.5	2	17.7	1	8.9	3	27.1	6	26.8
MADISON	17	25.6	11	16.5	32	48.1	1	1.5	11	31.7	0	0.0	10	31.4	6	9.0
MERCER	7	33.8	1	4.8	22	106.3	0	0.0	4	37.2	0	0.0	2	20.1	3	14.5
NICHOLAS	0	0.0	1	14.3	6	85.9	1	14.3	1	28.0	0	0.0	1	29.3	0	0.0
POWELL	4	31.0	1	7.7	12	92.9	0	0.0	4	61.2	1	15.3	2	31.3	0	0.0
SCOTT	4	13.0	2	6.5	16	52.2	2	6.5	3	19.1	0	0.0	3	20.0	2	6.5
WOODFORD	4	17.5	1	4.4	15	65.7	1	4.4	5	42.1	1	8.4	0	0.0	0	0.0

\* Crude Rate for Female Breast and Cervix Uteri Per 100,000 Female Population;  
for Prostate Per 100,000 Male Population; for All Other Sites Per 100,000 Total Population.