

Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adair Coun	988	83.9	2.4	7.1	0.0	0.4	6.2	0.0
Allen Coun	628	89.5	1.3	5.6	0.0	0.3	3.3	0.0
Anderson C	869	87.7	1.7	2.4	0.0	1.2	7.0	0.0
Ashland-Bo	2,317	88.0	2.1	3.1	0.2	0.2	6.5	0.0
Ballard Co	342	83.6	5.6	2.0	0.0	0.6	8.2	0.0
Bar-Riv-Wa	542	64.4	14.9	14.0	1.1	3.0	2.6	0.0
Barren Cty	109	81.7	6.4	5.5	0.0	0.0	6.4	0.0
Bath Count	815	94.1	0.7	3.7	0.0	0.5	1.0	0.0
Belfry	575	98.3	0.7	0.7	0.0	0.0	0.3	0.0
Bell Cty M	1,130	98.7	0.4	0.5	0.0	0.0	0.4	0.0
Bell Cty P	1,341	93.1	3.1	1.5	0.1	0.3	1.9	0.0
Berea	1,062	90.9	3.1	5.0	0.2	0.3	0.6	0.0
Betsy Lane	841	97.3	0.0	1.4	0.0	0.0	1.3	0.0
Boone Coun	4,302	70.5	6.1	17.9	1.0	2.1	2.3	0.0
Bourbon Ct	1,056	63.4	7.1	25.9	0.0	0.2	3.5	0.0
Boyle Coun	1,274	80.5	12.0	6.8	0.0	0.2	0.6	0.0
Bracken Co	511	95.5	0.6	2.5	0.0	0.0	1.4	0.0
Breathitt	1,035	98.6	0.8	0.4	0.0	0.3	0.0	0.0
Breckinrid	912	91.2	2.7	1.9	0.0	0.0	4.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Bridges	987	15.3	73.7	4.3	0.0	1.5	5.3	0.0
Bullitt Co	2,713	90.0	0.7	4.5	0.1	0.4	4.3	0.0
Butler Cty	108	92.6	0.9	5.6	0.0	0.0	0.9	0.0
C & Y	2,503	2.0	96.1	0.7	0.2	0.9	0.1	0.0
Caldwell C	550	83.1	8.5	1.3	0.0	0.5	6.5	0.0
Calloway C	1,297	81.5	5.2	6.0	0.0	2.0	5.2	0.0
Campbell C	2,889	85.2	6.7	5.6	0.0	0.6	1.9	0.0
Carlisle C	215	89.8	0.0	5.1	0.0	0.0	5.1	0.0
Carroll Ct	1,002	72.3	0.5	21.4	0.1	0.1	5.7	0.0
Carter Cty	1,080	91.6	0.9	5.9	0.1	0.4	1.1	0.0
Casey Cty	985	86.0	0.0	12.5	0.0	0.1	1.4	0.0
Christian	3,492	51.7	34.9	6.3	0.2	0.4	6.5	0.1
Clark Coun	1,829	83.7	6.2	7.8	0.1	0.4	1.8	0.0
Clay Cty H	1,850	98.5	0.5	0.7	0.0	0.0	0.3	0.0
Clinton Ct	898	91.5	0.1	8.1	0.0	0.0	0.2	0.0
Corbin	1,936	97.8	0.3	0.9	0.0	0.5	0.6	0.0
Crittenden	317	97.5	0.9	0.6	0.0	0.0	0.9	0.0
Cumberland	558	96.2	3.0	0.7	0.0	0.0	0.0	0.0
Daviess Co	3,124	74.4	5.3	12.1	0.0	1.2	7.0	0.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Dixie	3,945	71.6	16.5	5.5	0.1	1.0	5.3	0.0
Edmonson C	87	*	*	*	*	*	*	*
Elliott Ct	584	98.8	0.0	0.9	0.2	0.0	0.2	0.0
Estill Cty	928	98.5	0.4	0.5	0.0	0.0	0.5	0.0
Etown	3,077	77.9	9.1	5.4	0.1	0.5	7.1	0.0
Fairdale	2,585	70.6	6.3	15.8	0.0	3.4	3.9	0.0
Fleming Co	944	95.0	0.5	2.8	0.0	0.3	1.4	0.0
Floyd Cty	1,796	97.4	0.2	2.3	0.1	0.0	0.1	0.0
Foust Hlth	382	66.5	15.7	6.3	0.0	0.8	10.7	0.0
Franklin C	2,081	65.4	15.5	11.2	0.0	1.3	6.6	0.0
Ft Campbel	3,726	66.6	12.5	14.3	0.1	2.1	4.3	0.1
Fulton	278	46.0	43.2	1.8	0.0	2.2	6.8	0.0
Gallatin C	708	79.9	1.0	16.0	0.0	0.0	3.1	0.0
Garrard Ct	1,049	90.9	1.8	3.8	0.0	0.4	3.1	0.0
Grant Cty	1,891	93.3	0.6	4.7	0.0	0.3	1.2	0.0
Graves Cty	1,814	64.6	7.0	21.8	0.1	0.4	6.1	0.0
Grayson Ct	1,725	95.0	0.3	3.0	0.1	0.3	1.3	0.0
Green Cty	682	92.7	1.5	3.7	0.0	0.1	2.1	0.0
Greenup	1,311	94.7	0.8	1.9	0.0	0.6	1.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Hancock Ct	300	90.7	0.0	3.3	0.0	1.0	5.0	0.0
Harlan Cty	1,914	93.2	1.7	2.3	0.0	0.0	2.9	0.0
Harrison C	1,055	89.7	1.3	5.2	0.0	0.2	3.6	0.0
Hart Cty H	144	85.4	4.9	2.1	0.0	0.0	7.6	0.0
Henderson	1,565	75.3	11.6	3.2	0.0	0.8	9.1	0.0
Henry Coun	781	83.7	2.0	8.1	0.0	2.3	3.8	0.0
Hickman	240	52.9	33.8	3.3	0.0	0.0	10.0	0.0
Hickman Ct	194	64.9	14.4	2.1	0.0	0.0	18.6	0.0
Highview	91	*	*	*	*	*	*	*
Hindman	1,139	97.6	0.4	0.9	0.0	0.3	0.8	0.0
Hopkins Ct	1,850	73.7	9.6	4.9	0.0	0.2	11.6	0.0
Hospital	1,355	84.6	6.2	7.2	0.0	0.7	1.4	0.0
Iroquois	3,543	31.7	30.7	25.7	0.4	3.5	8.0	0.0
Jackson Ct	898	97.8	0.1	1.0	0.0	0.1	1.0	0.0
Jessamine	2,503	80.7	4.6	7.8	0.0	1.6	5.3	0.0
Johnson Co	1,473	98.2	0.2	0.3	0.0	0.2	1.1	0.0
Kenton Cty	5,006	69.7	12.1	10.2	0.0	0.8	7.2	0.0
Knox Cty	2,342	96.7	1.7	0.7	0.0	0.3	0.6	0.0
L & N	3,846	16.9	76.3	2.7	0.1	1.1	2.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Larue Cty	825	77.7	1.7	12.1	0.0	0.0	8.5	0.0
Laurel Cty	2,979	97.9	0.7	1.0	0.0	0.2	0.2	0.0
Lawrence C	1,079	98.6	0.2	0.6	0.0	0.0	0.6	0.0
Lee Cty He	509	96.5	1.8	1.4	0.0	0.0	0.4	0.0
Leslie Cty	909	98.1	0.0	0.6	0.0	0.0	1.3	0.0
Letcher Ct	1,269	97.1	1.0	1.3	0.1	0.0	0.6	0.0
Lewis Cty	850	97.5	0.2	0.5	0.0	0.4	1.4	0.0
Lex-Fay40C	4,936	30.4	24.2	40.8	0.0	1.1	3.5	0.0
Lex-Fay40F	3,474	49.2	23.1	13.8	0.2	2.6	11.1	0.0
Lex-Fay40G	1,435	33.3	29.8	25.1	0.0	1.4	10.5	0.0
Lex-Fay40W	1,733	20.4	34.4	40.5	0.0	0.5	4.2	0.0
Lincoln Ct	1,350	92.8	1.3	2.4	0.0	0.0	3.5	0.0
Livingston	376	95.5	0.5	2.1	0.0	0.0	1.9	0.0
Logan Cty	166	75.9	10.2	6.6	0.0	0.6	6.6	0.0
Lynch	437	91.5	3.7	0.5	0.0	0.0	4.3	0.0
Lyon Cty	308	92.5	2.6	0.6	0.0	0.6	3.6	0.0
Magoffin C	966	97.7	0.2	1.7	0.0	0.0	0.4	0.0
Marion Cty	1,202	72.8	10.7	10.6	0.0	0.7	5.2	0.0
Marshal90A	1,214	97.7	0.3	1.2	0.0	0.5	0.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Marshal90B	75	*	*	*	*	*	*	*
Martin Cty	961	98.5	0.0	0.9	0.0	0.2	0.3	0.0
Mason Cty	1,016	79.8	7.7	5.6	0.1	0.1	6.7	0.0
McCracken	2,235	57.7	24.2	7.2	0.0	1.1	9.7	0.0
McCreary C	1,518	97.4	0.4	1.4	0.0	0.0	0.8	0.0
McLean Ct	364	96.2	0.0	3.0	0.0	0.0	0.8	0.0
Meade Cty	1,151	87.4	2.1	4.9	0.0	0.1	5.6	0.0
Menifee Ct	521	98.1	1.0	1.0	0.0	0.0	0.0	0.0
Mercer Cty	1,211	87.1	2.9	8.2	0.0	0.5	1.3	0.0
Metcalfe C	85	*	*	*	*	*	*	*
Middletown	2,786	59.5	17.6	14.5	0.2	1.3	6.9	0.0
Monroe Cnt	98	*	*	*	*	*	*	*
Montgomery	1,804	88.1	0.9	9.1	0.0	0.1	1.8	0.0
Morgan Cty	922	99.5	0.2	0.1	0.0	0.0	0.2	0.0
Muhlenberg	1,222	91.0	3.2	1.6	0.0	0.2	4.0	0.1
Neighborho	2,044	54.0	25.1	5.5	0.4	5.8	9.2	0.0
Nelson Cty	2,063	80.4	5.4	7.6	0.0	0.0	6.5	0.0
Newburg	4,238	31.3	40.8	20.4	0.0	1.5	5.9	0.0
Nicholas C	433	91.0	0.0	7.4	0.0	0.0	1.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Oasis Hlth	267	74.5	9.0	4.9	0.0	0.0	11.6	0.0
Ohio Cty	1,156	79.7	1.3	18.6	0.0	0.0	0.4	0.0
Oldham Cty	1,286	66.6	5.1	24.7	0.0	0.5	3.3	0.0
Olive Hill	954	94.2	0.3	4.5	0.0	0.1	0.8	0.0
Owen Cty	631	85.6	0.5	10.3	0.0	0.3	3.3	0.0
Owsley Cty	466	98.7	0.0	0.0	0.0	0.0	1.3	0.0
Park Duval	2,791	9.4	69.7	14.8	0.0	2.3	3.8	0.0
Pendleton	720	96.5	0.8	1.9	0.0	0.1	0.6	0.0
Perry Cty	2,026	96.7	1.7	0.4	0.0	0.0	1.1	0.0
Pike Cty	2,658	97.6	1.0	1.0	0.0	0.2	0.3	0.0
Portland	1,837	42.2	46.7	2.9	0.1	1.0	7.1	0.0
Powell Cty	916	96.4	1.0	1.9	0.1	0.7	0.0	0.0
Pulaski Ct	3,574	89.3	1.3	7.9	0.1	0.5	0.9	0.0
Radcliffe	3,572	55.9	18.1	14.0	0.3	0.8	10.9	0.0
Richmond	2,506	79.5	5.9	6.7	0.0	0.3	7.5	0.0
Robertson	224	92.0	0.0	6.7	0.0	0.0	1.3	0.0
Rockcastle	1,041	95.9	0.1	2.3	0.0	0.0	1.7	0.0
Rowan Cty	1,276	95.6	2.0	0.6	0.0	1.6	0.2	0.0
Russell Ct	1,271	82.5	0.6	15.6	0.0	0.0	1.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Scott Cty	1,749	76.4	6.8	15.2	0.0	1.1	0.5	0.0
Shelby Cty	1,826	45.6	8.3	42.6	0.0	0.8	2.6	0.0
Simpson Ct	144	76.4	13.9	2.1	0.0	0.0	7.6	0.0
South Shor	283	97.2	0.0	0.0	0.0	0.0	2.8	0.0
Spencer Ct	622	86.0	2.1	9.2	0.0	0.2	2.6	0.0
Taylor Cty	1,369	79.6	5.5	4.8	0.0	0.5	9.6	0.0
Todd Cty H	613	66.1	12.4	16.5	0.0	0.3	4.7	0.0
Trigg Cty	498	79.3	10.2	1.0	0.0	0.8	8.6	0.0
Trimble Ct	498	90.6	0.4	6.2	0.0	1.0	1.8	0.0
Union Cty	566	81.6	8.0	1.1	0.0	0.0	9.4	0.0
Washington	611	65.5	8.8	19.1	0.0	0.0	6.5	0.0
Wayne Cty	1,533	85.5	1.0	12.1	0.0	0.2	1.2	0.0
Webster Ct	516	70.5	1.0	23.1	0.0	0.0	5.4	0.0
Webster Prov	76	*	*	*	*	*	*	*
Wheelbrigh	436	96.3	2.8	0.9	0.0	0.0	0.0	0.0
Williamsbu	1,753	97.4	0.6	1.5	0.1	0.0	0.4	0.0
Wolfe Cty	715	98.5	0.0	0.8	0.0	0.0	0.7	0.0
Woodford C	1,038	58.0	4.5	31.5	0.0	0.4	5.6	0.0
Kentucky	203,596	73.8	12.3	9.1	0.1	0.8	4.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adair Coun	988	41.7	19.0	39.3
Allen Coun	628	40.4	19.9	39.6
Anderson C	869	36.1	22.0	41.9
Ashland-Bo	2,317	45.9	19.3	34.7
Ballard Co	342	37.4	23.1	39.5
Bar-Riv-Wa	542	67.3	32.7	0.0
Barren Cty	109	19.3	78.9	1.8
Bath Count	815	35.8	20.5	43.7
Belfry	575	48.2	18.6	33.2
Bell Cty M	1,130	37.4	16.8	45.8
Bell Cty P	1,341	36.5	20.2	43.3
Berea	1,062	39.4	22.0	38.6
Betsy Lane	841	33.9	18.4	47.7
Boone Coun	4,302	44.0	20.8	35.3
Bourbon Ct	1,056	40.6	21.4	38.0
Boyle Coun	1,274	40.3	20.0	39.7
Bracken Co	511	39.5	19.8	40.7
Breathitt	1,035	34.2	17.0	48.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Breckinrid	912	42.0	18.5	39.5
Bridges	987	41.2	18.6	40.1
Bullitt Co	2,713	46.2	20.3	33.5
Butler Cty	108	73.1	26.9	0.0
C & Y	2,503	47.5	21.5	31.0
Caldwell C	550	40.0	22.9	37.1
Calloway C	1,297	41.6	20.9	37.5
Campbell C	2,889	43.8	20.4	35.9
Carlisle C	215	30.2	22.8	47.0
Carroll Ct	1,002	40.5	19.1	40.4
Carter Cty	1,080	39.8	19.4	40.7
Casey Cty	985	39.0	20.0	41.0
Christian	3,492	48.7	17.1	34.2
Clark Coun	1,829	42.9	19.2	37.9
Clay Cty H	1,850	41.8	17.7	40.5
Clinton Ct	898	35.9	20.0	44.1
Corbin	1,936	42.4	17.8	39.8
Crittenden	317	31.2	23.0	45.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Cumberland	558	38.7	15.1	46.2
Daviess Co	3,124	49.6	19.3	31.1
Dixie	3,945	49.6	17.9	32.5
Edmonson C	87	*	*	*
Elliott Ct	584	34.4	15.8	49.8
Estill Cty	928	36.9	19.6	43.5
Etown	3,077	43.6	18.1	38.3
Fairdale	2,585	47.0	19.6	33.4
Fleming Co	944	34.2	19.7	46.1
Floyd Cty	1,796	42.7	19.2	38.2
Foust Hlth	382	29.1	17.5	53.4
Franklin C	2,081	47.3	19.6	33.2
Ft Campbel	3,726	40.0	16.7	43.2
Fulton	278	37.1	16.5	46.4
Gallatin C	708	35.5	19.1	45.5
Garrard Ct	1,049	36.5	18.3	45.2
Grant Cty	1,891	34.2	20.9	44.9
Graves Cty	1,814	39.0	20.1	40.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Grayson Ct	1,725	39.1	18.6	42.3
Green Cty	682	34.0	19.6	46.3
Greenup	1,311	43.6	19.6	36.8
Hancock Ct	300	47.0	22.7	30.3
Harlan Cty	1,914	38.6	17.2	44.3
Harrison C	1,055	38.5	21.0	40.5
Hart Cty H	144	59.7	40.3	0.0
Henderson	1,565	47.8	20.6	31.6
Henry Coun	781	42.0	19.8	38.2
Hickman	240	39.6	15.4	45.0
Hickman Ct	194	40.2	18.0	41.8
Highview	91	*	*	*
Hindman	1,139	40.7	16.2	43.0
Hopkins Ct	1,850	43.0	19.2	37.8
Hospital	1,355	100.0	0.0	0.0
Iroquois	3,543	46.3	19.1	34.5
Jackson Ct	898	37.6	17.5	44.9
Jessamine	2,503	40.3	21.5	38.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Johnson Co	1,473	37.0	18.2	44.8
Kenton Cty	5,006	45.8	22.3	31.9
Knox Cty	2,342	36.1	19.0	44.9
L & N	3,846	47.9	18.2	33.9
Larue Cty	825	35.5	19.9	44.6
Laurel Cty	2,979	44.8	18.5	36.7
Lawrence C	1,079	40.7	18.0	41.3
Lee Cty He	509	34.0	19.1	47.0
Leslie Cty	909	37.3	20.1	42.6
Letcher Ct	1,269	47.8	17.7	34.5
Lewis Cty	850	36.5	18.1	45.4
Lex-Fay40C	4,936	48.7	19.2	32.1
Lex-Fay40F	3,474	45.7	18.9	35.5
Lex-Fay40G	1,435	38.0	19.8	42.2
Lex-Fay40W	1,733	36.6	18.4	45.0
Lincoln Ct	1,350	40.5	20.0	39.5
Livingston	376	37.8	18.4	43.9
Logan Cty	166	67.5	31.9	0.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lynch	437	43.5	18.5	38.0
Lyon Cty	308	34.7	16.2	49.0
Magoffin C	966	35.3	17.1	47.6
Marion Cty	1,202	41.8	17.8	40.3
Marshal90A	1,214	39.6	20.3	40.0
Marshal90B	75	*	*	*
Martin Cty	961	36.9	17.1	46.0
Mason Cty	1,016	46.0	19.7	34.4
McCracken	2,235	42.3	21.8	35.9
McCreary C	1,518	40.3	16.1	43.6
McLean Ct	364	39.6	22.5	37.9
Meade Cty	1,151	42.1	20.0	37.9
Menifee Ct	521	35.3	17.5	47.2
Mercer Cty	1,211	39.1	21.6	39.3
Metcalfe C	85	*	*	*
Middletown	2,786	45.4	21.1	33.5
Monroe Cnt	98	*	*	*
Montgomery	1,804	40.3	17.0	42.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Morgan Cty	922	36.0	17.6	46.4
Muhlenberg	1,222	38.8	21.4	39.9
Neighborho	2,044	45.2	20.2	34.6
Nelson Cty	2,063	44.5	18.2	37.3
Newburg	4,238	44.8	18.8	36.4
Nicholas C	433	38.6	20.3	41.1
Oasis Hlth	267	31.5	21.7	46.8
Ohio Cty	1,156	41.0	20.3	38.7
Oldham Cty	1,286	44.7	18.9	36.4
Olive Hill	954	34.7	16.9	48.4
Owen Cty	631	38.8	20.3	40.9
Owsley Cty	466	35.2	17.4	47.4
Park Duval	2,791	38.5	21.7	39.8
Pendleton	720	41.9	21.9	36.1
Perry Cty	2,026	43.5	20.0	36.5
Pike Cty	2,658	49.3	17.9	32.8
Portland	1,837	46.1	20.0	33.9
Powell Cty	916	41.8	18.4	39.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Pulaski Ct	3,574	42.8	19.4	37.8
Radcliffe	3,572	42.0	17.7	40.3
Richmond	2,506	43.9	20.5	35.6
Robertson	224	29.5	18.8	51.8
Rockcastle	1,041	37.5	18.2	44.4
Rowan Cty	1,276	43.5	17.9	38.6
Russell Ct	1,271	39.7	21.5	38.8
Scott Cty	1,749	43.0	18.0	39.1
Shelby Cty	1,826	37.0	21.9	41.2
Simpson Ct	144	65.3	34.7	0.0
South Shor	283	33.9	20.5	45.6
Spencer Ct	622	44.2	16.4	39.4
Taylor Cty	1,369	40.0	19.5	40.5
Todd Cty H	613	39.5	21.9	38.7
Trigg Cty	498	38.4	22.7	39.0
Trimble Ct	498	38.8	22.3	39.0
Union Cty	566	42.9	20.1	36.9
Washington	611	38.3	18.0	43.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Wayne Cty	1,533	40.2	17.7	42.1
Webster Ct	516	42.4	19.4	38.2
Webster Prov	76	*	*	*
Wheelbrigh	436	35.3	17.7	47.0
Williamsbu	1,753	38.5	18.8	42.7
Wolfe Cty	715	33.4	15.5	51.0
Woodford C	1,038	38.0	19.9	42.1
Kentucky	203,596	42.7	19.3	38.0
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Adair Coun	246	4.9 (4)	8.1 (99)	958	5.1 (63)	5.7 (57)	11.8 (49)	370	15.1 (49)	14.9 (56)	470	8.9 (54)
Allen Coun	93	* *	* *	615	6.8(103)	5.0 (43)	12.8 (70)	244	17.2 (80)	15.6 (62)	190	14.2(101)
Anderson C	172	19.8(121)	1.7 (2)	824	6.4 (95)	4.9 (40)	11.8 (49)	355	14.6 (38)	14.4 (48)	529	10.2 (67)
Ashland-Bo	645	12.2 (98)	3.9 (18)	2,233	3.3 (17)	14.6(140)	8.2 (14)	786	14.5 (36)	14.0 (42)	1,101	12.4 (86)
Ballard Co	77	* *	* *	325	7.4(113)	4.6 (32)	14.5 (97)	133	17.3 (83)	11.3 (19)	178	10.1 (66)
Bar-Riv-Wa	1	* *	* *	501	3.2 (14)	14.0(138)	5.4 (6)	0	* *	* *	1	* *
Barren Cty	0	* *	* *	106	5.7 (76)	10.4(123)	2.8 (5)	2	* *	* *	1	* *
Bath Count	192	9.4 (53)	4.7 (29)	782	7.9(118)	5.5 (50)	15.7(111)	340	16.8 (73)	18.8(100)	427	7.5 (38)
Belfry	177	8.5 (33)	5.6 (49)	525	3.8 (25)	13.9(137)	10.5 (32)	168	8.3 (5)	10.7 (16)	254	6.3 (32)
Bell Cty M	280	37.5(122)	2.5 (9)	1,081	7.3(111)	5.2 (45)	16.1(120)	492	13.0 (21)	18.5 (99)	706	2.1 (7)
Bell Cty P	306	13.1(107)	7.2 (93)	1,292	5.9 (80)	4.3 (23)	18.6(138)	560	20.4(127)	22.5(124)	689	3.9 (12)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Berea	257	9.7 (59)	7.0 (89)	1,045	2.9 (8)	7.0 (84)	8.5 (15)	400	15.0 (45)	15.3 (60)	643	3.4 (9)
Betsy Lane	192	12.5 (103)	4.7 (29)	795	3.5 (18)	8.6(111)	12.3 (62)	390	13.6 (30)	17.2 (81)	468	5.8 (26)
Boone Coun	1,050	6.5 (14)	7.9 (97)	4,112	5.0 (58)	7.4 (90)	10.4 (29)	1,496	16.2 (65)	13.3 (38)	1,950	12.4 (86)
Bourbon Ct	278	12.9 (106)	8.3 (103)	996	5.0 (58)	5.8 (59)	16.2 (123)	392	13.5 (29)	18.9 (103)	650	9.5 (59)
Boyle Coun	311	10.0 (64)	6.1 (60)	1,233	6.6 (100)	5.9 (64)	12.2 (61)	498	11.2 (11)	12.9 (35)	670	14.6 (104)
Bracken Co	132	7.6 (25)	9.1 (107)	485	4.1 (33)	13.2 (135)	14.0 (92)	203	15.3 (54)	19.2 (106)	289	1.0 (3)
Breathitt	211	11.8 (89)	7.1 (92)	963	5.0 (58)	4.8 (35)	14.8 (102)	474	14.8 (43)	12.9 (35)	552	7.1 (36)
Breckinrid	231	10.4 (70)	7.8 (95)	885	7.2 (109)	4.2 (19)	16.3 (124)	349	21.2 (129)	18.9 (103)	569	7.9 (43)
Bridges	252	10.3 (69)	6.3 (66)	939	4.4 (45)	8.0 (103)	15.0 (105)	387	19.6 (119)	17.8 (91)	543	16.8 (118)
Bullitt Co	779	9.0 (43)	6.5 (72)	2,631	7.0 (106)	4.8 (35)	11.9 (52)	896	19.2 (115)	14.4 (48)	1,112	8.4 (50)
Butler Cty	0	* *	* *	102	2.0 (3)	15.7 (143)	2.0 (2)	0	* *	* *	1	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
C & Y	687	12.2 (98)	3.9 (18)	2,383	8.2(123)	10.7(127)	15.0(105)	768	18.4(101)	18.8(100)		1,327	29.5 (136)
Caldwell C	114	14.9 (112)	5.3 (40)	520	6.0 (84)	4.2 (19)	13.8 (91)	198	18.2 (98)	14.1 (44)		263	15.6 (114)
Calloway C	306	12.4 (101)	11.1 (117)	1,239	6.7(102)	3.7 (17)	15.1(107)	475	15.8 (60)	17.5 (85)		664	7.1 (36)
Campbell C	636	5.8 (8)	6.9 (84)	2,563	4.0 (29)	9.6(118)	8.0 (12)	975	12.6 (17)	10.3 (11)		1,175	15.1 (110)
Carlisle C	33	* *	* *	204	5.9 (80)	4.4 (25)	15.7(111)	100	22.0(134)	14.0 (42)		141	6.4 (34)
Carroll Ct	276	9.4 (53)	2.2 (7)	984	4.3 (39)	8.2(105)	16.1(120)	401	20.0(125)	24.9(130)		625	9.9 (62)
Carter Cty	283	7.1 (20)	2.1 (6)	1,031	4.9 (57)	10.3(122)	12.8 (70)	416	17.8 (89)	19.2(106)		467	5.6 (25)
Casey Cty	252	8.3 (29)	7.9 (97)	957	6.4 (95)	5.9 (64)	10.9 (36)	402	12.4 (15)	15.7 (64)		464	9.9 (62)
Christian	967	10.9 (81)	4.1 (23)	3,309	4.2 (38)	6.2 (69)	11.0 (40)	1,181	15.2 (51)	12.7 (31)		1,590	22.6 (131)
Clark Coun	485	10.7 (75)	5.4 (45)	1,757	3.2 (14)	4.9 (40)	12.7 (68)	679	14.7 (40)	14.1 (44)		883	11.1 (76)
Clay Cty H	527	10.6 (73)	9.3 (108)	1,771	4.0 (29)	8.8(113)	16.0(118)	722	17.5 (85)	22.3(122)		997	10.9 (72)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Clinton Ct	209	13.4 (108)	9.6 (110)	863	7.2 (109)	6.5 (72)	16.0 (118)	379	21.4 (131)	21.1 (116)	447	4.3 (15)
Corbin	558	8.4 (31)	8.1 (99)	1,881	4.1 (33)	7.5 (92)	14.5 (97)	752	21.7 (133)	22.2 (121)	1,072	4.8 (20)
Crittenden	48	* *	* *	305	5.9 (80)	5.6 (53)	12.5 (65)	142	20.4 (127)	12.0 (24)	204	21.6 (129)
Cumberland	144	18.1 (119)	6.9 (84)	537	4.3 (39)	3.5 (14)	12.7 (68)	249	15.7 (58)	21.7 (119)	266	15.4 (113)
Daviess Co	827	10.5 (72)	6.5 (72)	3,046	8.6 (127)	4.3 (23)	10.9 (36)	956	19.0 (110)	13.9 (41)	1,161	8.2 (46)
Dixie	1,191	10.7 (75)	6.5 (72)	3,725	7.9 (118)	10.0 (120)	12.3 (62)	1,229	9.4 (9)	8.1 (6)	1,671	10.2 (67)
Edmonson C	0	* *	* *	83	* *	* *	* *	0	* *	* *	0	* *
Elliott Ct	146	17.1 (117)	6.2 (63)	548	3.6 (21)	7.5 (92)	18.2 (136)	279	19.4 (117)	25.8 (131)	284	17.6 (123)
Estill Cty	215	9.8 (61)	2.8 (10)	905	6.3 (91)	5.6 (53)	10.7 (34)	401	15.0 (45)	16.7 (78)	498	4.4 (16)
Etown	831	9.0 (43)	6.5 (72)	3,001	7.6 (114)	6.1 (68)	12.5 (65)	1,138	14.2 (34)	10.8 (17)	1,542	13.8 (99)
Fairdale	674	9.2 (49)	8.5 (104)	2,496	7.3 (111)	7.4 (90)	13.0 (72)	854	17.9 (92)	14.5 (51)	1,267	7.9 (43)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Fleming Co	211	10.4 (70)	6.2 (63)	908	4.6 (51)	11.1(128)	11.1 (42)	418	16.5 (70)	13.4 (39)		537	15.3(111)
Floyd Cty	526	12.4(101)	1.9 (4)	1,705	7.6(114)	4.8 (35)	13.6 (83)	662	17.2 (80)	20.2(114)		888	4.4 (16)
Foust Hlth	36	* *	* *	375	5.3 (70)	4.5 (28)	13.3 (78)	199	16.1 (64)	16.1 (70)		231	15.6(114)
Franklin C	603	11.4 (87)	4.0 (22)	2,007	12.4(140)	4.9 (40)	17.3(130)	682	18.3 (99)	21.3(117)		921	21.4(128)
Ft Campbel	787	8.5 (33)	11.3(118)	3,593	5.6 (75)	8.5(110)	10.3 (28)	1,577	16.9 (75)	11.0 (18)		1,961	14.8(107)
Fulton	66	* *	* *	268	6.0 (84)	8.2(105)	17.9(132)	121	19.0(110)	19.0(105)		160	17.5(122)
Gallatin C	153	5.9 (9)	11.8(120)	685	3.6 (21)	10.1(121)	10.2 (25)	313	13.1 (23)	12.5 (27)		407	20.6(127)
Garrard Ct	219	14.6(111)	8.2(102)	1,001	4.3 (39)	6.0 (67)	12.0 (55)	463	18.1 (96)	16.2 (71)		529	11.0 (73)
Grant Cty	386	11.9 (93)	4.4 (25)	1,830	4.8 (55)	5.6 (53)	9.8 (20)	839	12.6 (17)	10.4 (13)		1,083	15.3(111)
Graves Cty	413	6.3 (13)	10.2(114)	1,759	3.9 (27)	6.5 (72)	15.6(110)	721	19.1(114)	19.8(112)		961	15.0(109)
Grayson Ct	414	4.1 (2)	7.0 (89)	1,667	7.6(114)	7.0 (84)	11.3 (44)	707	18.4(101)	14.1 (44)		938	4.4 (16)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Green Cty	135	5.9 (9)	13.3(122)	667	3.9 (27)	2.7 (6)	14.7(101)	313	22.4(135)	16.9 (79)	375	8.3 (48)
Greenup	378	9.3 (52)	6.1 (60)	1,265	3.5 (18)	12.3(134)	10.9 (36)	467	15.2 (51)	16.5 (76)	568	7.7 (41)
Hancock Ct	68	* *	* *	293	6.1 (87)	7.8 (98)	13.0 (72)	90	* *	* *	150	11.3 (79)
Harlan Cty	497	10.1 (66)	6.8 (82)	1,796	5.5 (72)	15.2(142)	17.8(131)	825	21.2(129)	28.8(136)	753	9.6 (60)
Harrison C	267	10.9 (81)	6.7 (79)	991	5.1 (63)	3.1 (11)	11.5 (46)	420	15.5 (56)	14.5 (51)	519	11.8 (85)
Hart Cty H	0	* *	* *	139	2.9 (8)	7.9(100)	5.8 (7)	0	* *	* *	1	* *
Henderson	369	5.4 (6)	4.6 (28)	1,524	5.2 (66)	11.7(132)	6.8 (9)	478	15.1 (49)	12.3 (25)	554	2.0 (4)
Henry Coun	224	3.1 (1)	5.8 (53)	753	5.2 (66)	8.1(104)	15.7(111)	288	17.7 (87)	15.6 (62)	453	17.2(120)
Hickman	63	* *	* *	222	6.8(103)	12.2(133)	17.1(128)	105	12.4 (15)	18.1 (94)	108	13.0 (95)
Hickman Ct	48	* *	* *	190	3.7 (23)	11.1(128)	14.2 (93)	76	* *	* *	100	11.0 (73)
Highview	0	* *	* *	84	* *	* *	* *	0	* *	* *	23	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Hindman	278	10.8 (79)	1.8 (3)	1,047	13.1(142)	4.8 (35)	18.4(137)	470	13.4 (26)	15.5 (61)		578	4.0 (13)
Hopkins Ct	394	7.1 (20)	3.6 (14)	1,798	8.1(122)	7.5 (92)	12.0 (55)	691	18.7(107)	14.6 (53)		1,093	8.9 (54)
Hospital	1,351	7.0 (17)	6.8 (82)	1,241	0.8 (1)	14.6(140)	2.6 (3)	0	* *	* *		0	* *
Iroquois	995	10.6 (73)	5.8 (53)	3,342	3.0 (10)	7.9(100)	9.5 (19)	1,196	16.0 (63)	12.6 (29)		1,906	14.2(101)
Jackson Ct	222	8.6 (35)	5.9 (57)	866	4.5 (47)	6.7 (79)	10.2 (25)	389	15.2 (51)	15.9 (68)		477	7.5 (38)
Jessamine	597	7.9 (26)	6.4 (69)	2,416	8.0(121)	7.7 (96)	9.8 (20)	955	12.0 (13)	11.6 (20)		1,274	15.8(116)
Johnson Co	358	17.0(116)	5.3 (40)	1,387	6.3 (91)	6.8 (81)	21.0(141)	642	18.5(103)	22.3(122)		820	8.7 (53)
Kenton Cty	1,017	12.0 (96)	4.9 (32)	4,740	4.6 (51)	5.8 (59)	11.4 (45)	1,575	18.7(107)	15.0 (59)		2,146	7.6 (40)
Knox Cty	535	8.8 (39)	3.9 (18)	2,241	5.5 (72)	7.6 (95)	13.7 (86)	1,000	17.2 (80)	19.8(112)		1,555	6.9 (35)
L & N	1,135	9.5 (57)	5.5 (48)	3,611	4.8 (55)	8.4(108)	10.9 (36)	1,262	14.9 (44)	12.8 (33)		1,863	17.4(121)
Larue Cty	171	4.7 (3)	6.4 (69)	797	7.0(106)	1.9 (3)	22.1(143)	353	21.5(132)	26.3(132)		542	13.7 (98)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Laurel Cty	806	9.7 (59)	11.0 (115)	2,866	4.3 (39)	7.9 (100)	11.2 (43)	1,076	16.3 (68)	15.8 (65)	1,284	6.1 (29)
Lawrence C	293	19.1 (120)	4.4 (25)	1,024	4.4 (45)	11.3 (130)	14.9 (103)	437	19.9 (122)	19.5 (109)	577	4.2 (14)
Lee Cty He	77	* *	* *	488	3.5 (18)	8.4 (108)	11.7 (48)	230	12.6 (17)	10.0 (10)	287	17.8 (124)
Leslie Cty	203	8.9 (42)	4.4 (25)	848	3.1 (11)	13.2 (135)	13.6 (83)	365	9.0 (6)	11.8 (21)	436	11.7 (82)
Letcher Ct	369	7.0 (17)	5.1 (35)	1,233	6.1 (87)	4.5 (28)	13.4 (79)	422	23.2 (136)	24.6 (129)	538	0.9 (2)
Lewis Cty	195	11.8 (89)	6.2 (63)	823	4.3 (39)	4.6 (32)	13.2 (76)	379	12.9 (20)	17.2 (81)	345	12.8 (93)
Lex-Fay40C	1,384	9.2 (49)	5.9 (57)	4,698	8.6 (127)	7.0 (84)	13.7 (86)	1,532	18.9 (109)	17.6 (87)	2,066	20.3 (126)
Lex-Fay40F	1,004	9.1 (45)	5.3 (40)	3,361	6.2 (89)	6.8 (81)	10.1 (24)	1,212	17.1 (78)	12.5 (27)	1,574	27.6 (134)
Lex-Fay40G	314	10.2 (68)	6.1 (60)	1,374	4.1 (33)	4.2 (19)	13.0 (72)	594	19.2 (115)	17.7 (89)	720	32.6 (137)
Lex-Fay40W	372	11.8 (89)	6.5 (72)	1,581	14.0 (144)	4.5 (28)	15.9 (117)	720	17.9 (92)	18.8 (100)	465	23.4 (132)
Lincoln Ct	341	11.1 (83)	5.6 (49)	1,291	6.2 (89)	10.4 (123)	9.8 (20)	517	14.5 (36)	9.9 (9)	709	12.4 (86)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Livingston	68	* *	* *	366	10.7(136)	5.5 (50)	13.4 (79)	166	4.8 (1)	3.6 (1)	174	6.3 (32)
Logan Cty	0	* *	* *	156	2.6 (4)	5.1 (44)	2.6 (3)	1	* *	* *	1	* *
Lynch	140	10.7 (75)	8.6(105)	411	4.1 (33)	10.5(125)	10.5 (32)	148	6.8 (3)	13.5 (40)	100	2.0 (4)
Lyon Cty	54	* *	* *	298	14.1(145)	1.0 (2)	20.5(140)	144	18.1 (96)	27.8(134)	199	2.0 (4)
Magoffin C	204	11.3 (85)	3.9 (18)	901	6.5 (98)	7.7 (96)	15.8(115)	441	13.6 (30)	16.6 (77)	458	18.3(125)
Marion Cty	298	9.4 (53)	9.4(109)	1,177	8.5(126)	4.2 (19)	16.1(120)	469	19.6(119)	14.9 (56)	599	6.2 (30)
Marshal90A	294	9.2 (49)	5.8 (53)	1,134	12.1(139)	7.2 (88)	15.3(109)	475	13.3 (25)	6.9 (5)	652	14.9(108)
Marshal90B	14	* *	* *	67	* *	* *	* *	33	* *	* *	52	* *
Martin Cty	139	8.6 (35)	2.2 (7)	907	7.9(118)	9.0(116)	14.4 (95)	419	13.4 (26)	16.2 (71)	476	14.1(100)
Mason Cty	296	10.8 (79)	5.1 (35)	946	8.7(130)	8.2(105)	12.4 (64)	338	18.3 (99)	16.0 (69)	469	11.7 (82)
McCracken	552	9.4 (53)	5.3 (40)	2,032	6.3 (91)	4.6 (32)	18.1(134)	783	14.7 (40)	11.9 (22)	1,158	14.3(103)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
McCreary C	386	9.1 (45)	4.1 (23)	1,477	4.1 (33)	6.6 (76)	11.9 (52)	643	17.9 (92)	21.0(115)	804	9.3 (57)
McLean Ct	72	* *	* *	354	11.9(138)	2.8 (7)	18.1(134)	137	13.9 (33)	22.6(125)	161	0.6 (1)
Meade Cty	273	5.5 (7)	8.8(106)	1,120	8.4(125)	3.9 (18)	13.4 (79)	424	13.2 (24)	12.3 (25)	667	11.1 (76)
Menifee Ct	134	17.9(118)	3.0 (11)	499	3.8 (25)	5.8 (59)	14.6 (99)	237	16.9 (75)	18.1 (94)	259	10.4 (70)
Mercer Cty	298	6.7 (16)	5.0 (34)	1,182	5.8 (78)	5.3 (47)	11.8 (49)	475	16.2 (65)	14.7 (55)	718	10.3 (69)
Metcalfe C	0	* *	* *	82	* *	* *	* *	0	* *	* *	0	* *
Middletown	814	8.1 (28)	6.0 (59)	2,653	8.3(124)	6.5 (72)	10.7 (34)	911	15.0 (45)	14.2 (47)	1,277	8.5 (51)
Monroe Cnt	0	* *	* *	95	* *	* *	* *	0	* *	* *	0	* *
Montgomery	452	7.1 (20)	7.5 (94)	1,740	4.5 (47)	4.4 (25)	14.4 (95)	748	18.6(105)	18.3 (96)	903	5.0 (21)
Morgan Cty	185	7.0 (17)	7.0 (89)	879	4.0 (29)	6.6 (76)	12.1 (58)	415	17.8 (89)	17.8 (91)	578	12.6 (92)
Muhlenberg	278	6.5 (14)	12.9(121)	1,188	5.0 (58)	4.8 (35)	10.4 (29)	479	15.9 (61)	14.6 (53)	527	14.6(104)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Neighborho	551	9.6 (58)	6.7 (79)	1,922	2.7 (5)	14.0(138)	6.7 (8)	675	9.3 (8)	5.5 (3)	983	3.5 (10)
Nelson Cty	540	9.1 (45)	5.7 (52)	2,016	8.6(127)	5.3 (47)	14.6 (99)	763	16.6 (71)	17.4 (84)	1,028	11.5 (81)
Newburg	1,180	7.9 (26)	6.9 (84)	3,931	2.8 (6)	17.8(144)	7.0 (10)	1,445	4.8 (1)	4.3 (2)	2,306	33.2(138)
Nicholas C	102	8.8 (39)	6.9 (84)	409	3.7 (23)	9.8(119)	9.8 (20)	172	8.1 (4)	8.1 (6)	220	9.1 (56)
Oasis Hlth	37	* *	* *	262	9.9(135)	2.3 (5)	13.7 (86)	125	14.4 (35)	14.4 (48)	121	24.8(133)
Ohio Cty	262	10.7 (75)	6.5 (72)	1,117	4.5 (47)	3.0 (9)	12.1 (58)	440	16.4 (69)	18.4 (98)	510	3.1 (8)
Oldham Cty	358	9.8 (61)	3.6 (14)	1,247	6.5 (98)	5.5 (50)	11.9 (52)	457	17.1 (78)	17.3 (83)	535	12.5 (89)
Olive Hill	195	11.3 (85)	6.7 (79)	917	2.8 (6)	5.8 (59)	13.7 (86)	447	18.6(105)	22.8(126)	438	14.6(104)
Owen Cty	171	12.3(100)	11.7(119)	608	5.8 (78)	6.7 (79)	13.2 (76)	255	16.9 (75)	10.6 (15)	375	9.9 (62)
Owsley Cty	104	12.5(103)	9.6(110)	433	9.2(132)	3.0 (9)	30.9(145)	213	20.2(126)	28.6(135)	308	9.7 (61)
Park Duval	649	13.4(108)	3.4 (13)	2,678	6.3 (91)	7.3 (89)	12.1 (58)	1,075	14.6 (38)	14.9 (56)	1,706	11.2 (78)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pendleton	185	11.4 (87)	8.1 (99)	690	5.9 (80)	5.9 (64)	12.5 (65)	254	13.0 (21)	21.3(117)	368	13.6 (97)
Perry Cty	541	12.6 (105)	7.8 (95)	1,889	8.9(131)	3.6 (15)	23.6(144)	718	17.5 (85)	21.9(120)	897	11.0 (73)
Pike Cty	770	11.9 (93)	6.6 (78)	2,545	6.0 (84)	11.4(131)	12.0 (55)	830	17.7 (87)	16.9 (79)	1,146	8.3 (48)
Portland	478	13.8 (110)	5.2 (38)	1,764	5.2 (66)	8.8(113)	11.6 (47)	607	16.6 (71)	16.3 (74)	935	28.0 (135)
Powell Cty	240	10.0 (64)	5.4 (45)	877	5.0 (58)	3.6 (15)	15.1(107)	351	16.8 (73)	19.7(110)	537	5.8 (26)
Pulaski Ct	931	9.9 (63)	6.9 (84)	3,452	3.2 (14)	7.1 (87)	7.8 (11)	1,316	14.7 (40)	11.9 (22)	1,690	4.7 (19)
Radcliffe	893	8.3 (29)	6.3 (66)	3,492	5.1 (63)	6.2 (69)	8.1 (13)	1,409	12.1 (14)	9.1 (8)	1,805	17.0 (119)
Richmond	681	11.2 (84)	4.8 (31)	2,427	3.1 (11)	8.8(113)	10.4 (29)	882	13.7 (32)	16.2 (71)	1,337	7.9 (43)
Robertson	33	* *	* *	219	4.6 (51)	7.8 (98)	9.1 (17)	111	9.9 (10)	6.3 (4)	129	6.2 (30)
Rockcastle	256	7.4 (24)	3.1 (12)	1,007	5.2 (66)	5.2 (45)	13.6 (83)	443	19.9(122)	15.8 (65)	565	11.7 (82)
Rowan Cty	336	10.1 (66)	9.8 (112)	1,229	6.9(105)	8.6(111)	13.0 (72)	470	17.4 (84)	18.3 (96)	579	7.8 (42)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Russell Ct	309	9.1 (45)	5.8 (53)	1,228	6.4 (95)	5.6 (53)	10.2 (25)	481	18.5(103)	17.5 (85)	637	5.8 (26)
Scott Cty	452	8.6 (35)	5.1 (35)	1,667	9.8(134)	6.6 (76)	16.7(125)	673	13.4 (26)	12.8 (33)	758	16.6(117)
Shelby Cty	422	7.1 (20)	3.8 (17)	1,770	9.7(133)	4.4 (25)	16.9(126)	734	15.9 (61)	17.6 (87)	949	12.5 (89)
Simpson Ct	1	* *	* *	130	3.1 (11)	18.5(145)	1.5 (1)	0	* *	* *	1	* *
South Shor	58	* *	* *	276	4.0 (29)	10.5(125)	9.4 (18)	126	19.0(110)	10.3 (11)	145	5.5 (23)
Spencer Ct	187	15.0(113)	5.3 (40)	584	13.7(143)	6.5 (72)	21.2(142)	235	15.7 (58)	23.0(128)	265	12.8 (93)
Taylor Cty	360	6.1 (12)	10.0(113)	1,335	5.5 (72)	4.5 (28)	13.7 (86)	545	15.4 (55)	18.0 (93)	680	8.2 (46)
Todd Cty H	130	16.9(115)	1.5 (1)	574	7.7(117)	6.8 (81)	17.2(129)	234	15.0 (45)	15.8 (65)	323	9.9 (62)
Trigg Cty	73	* *	* *	489	4.5 (47)	3.3 (12)	14.9(103)	185	11.9 (12)	13.0 (37)	279	9.3 (57)
Trimble Ct	126	11.9 (93)	5.6 (49)	490	4.3 (39)	5.7 (57)	11.0 (40)	191	17.8 (89)	12.6 (29)	310	22.3(130)
Union Cty	127	11.8 (89)	6.3 (66)	551	12.7(141)	2.2 (4)	13.4 (79)	205	15.6 (57)	12.7 (31)	238	5.5 (23)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Washington	136	5.1 (5)	11.0 (115)	606	5.4 (71)	5.3 (47)	15.8 (115)	265	16.2 (65)	17.7 (89)	298	11.4 (80)
Wayne Cty	370	8.6 (35)	5.4 (45)	1,495	4.6 (51)	5.8 (59)	15.7 (111)	630	17.9 (92)	22.9 (127)	783	12.5 (89)
Webster Ct	102	5.9 (9)	4.9 (32)	505	10.7 (136)	2.8 (7)	19.4 (139)	196	19.9 (122)	19.4 (108)	285	3.5 (10)
Webster Prov	23	* *	* *	76	* *	* *	* *	28	* *	* *	39	* *
Wheelbrigh	102	16.7 (114)	2.0 (5)	422	0.9 (2)	6.2 (69)	8.8 (16)	200	9.0 (6)	10.5 (14)	219	13.2 (96)
Williamsbu	456	8.8 (39)	3.7 (16)	1,702	5.7 (76)	9.2 (117)	18.0 (133)	731	19.0 (110)	26.3 (132)	892	8.6 (52)
Wolfe Cty	154	8.4 (31)	5.2 (38)	686	7.0 (106)	0.9 (1)	16.9 (126)	345	19.4 (117)	19.7 (110)	352	5.1 (22)
Woodford C	249	12.0 (96)	6.4 (69)	1,002	6.6 (100)	3.4 (13)	14.3 (94)	429	19.6 (119)	16.3 (74)	601	10.5 (71)
Kentucky	51,846	9.9	6.3	194,714	5.9	7.3	12.6	75,189	16.0	15.6	99,280	12.2
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Adair Coun	247	45.3 (20)	198	13.1 (34)	145	5.5 (44)	0	* *	0	* *	397	85.1(111)	988	22.8 (66)
Allen Coun	63	* *	36	* *	49	* *	0	* *	0	* *	249	83.5(119)	628	22.9 (68)
Anderson C	174	44.3 (26)	163	15.3 (24)	126	2.4 (86)	0	* *	0	* *	369	84.6(116)	869	23.6 (72)
Ashland-Bo	630	25.4 (93)	457	8.8 (69)	299	7.7 (17)	0	* *	0	* *	820	98.2 (14)	2,317	56.1 (123)
Ballard Co	71	* *	47	* *	42	* *	0	* *	0	* *	141	89.4 (75)	342	29.2 (84)
Bar-Riv-Wa	1	* *	2	* *	2	* *	0	* *	0	* *	0	* *	542	16.8 (51)
Barren Cty	0	* *	0	* *	0	* *	0	* *	0	* *	2	* *	108	18.5 (58)
Bath Count	188	13.3(116)	146	5.5 (94)	110	5.5 (44)	0	* *	0	* *	362	98.6 (13)	815	43.6 (109)
Belfry	179	16.8(114)	99	* *	42	* *	0	* *	0	* *	198	81.8(124)	575	64.3 (135)
Bell Cty M	283	25.8 (92)	177	8.5 (70)	144	2.1 (91)	0	* *	0	* *	527	94.5 (41)	1,130	45.7 (111)
Bell Cty P	312	23.4 (98)	197	6.6 (81)	162	2.5 (85)	0	* *	0	* *	591	97.6 (20)	1,341	30.6 (90)
Berea	256	49.6 (15)	202	15.3 (24)	171	5.8 (39)	0	* *	0	* *	419	94.7 (39)	1,062	18.4 (56)
Betsy Lane	192	6.8(120)	122	0.8 (107)	91	* *	0	* *	0	* *	413	100.0 (1)	841	71.9 (140)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Boone Coun	1,088	37.6 (48)	944	16.4 (20)	624	9.9 (12)	0	* *	0	* *	1,554	88.1 (91)	4,302	44.3 (110)
Bourbon Ct	278	45.0 (23)	224	16.5 (19)	160	6.9 (23)	0	* *	0	* *	407	97.8 (17)	1,056	63.2 (133)
Boyle Coun	315	37.1 (52)	212	9.9 (58)	166	4.8 (55)	0	* *	0	* *	520	93.1 (54)	1,274	60.6 (127)
Bracken Co	130	45.4 (19)	88	* *	82	* *	0	* *	0	* *	211	90.5 (67)	511	63.2 (133)
Breathitt	210	12.4(118)	175	2.9 (105)	121	1.7 (97)	0	* *	0	* *	515	87.6 (95)	1,035	52.1 (121)
Breckinrid	227	42.7 (34)	157	6.4 (84)	108	3.7 (70)	0	* *	0	* *	371	84.1(117)	912	1.9 (24)
Bridges	254	43.7 (29)	153	28.8 (2)	129	10.9 (10)	0	* *	0	* *	405	91.6 (60)	987	1.3 (22)
Bullitt Co	766	44.4 (25)	553	9.0 (65)	414	4.1 (63)	0	* *	0	* *	926	92.8 (56)	2,713	30.0 (88)
Butler Cty	0	* *	0	* *	1	* *	0	* *	0	* *	0	* *	108	0.9 (17)
C & Y	679	34.5 (65)	513	5.5 (94)	291	3.1 (76)	0	* *	0	* *	798	100.0 (1)	2,503	0.0 (1)
Caldwell C	103	44.7 (24)	81	* *	69	* *	0	* *	0	* *	212	69.8(136)	550	19.8 (60)
Calloway C	301	68.4 (2)	178	21.9 (12)	174	7.5 (18)	0	* *	0	* *	506	91.5 (61)	1,297	10.5 (38)
Campbell C	709	28.5 (81)	663	7.1 (77)	407	6.6 (26)	0	* *	0	* *	1,054	94.8 (36)	2,889	47.4 (113)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Carlisle C	30	* *	25	* *	34	* *	0	* *	102	81.4 (125)	215	14.9 (47)
Carroll Ct	271	36.9 (53)	170	15.3 (24)	147	6.8 (24)	0	* *	414	87.4 (96)	1,002	34.0 (96)
Carter Cty	284	37.7 (47)	187	11.8 (39)	124	4.0 (65)	0	* *	448	86.4 (105)	1,080	61.7 (130)
Casey Cty	251	38.6 (43)	178	13.5 (33)	132	6.1 (34)	0	* *	410	89.8 (73)	985	26.1 (75)
Christian	998	42.3 (36)	611	15.9 (22)	346	7.2 (21)	0	* *	1,240	87.1 (100)	3,491	42.3 (108)
Clark Coun	480	38.1 (45)	331	15.1 (27)	254	7.5 (18)	0	* *	713	95.2 (32)	1,829	1.1 (20)
Clay Cty H	524	20.8 (106)	307	6.2 (87)	240	2.9 (78)	0	* *	719	87.2 (99)	1,850	62.1 (131)
Clinton Ct	206	17.5 (113)	173	5.8 (92)	131	2.3 (88)	0	* *	405	93.3 (50)	898	50.2 (116)
Corbin	555	26.5 (90)	311	11.3 (41)	228	3.5 (74)	0	* *	787	90.0 (71)	1,936	5.7 (30)
Crittenden	39	* *	30	* *	36	* *	0	* *	149	81.2 (127)	317	12.0 (42)
Cumberland	142	20.4 (107)	101	4.0 (103)	60	* *	0	* *	260	93.8 (45)	558	31.0 (92)
Daviess Co	610	33.8 (68)	298	9.1 (62)	257	7.4 (20)	0	* *	990	93.6 (47)	3,124	12.4 (44)
Dixie	1,200	42.1 (37)	849	11.8 (39)	450	3.8 (69)	0	* *	1,309	98.7 (12)	3,945	0.1 (3)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Edmonson C	0	* *	0	* *	1	* *	0	* *	0	* *	0	* *	87	* *
Elliott Ct	145	19.3(108)	70	* *	63	* *	0	* *	0	* *	295	93.2 (53)	584	68.7 (139)
Estill Cty	205	35.6 (62)	143	9.1 (62)	100	3.0 (77)	0	* *	0	* *	423	95.0 (34)	928	15.5 (48)
Etown	842	45.2 (21)	446	14.3 (31)	327	4.9 (54)	0	* *	0	* *	1,184	92.9 (55)	3,077	29.5 (85)
Fairdale	686	27.1 (85)	555	10.5 (50)	323	5.6 (42)	0	* *	0	* *	887	87.0(101)	2,585	0.3 (8)
Fleming Co	211	27.0 (86)	146	11.0 (45)	112	5.4 (47)	0	* *	0	* *	442	89.1 (79)	944	17.1 (52)
Floyd Cty	508	10.2(119)	296	6.1 (88)	214	4.2 (61)	0	* *	0	* *	706	99.9 (8)	1,796	49.9 (115)
Foust Hlth	27	* *	46	* *	32	* *	0	* *	0	* *	209	89.0 (81)	382	12.8 (45)
Franklin C	599	51.9 (12)	364	15.4 (23)	271	4.4 (59)	0	* *	0	* *	705	88.8 (86)	2,081	28.5 (83)
Ft Campbell	774	74.0 (1)	622	25.9 (7)	366	9.6 (13)	0	* *	0	* *	1,642	80.9(129)	3,726	1.7 (23)
Fulton	61	* *	30	* *	24	* *	0	* *	0	* *	132	83.3(120)	278	23.4 (70)
Gallatin C	153	42.5 (35)	115	10.4 (52)	108	8.3 (15)	0	* *	0	* *	325	89.2 (77)	708	83.1 (143)
Garrard Ct	220	36.4 (58)	189	12.2 (37)	130	5.4 (47)	0	* *	0	* *	485	96.7 (26)	1,049	30.7 (91)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Grant Cty	392	28.1 (83)	327	10.4 (52)	251	6.0 (37)	0	* *	0	* *	867	88.0 (93)	1,891	64.4 (136)
Graves Cty	406	50.2 (13)	269	11.9 (38)	240	6.3 (29)	0	* *	0	* *	764	94.8 (36)	1,814	23.8 (73)
Grayson Ct	429	30.3 (77)	324	8.0 (72)	208	2.9 (78)	0	* *	0	* *	750	88.5 (89)	1,725	40.0 (106)
Green Cty	134	43.3 (31)	106	4.7 (100)	111	6.3 (29)	0	* *	0	* *	327	93.6 (47)	682	17.3 (54)
Greenup	375	34.4 (66)	262	6.1 (88)	171	1.8 (95)	0	* *	0	* *	493	88.0 (93)	1,311	22.2 (64)
Hancock Ct	42	* *	37	* *	22	* *	0	* *	0	* *	95	* *	300	31.7 (94)
Harlan Cty	488	19.1(109)	262	6.5 (83)	212	2.8 (81)	0	* *	0	* *	876	91.3 (63)	1,914	30.3 (89)
Harrison C	264	36.7 (54)	160	13.1 (34)	154	1.9 (94)	0	* *	0	* *	444	97.3 (23)	1,055	18.3 (55)
Hart Cty H	0	* *	0	* *	1	* *	0	* *	0	* *	0	* *	144	5.6 (29)
Henderson	224	23.7 (96)	120	7.5 (75)	128	6.3 (29)	0	* *	0	* *	503	87.3 (97)	1,565	27.0 (77)
Henry Coun	220	43.2 (32)	132	4.5 (101)	115	1.7 (97)	0	* *	0	* *	302	97.7 (19)	781	1.2 (21)
Hickman	58	* *	43	* *	20	* *	0	* *	0	* *	113	80.5(130)	240	51.3 (119)
Hickman Ct	45	* *	24	* *	23	* *	0	* *	0	* *	83	* *	194	23.2 (69)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Highview	0	* *	7	* *	19	* *	0	* *	0	* *	91	* *		
Hindman	272	24.3 (95)	188	5.3 (97)	113	6.2 (33)	0	* *	0	* *	500	97.4 (21)	1,139	14.7 (46)
Hopkins Ct	288	37.2 (51)	175	10.9 (46)	177	5.1 (49)	0	* *	0	* *	714	82.8(123)	1,850	33.3 (95)
Hospital	1,351	38.3 (44)	7	* *	0	* *	0	* *	0	* *	0	* *	1,355	16.2 (50)
Iroquois	990	60.4 (6)	680	28.2 (4)	428	13.8 (4)	0	* *	0	* *	1,175	97.2 (24)	3,543	0.1 (3)
Jackson Ct	222	36.5 (56)	143	5.6 (93)	119	4.2 (61)	0	* *	0	* *	412	85.2(109)	898	59.2 (126)
Jessamine	582	43.0 (33)	448	21.9 (12)	302	11.9 (7)	0	* *	0	* *	986	95.1 (33)	2,503	8.7 (33)
Johnson Co	351	27.6 (84)	220	9.1 (62)	184	2.2 (90)	0	* *	0	* *	675	99.0 (11)	1,473	47.3 (112)
Kenton Cty	1,212	31.8 (73)	1,221	9.6 (59)	730	5.1 (49)	0	* *	0	* *	1,649	97.8 (17)	5,006	50.4 (117)
Knox Cty	555	17.7(111)	393	8.9 (67)	328	2.1 (91)	0	* *	0	* *	1,073	93.8 (45)	2,342	0.6 (14)
L & N	1,201	44.0 (27)	779	17.5 (16)	454	7.0 (22)	0	* *	0	* *	1,335	83.7(118)	3,846	0.3 (8)
Larue Cty	171	48.0 (16)	142	7.7 (74)	102	5.9 (38)	0	* *	0	* *	384	88.5 (89)	825	10.4 (36)
Laurel Cty	826	30.4 (76)	564	11.2 (44)	384	3.9 (66)	0	* *	0	* *	1,127	96.5 (28)	2,979	35.9 (97)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Lawrence C	291	33.7 (69)	187	7.5 (75)	143	2.8 (81)	0	* *	0	* *	458	83.2(121)	1,079	61.3 (129)
Lee Cty He	106	34.0 (67)	66	* *	63	* *	0	* *	0	* *	245	89.0 (81)	509	10.4 (36)
Leslie Cty	200	21.0(105)	143	6.3 (85)	111	1.8 (95)	0	* *	0	* *	397	100.0 (1)	909	0.9 (17)
Letcher Ct	359	29.2 (78)	206	17.5 (16)	112	6.3 (29)	0	* *	0	* *	447	87.0(101)	1,269	3.2 (26)
Lewis Cty	193	28.5 (81)	116	6.9 (79)	112	3.6 (73)	0	* *	0	* *	396	89.1 (79)	850	60.7 (128)
Lex-Fay40C	1,384	61.4 (4)	1,064	28.4 (3)	640	15.6 (3)	0	* *	0	* *	1,618	88.9 (83)	4,936	0.5 (13)
Lex-Fay40F	1,001	56.7 (8)	692	26.9 (5)	397	12.8 (6)	0	* *	0	* *	1,255	90.3 (68)	3,474	0.3 (8)
Lex-Fay40G	311	41.2 (39)	288	13.9 (32)	182	5.5 (44)	0	* *	0	* *	628	85.4(108)	1,435	0.2 (6)
Lex-Fay40W	373	50.1 (14)	264	22.7 (10)	171	20.5 (2)	0	* *	0	* *	791	99.5 (9)	1,733	0.2 (6)
Lincoln Ct	335	17.6(112)	271	5.9 (90)	196	4.1 (63)	0	* *	0	* *	549	91.3 (63)	1,350	40.7 (107)
Livingston	54	* *	41	* *	48	* *	0	* *	0	* *	168	80.4(131)	376	36.7 (100)
Logan Cty	0	* *	0	* *	0	* *	0	* *	0	* *	1	* *	166	27.1 (78)
Lynch	139	12.9(117)	63	* *	46	* *	0	* *	0	* *	168	85.1(111)	437	72.5 (141)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Lyon Cty	48	* *	28	* *	31	* *	0	* *	0	* *	154	97.4 (21)	308	26.9 (76)
Magoffin C	202	22.3(102)	158	7.0 (78)	123	2.4 (86)	0	* *	0	* *	473	85.2(109)	966	18.4 (56)
Marion Cty	297	35.7 (61)	199	9.5 (61)	145	4.8 (55)	0	* *	0	* *	497	95.6 (30)	1,202	64.9 (138)
Marshal90A	290	52.1 (11)	163	10.4 (52)	157	4.5 (58)	0	* *	0	* *	497	81.3(126)	1,214	24.5 (74)
Marshal90B	12	* *	8	* *	7	* *	0	* *	0	* *	38	* *	75	* *
Martin Cty	222	22.5(101)	155	2.6 (106)	115	0.9 (100)	0	* *	0	* *	448	87.3 (97)	961	29.6 (86)
Mason Cty	317	23.3 (99)	181	5.5 (94)	135	3.7 (70)	0	* *	0	* *	360	76.1(133)	1,016	62.4 (132)
McCracken	536	52.2 (10)	341	19.4 (14)	320	5.6 (42)	0	* *	0	* *	825	88.7 (87)	2,235	11.7 (41)
McCreary C	391	18.4(110)	251	5.2 (98)	176	1.1 (99)	0	* *	0	* *	671	85.1(111)	1,518	23.5 (71)
McLean Ct	47	* *	29	* *	37	* *	0	* *	0	* *	138	92.8 (56)	364	38.5 (102)
Meade Cty	275	26.9 (88)	190	10.5 (50)	154	3.2 (75)	0	* *	0	* *	441	86.8(103)	1,151	90.4 (144)
Menifee Ct	132	28.8 (79)	77	* *	61	* *	0	* *	0	* *	232	91.4 (62)	521	8.3 (32)
Mercer Cty	296	31.4 (74)	184	10.9 (46)	163	6.1 (34)	0	* *	0	* *	490	90.6 (66)	1,211	28.1 (82)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)										
Clinic	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Metcalfe C	0	* *	0	* *	0	* *	0	* *	85	* *
Middletown	804	60.6 (5)	585	24.8 (8)	387	13.7 (5)	0	* *	956	98.2 (14)
Monroe Cnt	0	* *	0	* *	0	* *	0	* *	98	* *
Montgomery	447	36.2 (59)	281	18.5 (15)	177	5.1 (49)	0	* *	787	88.1 (91)
Morgan Cty	211	27.0 (86)	135	6.7 (80)	104	5.8 (39)	0	* *	375	100.0 (1)
Muhlenberg	204	23.0(100)	142	6.3 (85)	148	0.7 (101)	0	* *	506	90.7 (65)
Neighborho	545	47.3 (17)	407	29.2 (1)	246	22.8 (1)	0	* *	717	94.7 (39)
Nelson Cty	543	36.5 (56)	355	9.6 (59)	258	3.9 (66)	0	* *	790	93.3 (50)
Newburg	1,188	65.7 (3)	768	26.6 (6)	578	11.2 (9)	0	* *	1,572	86.0(106)
Nicholas C	102	23.5 (97)	78	* *	59	* *	0	* *	182	95.6 (30)
Oasis Hlth	29	* *	18	* *	19	* *	0	* *	128	85.9(107)
Ohio Cty	162	32.7 (72)	108	10.2 (55)	101	5.0 (53)	0	* *	446	75.8(134)
Oldham Cty	351	53.3 (9)	212	22.6 (11)	164	6.7 (25)	0	* *	463	94.2 (42)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Olive Hill	192	28.6 (80)	154	16.9 (18)	105	10.5 (11)	0	* *	0	* *	467	94.9 (35)	954	49.8 (114)
Owen Cty	169	33.7 (69)	110	10.0 (57)	70	* *	0	* *	0	* *	265	96.6 (27)	631	51.8 (120)
Owsley Cty	103	22.3(102)	74	* *	71	* *	0	* *	0	* *	226	90.3 (68)	466	20.4 (62)
Park Duval	645	35.8 (60)	495	11.3 (41)	361	6.4 (28)	0	* *	0	* *	1,138	100.0 (1)	2,791	0.0 (1)
Pendleton	184	45.1 (22)	136	5.9 (90)	133	2.3 (88)	0	* *	0	* *	267	93.6 (47)	720	29.6 (86)
Perry Cty	540	26.9 (88)	374	5.1 (99)	295	2.7 (83)	0	* *	0	* *	775	91.7 (59)	2,026	0.3 (8)
Pike Cty	794	21.8(104)	551	8.5 (70)	289	2.1 (91)	0	* *	0	* *	897	79.9(132)	2,658	58.5 (125)
Portland	475	37.9 (46)	365	12.9 (36)	233	8.6 (14)	0	* *	0	* *	641	93.9 (43)	1,837	0.3 (8)
Powell Cty	239	43.9 (28)	180	8.9 (67)	136	2.9 (78)	0	* *	0	* *	368	88.9 (83)	916	22.8 (66)
Pulaski Ct	919	41.1 (40)	683	10.7 (49)	421	5.7 (41)	0	* *	0	* *	1,391	92.1 (58)	3,574	27.9 (81)
Radcliffe	882	41.4 (38)	527	14.8 (29)	396	5.1 (49)	0	* *	0	* *	1,456	88.7 (87)	3,572	51.1 (118)
Richmond	665	36.7 (54)	491	10.2 (55)	392	7.9 (16)	0	* *	0	* *	920	88.9 (83)	2,506	11.2 (40)
Robertson	33	* *	24	* *	22	* *	0	* *	0	* *	121	99.2 (10)	224	54.5 (122)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Rockcastle	255	37.3 (50)	151	14.6 (30)	136	3.7 (70)	0	* *	0	* *	469	81.0(128)	1,041	17.2 (53)
Rowan Cty	335	33.4 (71)	268	9.0 (65)	153	4.6 (57)	0	* *	0	* *	508	83.1(122)	1,276	2.7 (25)
Russell Ct	312	34.6 (64)	230	10.9 (46)	180	3.9 (66)	0	* *	0	* *	512	86.5(104)	1,271	19.2 (59)
Scott Cty	449	39.0 (41)	319	11.3 (41)	198	6.6 (26)	0	* *	0	* *	694	96.1 (29)	1,749	16.0 (49)
Shelby Cty	419	60.1 (7)	285	23.5 (9)	257	11.3 (8)	0	* *	0	* *	760	89.2 (77)	1,826	3.4 (27)
Simpson Ct	1	* *	0	* *	2	* *	0	* *	0	* *	0	* *	144	27.8 (80)
South Shor	57	* *	36	* *	35	* *	0	* *	0	* *	135	89.6 (74)	283	20.5 (63)
Spencer Ct	187	37.4 (49)	105	16.2 (21)	62	* *	0	* *	0	* *	249	94.8 (36)	622	1.0 (19)
Taylor Cty	357	34.7 (63)	245	3.3 (104)	182	0.5 (102)	0	* *	0	* *	568	90.3 (68)	1,369	36.1 (98)
Todd Cty H	74	* *	51	* *	30	* *	0	* *	0	* *	240	97.1 (25)	613	6.0 (31)
Trigg Cty	58	* *	64	* *	59	* *	0	* *	0	* *	199	89.4 (75)	498	39.4 (104)
Trimble Ct	125	31.2 (75)	87	* *	84	* *	0	* *	0	* *	198	84.8(115)	498	5.0 (28)
Union Cty	74	* *	32	* *	36	* *	0	* *	0	* *	210	74.3(135)	566	31.1 (93)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7A
2010 Pediatric Nutrition Surveillance (1)
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Washington	134	46.3 (18)	89	* *	72	* *	0	* *	0	* *	276	100.0 (1)	611	10.5 (38)
Wayne Cty	367	26.4 (91)	263	8.0 (72)	187	4.3 (60)	0	* *	0	* *	661	93.9 (43)	1,533	27.3 (79)
Webster Ct	66	* *	34	* *	44	* *	0	* *	0	* *	199	84.9(114)	516	22.3 (65)
Webster Prov	15	* *	4	* *	6	* *	0	* *	0	* *	29	* *	76	* *
Wheelbrigh	101	13.9(115)	63	* *	45	* *	0	* *	0	* *	211	100.0 (1)	436	64.7 (137)
Williamsbu	451	25.1 (94)	258	6.6 (81)	234	2.6 (84)	0	* *	0	* *	775	93.3 (50)	1,753	12.0 (42)
Wolfe Cty	162	38.9 (42)	110	4.5 (101)	86	* *	0	* *	0	* *	361	90.0 (71)	715	39.7 (105)
Woodford C	246	43.5 (30)	147	15.0 (28)	147	6.1 (34)	0	* *	0	* *	443	98.0 (16)	1,038	20.2 (61)
Kentucky	51,257	38.3	34,872	13.3	24,880	6.3	0	*	0	*	78,931	91.0	203,594	25.7
Nation (Prior Year)	1,769,160	61.7	911,779	27.0	1,092,573	18.5	317,037	9.9	420,655	5.3	1,022,933	77.3	4,355,723	10.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Adair Coun	631	6.0 (6)	7.3 (114)	2,496	5.2 (62)	5.8 (61)	11.2 (32)	993	13.7 (20)	14.8 (53)	1,392	10.1 (67)
Allen Coun	578	7.8 (24)	6.2 (74)	2,521	6.2 (90)	5.8 (61)	11.4 (35)	1,060	15.0 (39)	14.3 (45)	1,131	17.3 (127)
Anderson C	491	13.4 (139)	4.3 (20)	2,140	6.6 (103)	5.9 (68)	12.9 (69)	855	19.1 (126)	16.5 (81)	1,375	13.2 (98)
Ashland-Bo	1,556	12.5 (133)	4.2 (15)	5,860	3.1 (7)	12.7 (149)	8.3 (5)	2,129	15.9 (55)	14.8 (53)	3,253	15.4 (117)
Ballard Co	250	10.4 (94)	7.6 (122)	880	8.5 (128)	4.8 (40)	15.6 (120)	348	17.0 (83)	9.8 (8)	558	9.5 (53)
Bar-Riv-Wa	1,453	11.5 (120)	5.4 (47)	7,175	4.9 (56)	7.8 (113)	12.6 (62)	2,415	16.7 (76)	17.5 (96)	3,904	14.0 (105)
Barren Cty	830	9.6 (70)	8.6 (134)	3,645	4.6 (41)	5.6 (55)	12.1 (48)	1,336	16.7 (76)	18.3 (108)	2,081	9.0 (48)
Bath Count	457	9.8 (78)	6.3 (76)	2,014	9.0 (135)	6.3 (78)	17.7 (136)	869	18.9 (122)	22.1 (138)	1,236	10.0 (65)
Belfry	411	10.9 (109)	4.6 (26)	1,438	3.5 (16)	12.9 (150)	9.7 (15)	510	11.2 (11)	11.4 (17)	792	9.1 (50)
Bell Cty M	659	26.3 (150)	2.9 (4)	2,829	6.6 (103)	4.2 (26)	16.2 (125)	1,308	15.1 (41)	18.8 (112)	1,975	2.4 (4)
Bell Cty P	773	11.0 (111)	5.8 (57)	3,381	5.9 (84)	3.8 (21)	16.6 (129)	1,491	18.8 (120)	21.1 (131)	2,106	4.0 (10)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Berea	670	10.7 (103)	8.1 (128)	2,674	3.5 (16)	7.6 (107)	9.1 (9)	1,020	14.6 (31)	14.9 (56)		1,676	3.6 (8)
Betsy Lane	508	11.2 (118)	4.7 (27)	2,050	2.7 (4)	10.8 (140)	9.3 (12)	963	10.0 (5)	11.8 (19)		1,322	4.9 (15)
Boone Coun	2,278	9.0 (51)	7.8 (125)	10,160	5.6 (77)	6.8 (87)	12.3 (50)	3,804	15.5 (50)	14.1 (42)		5,684	14.0 (105)
Bourbon Ct	751	9.7 (75)	7.2 (112)	2,569	5.3 (66)	5.4 (50)	17.2 (133)	933	16.4 (71)	19.0 (117)		1,661	10.9 (77)
Boyle Coun	796	9.9 (86)	6.8 (101)	3,172	5.9 (84)	5.6 (55)	12.9 (69)	1,222	13.3 (16)	13.0 (30)		1,830	14.0 (105)
Bracken Co	337	7.7 (21)	7.1 (108)	1,288	5.3 (66)	11.6 (146)	13.5 (77)	502	22.3 (149)	19.3 (120)		813	3.1 (5)
Breathitt	539	9.6 (70)	5.2 (43)	2,513	4.5 (36)	4.5 (35)	15.3 (116)	1,200	14.9 (38)	14.3 (45)		1,625	6.1 (27)
Breckinrid	601	9.5 (66)	6.5 (85)	2,396	6.4 (99)	3.0 (9)	12.9 (69)	984	18.0 (103)	14.2 (44)		1,561	7.0 (36)
Bridges	549	10.7 (103)	6.0 (64)	2,292	4.7 (47)	7.1 (96)	14.9 (107)	992	17.4 (90)	16.5 (81)		1,404	16.5 (122)
Bullitt Co	1,832	9.6 (70)	6.1 (71)	6,578	6.2 (90)	4.6 (38)	12.6 (62)	2,327	18.6 (116)	14.6 (52)		3,368	9.7 (55)
Butler Cty	236	9.3 (58)	6.8 (101)	1,247	3.9 (19)	7.2 (99)	14.5 (100)	496	20.6 (140)	20.2 (127)		767	6.5 (31)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
C & Y	1,697	13.2 (136)	2.9 (4)	6,227	7.2(115)	8.1(119)	14.1 (89)	1,912	19.0(125)	17.4 (94)	3,520	32.4(150)
Caldwell C	463	9.3 (58)	6.3 (76)	1,695	5.2 (62)	5.4 (50)	14.2 (92)	642	16.2 (63)	13.2 (32)	965	13.7(103)
Calloway C	1,031	8.8 (46)	9.4(140)	3,787	5.9 (84)	4.1 (25)	13.7 (80)	1,412	16.5 (73)	14.5 (49)	2,176	6.7 (32)
Campbell C	1,413	8.8 (46)	6.1 (71)	6,812	4.3 (28)	8.0(117)	9.1 (9)	2,643	11.7 (12)	10.0 (10)	3,898	14.7(114)
Carlisle C	163	6.1 (8)	4.9 (32)	687	4.7 (47)	3.5 (17)	14.1 (89)	321	22.1(148)	15.6 (66)	472	13.3(100)
Carroll Ct	703	8.1 (28)	6.3 (76)	2,436	4.9 (56)	7.9(115)	14.9(107)	936	20.3(136)	23.2(143)	1,541	12.2 (90)
Carter Cty	674	10.4 (94)	3.7 (11)	2,818	4.3 (28)	11.3(144)	12.4 (55)	1,137	17.1 (85)	18.2(106)	1,562	7.7 (42)
Casey Cty	582	8.2 (33)	7.7(124)	2,364	6.6(103)	5.8 (61)	11.5 (38)	1,027	13.3 (16)	15.4 (62)	1,343	10.1 (67)
Christian	2,508	11.6(121)	3.5 (10)	8,969	4.4 (32)	5.8 (61)	10.7 (24)	3,155	16.3 (68)	12.9 (26)	4,805	22.0(137)
Clark Coun	1,272	9.0 (51)	5.3 (45)	4,555	4.5 (36)	4.3 (30)	14.2 (92)	1,690	17.6 (96)	16.7 (85)	2,514	11.3 (81)
Clay Cty H	1,257	9.5 (66)	7.6(122)	4,600	4.3 (28)	7.7(109)	15.8(122)	1,918	18.5(115)	22.1(138)	2,868	6.8 (35)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clinton Ct	504	11.1 (116)	8.7 (135)	2,250	6.3 (93)	6.9 (91)	16.4 (128)	958	21.1 (144)	21.9 (137)	1,335	4.4 (11)
Corbin	1,443	8.4 (37)	7.3 (114)	5,047	4.6 (41)	7.5 (106)	14.2 (92)	1,983	20.5 (139)	21.1 (131)	3,043	8.9 (46)
Crittenden	223	13.5 (140)	1.8 (1)	1,006	5.7 (79)	4.4 (32)	12.5 (59)	445	20.9 (141)	12.6 (24)	707	20.8 (136)
Cumberland	308	13.3 (138)	4.9 (32)	1,282	4.7 (47)	5.1 (47)	12.6 (62)	587	17.2 (86)	21.3 (134)	776	12.5 (95)
Daviess Co	2,733	8.1 (28)	7.0 (105)	9,673	8.8 (132)	4.6 (38)	12.5 (59)	3,287	18.7 (118)	15.4 (62)	4,881	9.2 (51)
Dixie	2,640	9.5 (66)	6.7 (95)	9,079	6.9 (110)	8.9 (127)	12.6 (62)	3,023	9.4 (4)	8.1 (3)	4,687	10.5 (75)
Edmonson C	185	9.2 (54)	3.2 (6)	1,051	3.3 (12)	9.4 (131)	12.4 (55)	385	16.4 (71)	18.4 (109)	606	5.1 (17)
Elliott Ct	359	12.3 (129)	7.0 (105)	1,455	3.0 (5)	7.8 (113)	13.9 (83)	678	17.7 (98)	19.6 (122)	834	17.0 (123)
Estill Cty	548	10.2 (90)	4.2 (15)	2,516	5.7 (79)	5.0 (46)	11.9 (45)	1,103	15.1 (41)	18.1 (103)	1,568	7.4 (39)
Etown	1,802	7.5 (18)	6.5 (85)	7,275	8.7 (131)	4.4 (32)	15.2 (115)	2,809	14.7 (32)	12.9 (26)	4,284	12.3 (92)
Evarts	0	* *	* *	46	* *	* *	* *	10	* *	* *	26	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fairdale	1,350	8.8 (46)	8.2 (129)	5,243	6.3 (93)	6.3 (78)	13.4 (76)	1,746	17.7 (98)	14.5 (49)	2,922	10.3 (74)
Fleming Co	570	9.8 (78)	7.5 (120)	2,347	5.8 (81)	10.8 (140)	12.6 (62)	1,061	14.7 (32)	15.0 (59)	1,493	17.0 (123)
Floyd Cty	1,316	10.8 (107)	3.3 (7)	4,476	7.0 (111)	6.0 (72)	12.3 (50)	1,777	14.2 (26)	17.2 (92)	2,593	6.2 (29)
Foust Hlth	181	11.0 (111)	5.0 (36)	1,099	4.9 (56)	4.5 (35)	14.4 (99)	551	18.3 (109)	18.1 (103)	774	14.0 (105)
Franklin C	1,413	11.8 (125)	4.5 (24)	5,312	11.7 (149)	4.9 (41)	16.7 (130)	1,862	19.3 (128)	20.5 (129)	2,845	18.9 (133)
Ft Campbel	1,956	8.0 (26)	9.6 (141)	9,721	4.5 (36)	8.8 (126)	9.2 (11)	4,145	15.2 (44)	9.1 (6)	5,924	24.0 (140)
Fulton	186	10.8 (107)	4.3 (20)	762	5.6 (77)	8.5 (123)	16.8 (131)	350	19.1 (126)	18.6 (111)	509	18.1 (131)
Gallatin C	413	7.5 (18)	9.7 (142)	1,827	4.8 (54)	8.3 (120)	14.7 (103)	797	18.3 (109)	19.9 (124)	1,205	18.3 (132)
Garrard Ct	555	13.2 (136)	6.5 (85)	2,508	4.8 (54)	5.5 (53)	12.4 (55)	1,089	18.2 (105)	16.7 (85)	1,474	13.4 (101)
Grant Cty	978	9.8 (78)	6.0 (64)	4,750	4.1 (26)	5.9 (68)	9.5 (13)	2,085	15.2 (44)	11.0 (14)	3,082	14.0 (105)
Graves Cty	1,379	8.1 (28)	7.0 (105)	5,275	4.4 (32)	8.0 (117)	15.0 (111)	2,144	20.2 (135)	17.9 (100)	3,184	17.3 (127)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grayson Ct	911	7.4 (14)	7.1 (108)	4,227	8.0(124)	5.9 (68)	12.8 (68)	1,858	18.4(112)	14.9 (56)	2,663	5.0 (16)
Green Cty	427	5.9 (5)	11.2(148)	1,804	4.1 (26)	3.7 (19)	13.9 (83)	777	21.1(144)	17.8 (99)	1,077	12.2 (90)
Greenup	856	9.8 (78)	6.0 (64)	3,282	3.4 (14)	11.7(147)	11.3 (33)	1,237	15.9 (55)	18.2(106)	1,759	6.7 (32)
Hancock Ct	209	8.1 (28)	6.7 (95)	947	6.8(109)	5.5 (53)	14.3 (97)	368	20.1(134)	21.2(133)	605	10.2 (71)
Harlan Cty	1,317	10.4 (94)	8.0(127)	4,875	4.6 (41)	13.1(152)	15.8(122)	2,172	20.9(141)	25.0(145)	2,310	9.9 (62)
Harrison C	680	12.4(131)	5.9 (61)	2,642	4.7 (47)	3.3 (14)	12.1 (48)	1,100	16.8 (79)	14.5 (49)	1,552	11.4 (82)
Hart Cty H	365	7.4 (14)	8.2(129)	1,731	4.0 (22)	6.0 (72)	11.7 (41)	614	15.0 (39)	16.0 (70)	999	8.9 (46)
Henderson	1,417	9.3 (58)	3.3 (7)	5,113	5.5 (74)	10.1(139)	7.9 (3)	1,706	14.1 (25)	13.9 (40)	2,440	2.0 (3)
Henry Coun	550	4.7 (2)	5.6 (54)	1,919	7.2(115)	7.1 (96)	16.2(125)	737	17.0 (83)	16.1 (72)	1,219	17.1(125)
Hickman	159	18.9(148)	10.1(143)	627	10.4(145)	9.6(133)	19.0(145)	287	13.9 (23)	18.1(103)	394	18.0(129)
Hickman Ct	162	8.6 (41)	4.9 (32)	566	5.8 (81)	9.7(134)	18.7(143)	215	14.0 (24)	28.8(149)	345	13.6(102)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Highview	694	10.7 (103)	5.9 (61)	3,279	9.5(139)	6.3 (78)	16.3(127)	1,198	13.4 (18)	11.8 (19)	1,835	20.3(135)
Hindman	734	13.1(135)	3.3 (7)	2,703	13.5(152)	4.4 (32)	19.9(147)	1,179	14.2 (26)	18.0(102)	1,718	5.1 (17)
Hopkins Ct	1,450	10.6(100)	5.5 (49)	5,975	7.6(121)	5.1 (47)	12.3 (50)	2,354	19.4(130)	15.7 (68)	3,786	9.9 (62)
Hospital	3,968	7.2 (13)	6.7 (95)	3,617	0.5 (1)	13.0(151)	3.0 (1)	0	* *	* *	0	* *
Iroquois	2,347	9.2 (54)	5.4 (47)	8,779	3.1 (7)	6.8 (87)	10.7 (24)	3,081	17.7 (98)	12.9 (26)	5,192	15.0(116)
Jackson Ct	579	8.3 (34)	7.1(108)	2,304	3.9 (19)	6.8 (87)	11.8 (43)	1,041	14.4 (29)	17.4 (94)	1,467	5.9 (23)
Jessamine	1,593	8.3 (34)	6.0 (64)	6,569	7.0(111)	7.1 (96)	10.4 (20)	2,540	14.8 (36)	12.3 (22)	3,863	13.2 (98)
Johnson Co	1,043	14.0(141)	4.2 (15)	3,827	6.6(103)	6.6 (83)	19.1(146)	1,694	18.8(120)	21.7(135)	2,351	9.7 (55)
JT Arnett	12	* *	* *	101	3.0 (5)	3.0 (9)	18.8(144)	59	* *	* *	68	* *
Kenton Cty	2,149	11.0(111)	5.8 (57)	11,697	5.0 (60)	5.8 (61)	11.4 (35)	3,992	18.1(104)	14.8 (53)	6,130	9.7 (55)
Knox Cty	1,425	9.3 (58)	5.1 (39)	6,182	5.3 (66)	6.9 (91)	13.8 (82)	2,706	16.2 (63)	20.1(126)	4,226	8.2 (43)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
L & N	2,220	11.4 (119)	5.0 (36)	8,138	5.3 (66)	7.7(109)	11.3 (33)	2,797	17.3 (87)	14.0 (41)		4,637	15.9(120)
Larue Cty	480	7.7 (21)	8.5(133)	2,088	7.1(113)	2.9 (6)	21.8(150)	893	20.3(136)	23.3(144)		1,443	15.9(120)
Laurel Cty	2,047	8.9 (50)	10.8(146)	7,787	4.4 (32)	7.3(102)	12.5 (59)	2,981	15.8 (52)	16.9 (90)		4,183	6.1 (27)
Lawrence C	730	20.4(149)	4.7 (27)	2,664	4.7 (47)	11.0(142)	13.9 (83)	1,114	19.7(133)	18.9(115)		1,582	7.0 (36)
Lee Cty He	214	12.6(134)	5.1 (39)	1,271	4.5 (36)	8.4(121)	10.7 (24)	607	11.0 (9)	10.9 (13)		801	18.0(129)
Leslie Cty	530	8.1 (28)	6.8(101)	2,241	3.4 (14)	13.7(153)	13.2 (75)	942	9.3 (3)	10.3 (12)		1,260	11.9 (87)
Letcher Ct	966	10.9(109)	5.2 (43)	3,429	8.4(127)	3.6 (18)	15.6(120)	1,250	21.0(143)	19.0(117)		1,697	1.6 (2)
Lewis Cty	552	10.7(103)	6.0 (64)	2,251	4.7 (47)	7.7(109)	12.9 (69)	1,003	13.0 (15)	16.2 (75)		1,255	9.9 (62)
Lex-Fay40A	0	* *	* *	5	* *	* *	* *	4	* *	* *		5	* *
Lex-Fay40C	3,134	9.2 (54)	6.1 (71)	11,041	7.4(119)	6.4 (81)	15.1(112)	3,916	18.9(122)	20.5(129)		5,716	25.3(143)
Lex-Fay40D	359	10.0 (87)	4.2 (15)	1,436	6.7(108)	7.0 (93)	11.1 (28)	482	16.6 (75)	12.4 (23)		790	28.6(148)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lex-Fay40F	2,106	10.2 (90)	5.5 (49)	7,709	6.6(103)	7.0 (93)	10.4 (20)	2,770	18.2(105)	13.6 (37)	3,980	26.1 (144)
Lex-Fay40G	801	9.6 (70)	5.7 (55)	3,549	6.3 (93)	6.1 (74)	14.7(103)	1,397	18.2(105)	18.8(112)	2,103	32.0 (149)
Lex-Fay40W	902	9.8 (78)	8.4 (131)	3,921	13.6(153)	5.7 (59)	16.0(124)	1,709	18.4(112)	18.9(115)	1,282	24.6 (141)
Lincoln Ct	871	10.0 (87)	6.0 (64)	3,409	4.6 (41)	8.6(124)	10.8 (27)	1,397	16.2 (63)	11.6 (18)	2,164	11.7 (85)
Livingston	239	6.3 (9)	7.1 (108)	1,091	9.8(141)	3.9 (22)	17.1(132)	507	12.0 (13)	7.9 (2)	642	5.6 (22)
Logan Cty	466	8.6 (41)	4.3 (20)	2,160	5.0 (60)	5.8 (61)	12.6 (62)	800	16.1 (60)	19.9(124)	1,220	25.2 (142)
Lynch	338	16.6 (147)	6.5 (85)	1,109	6.4 (99)	8.6(124)	10.6 (22)	426	10.6 (8)	15.5 (64)	455	7.0 (36)
Lyon Cty	175	8.0 (26)	6.3 (76)	782	11.4(147)	2.3 (4)	22.8(151)	345	16.8 (79)	27.8(148)	549	3.1 (5)
Magoffin C	557	10.6 (100)	3.9 (14)	2,419	9.2(137)	6.7 (84)	19.9(147)	1,168	20.3(136)	22.4(141)	1,402	14.3 (112)
Marion Cty	802	9.7 (75)	9.2 (138)	3,165	8.5(128)	3.7 (19)	18.3(140)	1,243	17.8(102)	17.9(100)	1,835	5.9 (23)
Marshal90A	874	8.7 (43)	5.5 (49)	3,276	12.2(151)	7.9(115)	15.1(112)	1,332	11.1 (10)	8.1 (3)	2,020	14.3 (112)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Marshal90B	38	* *	* *	204	13.7(154)	2.0 (3)	25.5(153)	95	* *	* *	150	23.3 (139)
Martin Cty	450	14.7 (144)	2.0 (2)	2,436	8.3(125)	7.3(102)	14.9(107)	1,070	14.4 (29)	16.2 (75)	1,513	9.7 (55)
Mason Cty	775	12.4 (131)	4.8 (30)	2,519	9.2(137)	9.7(134)	14.2 (92)	879	16.7 (76)	16.7 (85)	1,418	12.3 (92)
McCracken	1,865	9.4 (63)	5.5 (49)	6,356	6.2 (90)	4.2 (26)	18.4(141)	2,537	15.2 (44)	13.2 (32)	3,977	14.0(105)
McCreary C	904	10.3 (93)	4.3 (20)	3,814	4.5 (36)	6.5 (82)	11.5 (38)	1,706	16.2 (63)	18.5(110)	2,396	7.5 (40)
McLean Ct	242	5.0 (4)	7.4(118)	1,197	11.3(146)	2.9 (6)	15.5(118)	529	17.4 (90)	17.6 (97)	744	1.1 (1)
Meade Cty	691	7.7 (21)	11.4(150)	2,859	8.3(125)	4.3 (30)	14.6(101)	1,065	13.4 (18)	11.1 (16)	1,770	11.1 (79)
Menifee Ct	315	14.6(143)	6.3 (76)	1,259	3.1 (7)	6.7 (84)	14.1 (89)	581	16.5 (73)	17.0 (91)	739	11.0 (78)
Mercer Cty	726	8.8 (46)	6.5 (85)	2,966	6.3 (93)	4.9 (41)	13.1 (74)	1,260	16.0 (58)	16.0 (70)	1,937	9.8 (60)
Metcalfe C	183	6.0 (6)	6.6 (91)	974	4.0 (22)	7.7(109)	10.6 (22)	410	16.1 (60)	14.4 (48)	594	12.0 (88)
Middletown	1,700	8.4 (37)	6.6 (91)	6,050	7.2(115)	5.8 (61)	11.1 (28)	2,146	15.3 (47)	12.9 (26)	3,331	10.8 (76)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Monroe Cnt	226	10.6 (100)	9.3 (139)	1,090	7.2(115)	6.1 (74)	18.0(138)	414	21.5(147)	21.7(135)	667	3.4 (7)
Montgomery	1,073	9.6 (70)	7.5 (120)	4,520	5.5 (74)	4.2 (26)	13.9 (83)	1,862	18.2(105)	16.7 (85)	2,754	6.0 (25)
Morgan Cty	433	10.4 (94)	6.7 (95)	2,250	3.8 (18)	6.8 (87)	11.8 (43)	1,074	16.8 (79)	16.4 (79)	1,556	15.7 (118)
Muhlenberg	973	6.6 (10)	10.4(145)	3,741	5.3 (66)	5.6 (55)	11.1 (28)	1,520	17.4 (90)	15.3 (61)	2,021	9.3 (52)
Neighborho	1,332	10.2 (90)	7.3(114)	4,994	3.2 (11)	11.2(143)	8.5 (7)	1,734	12.1 (14)	8.8 (5)	2,709	4.7 (14)
Nelson Cty	1,256	10.4 (94)	5.3 (45)	5,225	8.5(128)	5.3 (49)	13.7 (80)	2,000	16.1 (60)	14.1 (42)	3,060	11.6 (84)
Newburg	2,551	9.2 (54)	6.7 (95)	8,929	4.0 (22)	15.0(154)	9.8 (16)	3,140	6.1 (1)	5.2 (1)	5,255	26.4(145)
Nicholas C	297	11.1(116)	5.1 (39)	1,078	5.2 (62)	9.5(132)	10.2 (19)	457	6.3 (2)	9.8 (8)	651	11.2 (80)
Oasis Hlth	127	16.5(146)	8.7(135)	706	11.6(148)	3.1 (12)	14.6(101)	350	15.1 (41)	13.1 (31)	430	27.9(147)
Ohio Cty	908	8.3 (34)	5.9 (61)	3,626	4.6 (41)	3.4 (16)	11.1 (28)	1,481	17.3 (87)	16.1 (72)	2,070	4.5 (12)
Oldham Cty	854	9.3 (58)	3.7 (11)	3,135	7.5(120)	3.9 (22)	13.9 (83)	1,206	17.4 (90)	16.5 (81)	1,588	11.5 (83)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Olive Hill	492	10.0 (87)	6.3 (76)	2,388	3.1 (7)	7.4(105)	12.9 (69)	1,105	16.9 (82)	19.6(122)		1,372	12.3 (92)
Owen Cty	379	12.1 (127)	8.4 (131)	1,426	5.4 (72)	7.2 (99)	14.3 (97)	577	18.7(118)	15.9 (69)		948	13.0 (96)
Owsley Cty	265	11.7 (123)	6.4 (84)	1,052	9.0(135)	2.9 (6)	31.1(154)	523	19.3(128)	27.7(147)		766	10.2 (71)
Park Duval	1,488	14.5 (142)	3.8 (13)	6,748	7.1(113)	6.7 (84)	12.3 (50)	2,647	15.8 (52)	14.3 (45)		4,423	10.2 (71)
Pendleton	447	11.0 (111)	6.0 (64)	1,715	6.5(102)	6.2 (77)	11.7 (41)	627	15.9 (55)	17.7 (98)		1,010	15.7 (118)
Perry Cty	1,313	12.3 (129)	5.8 (57)	4,920	8.8(132)	3.1 (12)	23.2(152)	1,840	17.3 (87)	22.5(142)		2,688	10.0 (65)
Phelps	22	* *	* *	160	1.3 (2)	10.0(138)	6.9 (2)	49	* *	* *		80	* *
Pike Cty	1,828	11.7 (123)	6.6 (91)	6,635	4.4 (32)	11.8(148)	11.5 (38)	2,293	13.8 (22)	13.4 (36)		3,495	10.1 (67)
Portland	1,213	12.2 (128)	5.1 (39)	4,698	6.1 (88)	7.6(107)	13.6 (79)	1,649	16.3 (68)	15.5 (64)		2,718	27.6 (146)
Powell Cty	616	12.0 (126)	6.2 (74)	2,349	5.8 (81)	4.0 (24)	14.9(107)	1,005	16.2 (63)	19.0(117)		1,562	5.5 (20)
Pulaski Ct	2,287	9.4 (63)	6.3 (76)	9,137	3.3 (12)	7.2 (99)	8.3 (5)	3,468	14.7 (32)	12.1 (21)		5,100	5.2 (19)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Radcliffe	1,939	8.4 (37)	6.7 (95)	8,004	4.7 (47)	4.9 (41)	9.0 (8)	3,235	13.7 (20)	10.2 (11)	4,739	14.1 (111)
Richmond	1,851	9.8 (78)	4.8 (30)	6,505	3.9 (19)	9.3 (130)	9.9 (18)	2,329	15.5 (50)	15.6 (66)	3,786	9.0 (48)
Robertson	119	3.4 (1)	5.0 (36)	547	4.6 (41)	7.3 (102)	9.5 (13)	253	10.3 (7)	9.5 (7)	344	5.5 (20)
Rockcastle	714	9.0 (51)	4.5 (24)	2,833	5.2 (62)	5.6 (55)	14.2 (92)	1,224	19.5 (131)	16.3 (78)	1,761	9.8 (60)
Rowan Cty	845	8.5 (40)	10.1 (143)	3,263	4.9 (56)	8.4 (121)	12.3 (50)	1,255	17.6 (96)	16.4 (79)	1,860	7.5 (40)
Russell Ct	801	9.5 (66)	5.5 (49)	3,093	7.7 (122)	7.0 (93)	12.0 (46)	1,172	18.6 (116)	20.4 (128)	1,744	6.0 (25)
Scott Cty	1,122	9.4 (63)	7.3 (114)	4,300	8.9 (134)	4.9 (41)	17.8 (137)	1,695	14.7 (32)	13.2 (32)	2,409	17.1 (125)
Shelby Cty	1,083	7.6 (20)	6.6 (91)	4,425	9.8 (141)	4.2 (26)	17.5 (135)	1,828	16.0 (58)	16.1 (72)	2,657	13.7 (103)
Simpson Ct	378	7.4 (14)	5.8 (57)	1,588	6.3 (93)	9.7 (134)	9.8 (16)	498	17.7 (98)	15.1 (60)	841	19.5 (134)
South Shor	152	6.6 (10)	11.2 (148)	743	4.0 (22)	11.4 (145)	11.4 (35)	340	17.4 (90)	12.6 (24)	439	4.6 (13)
Spencer Ct	362	10.5 (99)	6.9 (104)	1,475	10.2 (144)	5.4 (50)	18.6 (142)	630	14.8 (36)	19.4 (121)	857	14.7 (114)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
TAPP-South	26	* *	* *	89	* *	* *	* *	4	* *	* *		32	* *
TAPP-West	25	* *	* *	95	* *	* *	* *	10	* *	* *		31	* *
Taylor Cty	965	7.0 (12)	8.7 (135)	3,399	5.3 (66)	4.9 (41)	13.5 (77)	1,313	16.3 (68)	16.7 (85)		1,916	9.7 (55)
Todd Cty H	404	9.7 (75)	7.4 (118)	1,832	9.7 (140)	5.9 (68)	18.0 (138)	793	15.4 (48)	14.9 (56)		1,232	9.6 (54)
Trigg Cty	369	7.9 (25)	6.5 (85)	1,558	6.4 (99)	3.0 (9)	14.8 (105)	632	14.2 (26)	13.8 (39)		968	8.4 (44)
Trimble Ct	326	9.8 (78)	4.9 (32)	1,230	5.4 (72)	9.2 (129)	12.0 (46)	479	15.4 (48)	13.2 (32)		792	22.2 (138)
Union Cty	448	8.7 (43)	6.3 (76)	1,786	10.0 (143)	2.7 (5)	12.4 (55)	670	15.8 (52)	13.6 (37)		1,036	6.4 (30)
Washington	324	4.9 (3)	10.8 (146)	1,532	6.1 (88)	4.5 (35)	15.3 (116)	683	18.9 (122)	16.5 (81)		872	10.1 (67)
Wayne Cty	971	8.7 (43)	5.7 (55)	3,848	4.3 (28)	5.7 (59)	15.1 (112)	1,592	17.5 (95)	22.2 (140)		2,240	13.0 (96)
Webster Ct	365	7.4 (14)	4.7 (27)	1,627	12.1 (150)	1.8 (1)	21.2 (149)	628	19.6 (132)	18.8 (112)		1,057	3.8 (9)
Webster Prov	45	* *	* *	165	5.5 (74)	6.1 (74)	13.9 (83)	76	* *	* *		105	33.3 (151)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Wheelbrigh	284	14.8 (145)	2.8 (3)	1,136	1.6 (3)	9.9(137)	8.1 (4)	520	10.2 (6)	11.0 (14)	687	12.1 (89)
Williamsbu	1,204	11.0 (111)	4.2 (15)	4,539	5.9 (84)	8.9(127)	17.2(133)	1,910	21.2(146)	26.0(146)	2,772	8.7 (45)
Wolfe Cty	398	9.8 (78)	7.8(125)	1,813	6.3 (93)	1.9 (2)	15.5(118)	888	18.4(112)	17.2 (92)	1,098	6.7 (32)
Woodford C	655	11.6 (121)	7.2(112)	2,634	7.7(122)	3.3 (14)	14.8(105)	1,092	18.3(109)	16.2 (75)	1,697	11.7 (85)
Kentucky	136,845	9.9	6.2	533,190	6.0	6.8	13.1	206,471	16.3	15.7	306,414	12.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Adair Coun	926	41.8 (43)	614	9.6 (47)	429	4.0 (62)	0	* *	0	* *	1,087	89.1 (88)	1,705	22.6 (60)
Allen Coun	715	46.4 (20)	454	11.0 (35)	393	4.3 (55)	0	* *	0	* *	1,137	83.1(133)	1,560	27.6 (78)
Anderson C	775	40.4 (52)	576	8.9 (55)	396	3.3 (86)	0	* *	0	* *	926	81.3(140)	1,472	22.9 (62)
Ashland-Bo	2,156	27.7(113)	1,514	8.9 (55)	935	6.8 (22)	0	* *	0	* *	2,306	95.8 (31)	4,088	41.8 (120)
Ballard Co	311	42.8 (35)	218	11.5 (23)	175	2.9 (94)	0	* *	0	* *	384	91.1 (71)	581	33.6 (92)
Bar-Riv-Wa	1,968	45.0 (24)	1,456	11.9 (21)	1,092	7.1 (19)	0	* *	0	* *	2,623	87.2(110)	5,150	21.1 (57)
Barren Cty	1,002	32.8 (95)	664	6.8 (93)	534	5.1 (39)	0	* *	0	* *	1,481	90.6 (75)	2,633	24.5 (66)
Bath Count	643	14.8(148)	465	4.1 (132)	341	3.8 (67)	0	* *	0	* *	954	98.3 (14)	1,340	38.9 (111)
Belfry	532	16.9(145)	350	2.3 (146)	235	0.9 (142)	0	* *	0	* *	607	75.5(149)	1,031	64.3 (148)
Bell Cty M	886	22.0(137)	592	5.2 (110)	462	1.1 (137)	0	* *	0	* *	1,443	94.7 (39)	1,845	34.9 (97)
Bell Cty P	1,160	23.0(133)	653	4.3 (130)	535	1.5 (133)	0	* *	0	* *	1,635	98.7 (11)	2,253	28.1 (81)
Berea	956	49.3 (14)	689	10.9 (36)	484	5.8 (29)	0	* *	0	* *	1,102	95.2 (36)	1,793	18.3 (49)
Betsy Lane	683	12.3(149)	379	2.1 (148)	315	1.6 (129)	0	* *	0	* *	1,089	100.0 (1)	1,398	70.0 (150)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Boone Coun	3,534	38.0 (66)	2,771	11.5 (23)	1,839	6.9 (21)	0	* *	0	* *	4,070	89.6 (85)	7,227	39.4 (112)
Bourbon Ct	1,033	43.1 (33)	674	10.8 (38)	496	5.2 (38)	0	* *	0	* *	1,028	93.0 (52)	1,795	40.8 (116)
Boyle Coun	1,115	28.3(111)	740	8.8 (59)	509	3.9 (65)	0	* *	0	* *	1,311	94.2 (44)	2,181	46.6 (126)
Bracken Co	462	35.9 (79)	290	8.3 (68)	219	2.3 (108)	0	* *	0	* *	550	88.9 (90)	894	63.6 (147)
Breathitt	816	17.8(144)	586	2.7 (143)	424	0.9 (142)	0	* *	0	* *	1,344	83.0(134)	1,717	50.4 (133)
Breckinrid	843	38.2 (64)	514	6.6 (95)	358	4.5 (50)	0	* *	0	* *	1,068	83.9(127)	1,630	1.8 (21)
Bridges	714	45.9 (21)	535	17.0 (10)	383	7.8 (13)	0	* *	0	* *	1,068	87.4(108)	1,461	3.6 (25)
Bullitt Co	2,512	40.5 (49)	1,691	7.2 (85)	1,218	3.8 (67)	0	* *	0	* *	2,523	90.9 (73)	4,592	26.2 (72)
Butler Cty	275	32.0 (98)	214	5.1 (115)	194	2.1 (116)	0	* *	0	* *	548	85.8(115)	785	18.0 (48)
C & Y	2,435	34.1 (89)	1,934	3.7 (135)	958	2.1 (116)	0	* *	0	* *	2,072	100.0 (1)	4,470	0.0 (1)
Caldwell C	583	43.4 (32)	378	8.5 (65)	292	3.4 (78)	0	* *	0	* *	708	72.5(150)	1,121	25.2 (71)
Calloway C	1,389	63.1 (3)	855	16.0 (12)	677	7.7 (15)	0	* *	0	* *	1,533	94.5 (42)	2,549	10.2 (33)
Campbell C	2,375	27.3(115)	1,964	6.1 (101)	1,266	5.0 (42)	0	* *	0	* *	2,914	92.7 (57)	5,011	30.7 (86)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Carlisle C	210	49.5 (13)	142	7.7 (76)	123	1.6 (129)	0	* *	0	* *	342	85.7(117)	439	21.2 (59)
Carroll Ct	949	33.1 (93)	557	11.1 (32)	442	7.0 (20)	0	* *	0	* *	990	88.0 (98)	1,716	32.3 (90)
Carter Cty	949	36.2 (74)	677	7.7 (76)	470	2.8 (96)	0	* *	0	* *	1,265	83.6(130)	1,923	55.1 (137)
Casey Cty	775	38.1 (65)	572	9.6 (47)	418	4.3 (55)	0	* *	0	* *	1,092	89.7 (83)	1,555	33.0 (91)
Christian	3,612	39.8 (56)	2,384	10.2 (43)	1,490	4.8 (44)	0	* *	0	* *	3,400	85.8(115)	6,576	41.7 (119)
Clark Coun	1,775	37.6 (68)	1,127	10.4 (40)	791	5.8 (29)	0	* *	0	* *	1,827	95.4 (35)	3,192	1.4 (19)
Clay Cty H	1,686	20.9(139)	1,018	3.7 (135)	798	2.3 (108)	0	* *	0	* *	1,987	88.8 (92)	3,179	69.7 (149)
Clinton Ct	754	19.9(140)	561	3.7 (135)	412	1.5 (133)	0	* *	0	* *	1,051	91.2 (69)	1,536	47.7 (128)
Corbin	1,915	23.4(128)	1,060	6.4 (99)	776	2.6 (101)	0	* *	0	* *	2,159	93.0 (52)	3,502	7.3 (30)
Crittenden	276	36.2 (74)	201	2.5 (144)	193	0.5 (147)	0	* *	0	* *	478	84.3(123)	629	19.6 (52)
Cumberland	419	19.1(142)	275	2.2 (147)	193	0.5 (147)	0	* *	0	* *	645	93.0 (52)	838	33.7 (93)
Daviess Co	3,381	34.6 (84)	1,923	7.4 (82)	1,371	3.4 (78)	0	* *	0	* *	3,539	91.9 (65)	6,548	18.6 (50)
Dixie	3,505	43.6 (31)	2,635	8.8 (59)	1,530	3.9 (65)	0	* *	0	* *	3,140	96.2 (28)	6,397	0.3 (7)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	%	Number	% (Rank)
Edmonson C	260	39.6 (57)	233	13.3 (16)	150	6.0 (27)	0	* *	0	* *	419	84.2(124)	719	34.5 (96)
Elliott Ct	452	22.6(134)	271	4.4 (127)	217	2.3 (108)	0	* *	0	* *	755	94.0 (47)	957	46.7 (127)
Estill Cty	774	30.9(105)	528	4.7 (122)	370	1.9 (122)	0	* *	0	* *	1,198	90.3 (79)	1,656	21.1 (57)
Etown	2,529	40.5 (49)	1,665	7.9 (73)	1,187	4.0 (62)	0	* *	0	* *	2,998	92.8 (55)	4,936	31.3 (88)
Evarts	0	* *	1	* *	4	* *	0	* *	0	* *	15	* *	34	* *
Fairdale	2,130	29.4(108)	1,619	8.2 (69)	925	3.8 (67)	0	* *	0	* *	1,873	84.8(122)	3,758	0.4 (12)
Fleming Co	767	27.5(114)	453	7.1 (87)	386	3.4 (78)	0	* *	0	* *	1,160	85.9(114)	1,566	21.0 (56)
Floyd Cty	1,666	16.9(145)	876	4.3 (130)	719	2.9 (94)	0	* *	0	* *	1,941	99.9 (6)	3,085	48.6 (130)
Foust Hlth	275	24.0(127)	212	6.6 (95)	167	1.8 (125)	0	* *	0	* *	592	87.0(111)	666	19.7 (53)
Franklin C	1,984	48.4 (17)	1,348	9.6 (47)	913	3.4 (78)	0	* *	0	* *	2,006	88.8 (92)	3,760	41.6 (118)
Ft Campbel	3,059	73.0 (1)	2,561	20.1 (6)	1,576	9.3 (9)	0	* *	0	* *	4,375	82.7(135)	7,117	2.6 (22)
Fulton	242	34.3 (86)	148	7.4 (82)	122	0.8 (145)	0	* *	0	* *	380	79.7(143)	472	37.7 (106)
Gallatin C	576	42.5 (37)	408	10.3 (41)	333	6.0 (27)	0	* *	0	* *	866	90.0 (81)	1,225	62.8 (146)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Garrard Ct	832	36.2 (74)	609	8.7 (61)	412	3.4 (78)	0	* *	0	* *	1,174	97.4 (19)	1,674	31.2 (87)
Grant Cty	1,531	37.4 (70)	1,152	8.6 (64)	897	4.1 (61)	0	* *	0	* *	2,251	87.7(103)	3,222	54.2 (136)
Graves Cty	1,799	40.8 (48)	1,099	9.0 (54)	941	3.7 (71)	0	* *	0	* *	2,323	96.5 (25)	3,393	25.1 (70)
Grayson Ct	1,360	31.3(101)	1,023	7.9 (73)	707	3.4 (78)	0	* *	0	* *	2,011	79.2(144)	2,795	48.7 (131)
Green Cty	599	45.6 (22)	382	6.3 (100)	326	2.8 (96)	0	* *	0	* *	848	88.8 (92)	1,148	22.8 (61)
Greenup	1,198	31.1(104)	850	7.2 (85)	599	2.5 (103)	0	* *	0	* *	1,320	92.2 (64)	2,285	20.7 (55)
Hancock Ct	263	41.4 (47)	199	6.5 (98)	131	3.8 (67)	0	* *	0	* *	402	85.3(118)	628	27.1 (74)
Harlan Cty	1,701	22.4(135)	916	3.8 (133)	782	2.2 (113)	0	* *	0	* *	2,364	92.3 (62)	3,280	24.4 (65)
Harrison C	944	42.4 (38)	631	9.5 (50)	476	5.3 (37)	0	* *	0	* *	1,205	97.0 (23)	1,822	20.2 (54)
Hart Cty H	476	35.9 (79)	357	8.7 (61)	287	4.2 (58)	0	* *	0	* *	675	88.0 (98)	1,199	24.9 (68)
Henderson	1,689	24.6(125)	967	6.1 (101)	733	4.0 (62)	0	* *	0	* *	1,833	88.1 (97)	3,499	30.3 (85)
Henry Coun	726	42.8 (35)	450	5.8 (105)	365	3.3 (86)	0	* *	0	* *	799	97.0 (23)	1,341	6.3 (27)
Hickman	200	26.0(118)	128	4.7 (122)	103	1.9 (122)	0	* *	0	* *	311	79.1(146)	413	40.7 (115)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Hickman Ct	215	32.1 (97)	123	4.9 (119)	110	1.8 (125)	0	* *	0	* *	241	95.0 (38)	372	27.2 (76)
Highview	840	53.8 (10)	827	14.9 (13)	511	9.2 (10)	0	* *	0	* *	1,293	88.2 (96)	2,268	0.5 (13)
Hindman	986	23.1(132)	568	3.5 (140)	381	2.6 (101)	0	* *	0	* *	1,302	96.5 (25)	1,883	16.0 (45)
Hopkins Ct	1,843	40.0 (55)	1,100	7.1 (87)	838	3.7 (71)	0	* *	0	* *	2,527	82.0(137)	3,880	40.3 (113)
Hospital	3,331	36.8 (72)	417	9.1 (52)	113	8.0 (12)	0	* *	0	* *	0	* *	3,345	17.5 (47)
Iroquois	3,469	60.0 (5)	2,512	23.0 (4)	1,476	10.0 (7)	0	* *	0	* *	3,212	94.6 (40)	6,280	0.2 (3)
Jackson Ct	764	31.4(100)	439	4.8 (121)	372	3.5 (75)	0	* *	0	* *	1,126	90.9 (73)	1,506	56.5 (140)
Jessamine	2,281	44.1 (28)	1,649	16.3 (11)	1,101	9.0 (11)	0	* *	0	* *	2,729	94.2 (44)	4,542	13.7 (42)
Johnson Co	1,348	24.9(122)	749	5.2 (110)	605	2.1 (116)	0	* *	0	* *	1,841	99.1 (10)	2,608	38.6 (109)
JT Arnett	8	* *	4	* *	11	* *	0	* *	0	* *	62	* *	75	* *
Kenton Cty	4,445	31.7 (99)	3,797	7.1 (87)	2,134	3.2 (89)	0	* *	0	* *	4,290	96.1 (29)	8,615	48.9 (132)
Knox Cty	2,017	21.0(138)	1,265	4.9 (119)	996	1.6 (129)	0	* *	0	* *	2,981	93.9 (48)	4,107	0.7 (16)
L & N	3,384	45.0 (24)	2,384	11.5 (23)	1,453	4.7 (47)	0	* *	0	* *	3,034	83.8(128)	5,964	0.3 (7)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Larue Cty	712	43.8 (30)	484	8.9 (55)	361	4.4 (53)	0	* *	0	* *	991	85.0(121)	1,413	13.2 (40)
Laurel Cty	2,967	35.7 (81)	1,916	8.1 (70)	1,270	3.4 (78)	0	* *	0	* *	3,222	95.1 (37)	5,350	40.4 (114)
Lawrence C	964	25.3(121)	573	4.4 (127)	443	1.6 (129)	0	* *	0	* *	1,215	92.5 (60)	1,820	36.5 (104)
Lee Cty He	405	29.4(108)	247	7.7 (76)	185	3.2 (89)	0	* *	0	* *	666	87.7(103)	844	12.0 (38)
Leslie Cty	776	24.9(122)	536	5.0 (117)	367	2.5 (103)	0	* *	0	* *	1,052	99.7 (8)	1,538	2.9 (23)
Letcher Ct	1,281	34.2 (88)	725	12.4 (19)	425	6.1 (26)	0	* *	0	* *	1,360	87.4(108)	2,411	6.9 (28)
Lewis Cty	743	32.4 (96)	407	5.2 (110)	375	1.9 (122)	0	* *	0	* *	1,093	87.6(105)	1,498	59.3 (142)
Lex-Fay40A	0	* *	1	* *	1	* *	0	* *	0	* *	3	* *	4	* *
Lex-Fay40C	4,660	66.6 (2)	3,147	28.3 (1)	1,864	15.9 (3)	0	* *	0	* *	4,259	89.7 (83)	8,108	0.5 (13)
Lex-Fay40D	190	44.2 (26)	298	11.4 (27)	236	4.2 (58)	0	* *	0	* *	524	91.6 (66)	1,056	0.2 (3)
Lex-Fay40F	3,129	59.3 (7)	2,207	22.1 (5)	1,221	12.0 (5)	0	* *	0	* *	2,956	88.8 (92)	5,469	0.3 (7)
Lex-Fay40G	1,074	45.6 (22)	897	11.4 (27)	663	6.2 (25)	0	* *	0	* *	1,545	90.5 (76)	2,257	0.2 (3)
Lex-Fay40W	1,271	56.7 (9)	955	23.6 (3)	614	16.4 (2)	0	* *	0	* *	1,898	97.9 (15)	2,675	0.3 (7)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Lincoln Ct	1,174	23.3(129)	783	5.2 (110)	595	2.5 (103)	0	* *	0	* *	1,530	95.6 (33)	2,298	38.6 (109)
Livingston	298	44.0 (29)	196	4.6 (124)	169	2.4 (106)	0	* *	0	* *	545	78.0(147)	659	37.3 (105)
Logan Cty	585	33.5 (92)	375	6.7 (94)	322	2.2 (113)	0	* *	0	* *	885	93.4 (49)	1,530	24.5 (66)
Lynch	450	19.1(142)	235	0.4 (150)	188	0.0 (149)	0	* *	0	* *	479	83.5(131)	797	48.4 (129)
Lyon Cty	234	47.0 (19)	146	13.7 (15)	136	5.1 (39)	0	* *	0	* *	373	97.3 (21)	478	28.0 (80)
Magoffin C	789	19.5(141)	504	4.4 (127)	370	1.1 (137)	0	* *	0	* *	1,286	94.5 (42)	1,642	23.6 (64)
Marion Cty	1,080	36.1 (78)	626	7.7 (76)	479	4.2 (58)	0	* *	0	* *	1,356	97.6 (18)	2,071	55.7 (138)
Marshal90A	1,143	49.6 (12)	733	9.1 (52)	589	4.6 (48)	0	* *	0	* *	1,436	79.2(144)	2,239	27.2 (76)
Marshal90B	57	* *	41	* *	41	* *	0	* *	0	* *	110	81.8(139)	139	10.8 (35)
Martin Cty	872	16.1(147)	488	2.5 (144)	416	0.7 (146)	0	* *	0	* *	1,173	85.3(118)	1,663	35.6 (101)
Mason Cty	1,055	24.5(126)	545	3.5 (140)	439	2.3 (108)	0	* *	0	* *	982	90.0 (81)	1,815	57.3 (141)
McCracken	2,408	47.5 (18)	1,493	11.3 (29)	1,199	4.5 (50)	0	* *	0	* *	2,760	88.0 (98)	4,563	13.3 (41)
McCreary C	1,317	26.3(117)	839	4.6 (124)	587	1.7 (128)	0	* *	0	* *	1,857	85.1(120)	2,581	26.2 (72)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
McLean Ct	304	40.5 (49)	223	5.8 (105)	189	3.7 (71)	0	* *	0	* *	558	88.9 (90)	767	36.2 (102)
Meade Cty	1,051	28.1(112)	693	7.5 (81)	485	3.5 (75)	0	* *	0	* *	1,151	83.7(129)	2,019	61.6 (145)
Menifee Ct	415	35.2 (82)	275	8.4 (66)	216	3.2 (89)	0	* *	0	* *	615	92.7 (57)	819	12.8 (39)
Mercer Cty	952	40.2 (53)	667	9.7 (46)	500	3.6 (74)	0	* *	0	* *	1,343	90.5 (76)	1,966	34.9 (97)
Metcalfe C	225	33.8 (90)	180	11.1 (32)	128	6.3 (24)	0	* *	0	* *	447	89.3 (86)	660	34.2 (95)
Middletown	2,349	59.1 (8)	1,674	19.5 (7)	1,055	11.3 (6)	0	* *	0	* *	2,298	97.3 (21)	4,276	0.2 (3)
Monroe Cnt	258	23.3(129)	161	1.9 (149)	173	2.3 (108)	0	* *	0	* *	469	100.0 (1)	688	28.2 (82)
Montgomery	1,531	37.1 (71)	1,071	12.2 (20)	682	4.8 (44)	0	* *	0	* *	2,030	87.8(102)	3,059	37.8 (107)
Morgan Cty	738	28.6(110)	469	11.1 (32)	341	7.6 (17)	0	* *	0	* *	1,038	99.9 (6)	1,527	11.5 (37)
Muhlenberg	1,190	25.4(120)	757	3.6 (139)	595	1.0 (141)	0	* *	0	* *	1,663	83.5(131)	2,396	43.1 (123)
Neighborho	1,893	50.0 (11)	1,442	24.5 (2)	866	17.0 (1)	0	* *	0	* *	1,895	92.3 (62)	3,594	0.6 (15)
Nelson Cty	1,877	38.4 (63)	1,275	6.9 (91)	862	3.4 (78)	0	* *	0	* *	2,165	93.1 (51)	3,555	87.8 (153)
Newburg	3,494	59.4 (6)	2,542	19.2 (8)	1,670	9.4 (8)	0	* *	0	* *	3,497	87.6(105)	6,293	0.9 (17)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Nicholas C	412	22.1(136)	247	4.5 (126)	191	2.1 (116)	0	* *	0	* *	504	95.6 (33)	760	52.1 (135)
Oasis Hlth	172	34.3 (86)	142	5.6 (108)	109	0.9 (142)	0	* *	0	* *	374	81.0(142)	443	17.4 (46)
Ohio Cty	1,046	40.2 (53)	660	7.9 (73)	518	3.3 (86)	0	* *	0	* *	1,583	76.2(148)	2,350	42.0 (122)
Oldham Cty	1,167	48.7 (16)	694	11.5 (23)	498	5.6 (35)	0	* *	0	* *	1,275	93.4 (49)	2,246	81.9 (152)
Olive Hill	709	31.2(103)	513	9.2 (51)	384	4.9 (43)	0	* *	0	* *	1,187	94.2 (44)	1,571	43.9 (124)
Owen Cty	527	33.8 (90)	356	5.9 (104)	227	3.1 (92)	0	* *	0	* *	622	96.3 (27)	990	38.2 (108)
Owsley Cty	353	23.2(131)	209	5.7 (107)	177	1.1 (137)	0	* *	0	* *	571	94.6 (40)	695	25.0 (69)
Park Duval	2,241	39.1 (59)	1,798	13.2 (18)	1,121	7.8 (13)	0	* *	0	* *	2,893	100.0 (1)	4,765	0.0 (1)
Pendleton	654	42.4 (38)	479	5.0 (117)	330	2.1 (116)	0	* *	0	* *	687	91.3 (68)	1,198	36.2 (102)
Perry Cty	1,951	30.5(106)	1,213	5.1 (115)	875	2.2 (113)	0	* *	0	* *	2,037	91.2 (69)	3,467	0.9 (17)
Phelps	19	* *	31	* *	12	* *	0	* *	0	* *	52	* *	126	77.8 (151)
Pike Cty	2,644	24.8(124)	1,761	5.2 (110)	1,033	1.5 (133)	0	* *	0	* *	2,606	81.9(138)	4,740	60.1 (144)
Portland	1,708	39.1 (59)	1,283	9.8 (45)	797	5.8 (29)	0	* *	0	* *	1,794	91.0 (72)	3,284	0.3 (7)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Powell Cty	832	41.6 (45)	518	6.6 (95)	399	2.0 (121)	0	* *	0	* *	1,092	87.5 (107)	1,533	28.3 (83)
Pulaski Ct	3,259	41.9 (42)	2,289	10.0 (44)	1,439	5.1 (39)	0	* *	0	* *	3,781	92.8 (55)	6,323	35.1 (99)
Radcliffe	2,824	44.2 (26)	1,880	10.5 (39)	1,381	4.4 (53)	0	* *	0	* *	3,450	89.0 (89)	5,815	50.8 (134)
Richmond	2,524	36.2 (74)	1,614	8.9 (55)	1,171	5.8 (29)	0	* *	0	* *	2,512	90.2 (80)	4,534	15.7 (44)
Robertson	164	41.5 (46)	101	10.9 (36)	92	* *	0	* *	0	* *	278	99.6 (9)	343	56.3 (139)
Rockcastle	957	41.8 (43)	579	11.2 (30)	472	5.7 (34)	0	* *	0	* *	1,335	86.8 (113)	1,897	7.5 (31)
Rowan Cty	1,178	37.5 (69)	796	8.0 (71)	524	2.7 (99)	0	* *	0	* *	1,400	81.1 (141)	2,206	4.8 (26)
Russell Ct	1,184	38.6 (62)	820	8.0 (71)	575	3.5 (75)	0	* *	0	* *	1,294	84.2 (124)	2,133	27.7 (79)
Scott Cty	1,508	42.3 (40)	1,124	11.2 (30)	702	7.3 (18)	0	* *	0	* *	1,823	97.4 (19)	2,968	23.4 (63)
Shelby Cty	1,434	62.8 (4)	1,022	17.4 (9)	852	13.5 (4)	0	* *	0	* *	1,993	87.9 (101)	2,978	2.9 (23)
Simpson Ct	492	29.9 (107)	350	10.3 (41)	278	5.8 (29)	0	* *	0	* *	546	98.5 (12)	1,128	41.3 (117)
South Shor	231	34.6 (84)	173	8.7 (61)	112	5.4 (36)	0	* *	0	* *	359	95.8 (31)	510	18.6 (50)
Spencer Ct	460	38.0 (66)	309	13.3 (16)	254	6.7 (23)	0	* *	0	* *	689	92.5 (60)	967	1.4 (19)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Clinic	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
TAPP-South	22	* *	25	* *	13	* *	0	* *	0	* *	9	* *	68	* *
TAPP-West	18	* *	20	* *	12	* *	0	* *	0	* *	11	* *	74	* *
Taylor Cty	1,266	33.0 (94)	781	3.8 (133)	602	2.7 (99)	0	* *	0	* *	1,432	91.6 (66)	2,297	35.2 (100)
Todd Cty H	493	39.1 (59)	330	11.8 (22)	259	4.6 (48)	0	* *	0	* *	878	97.7 (17)	1,201	10.5 (34)
Trigg Cty	483	42.0 (41)	312	7.7 (76)	244	4.5 (50)	0	* *	0	* *	679	89.2 (87)	993	32.1 (89)
Trimble Ct	447	36.5 (73)	286	7.3 (84)	231	4.3 (55)	0	* *	0	* *	514	82.5(136)	827	6.9 (28)
Union Cty	528	34.7 (83)	325	7.1 (87)	254	2.8 (96)	0	* *	0	* *	733	87.0(111)	1,165	34.1 (94)
Washington	483	42.9 (34)	315	14.3 (14)	222	7.7 (15)	0	* *	0	* *	735	98.4 (13)	992	8.6 (32)
Wayne Cty	1,339	26.4(116)	874	6.9 (91)	608	3.1 (92)	0	* *	0	* *	1,743	92.6 (59)	2,556	46.2 (125)
Webster Ct	460	39.6 (57)	297	6.1 (101)	251	2.4 (106)	0	* *	0	* *	683	84.2(124)	1,055	27.1 (74)
Webster Prov	53	* *	31	* *	23	* *	0	* *	0	* *	80	* *	105	28.6 (84)
Wheelbrigh	359	12.0(150)	218	3.7 (135)	183	1.1 (137)	0	* *	0	* *	569	100.0 (1)	732	59.4 (143)
Williamsbu	1,626	25.8(119)	917	3.4 (142)	720	1.3 (136)	0	* *	0	* *	2,088	96.1 (29)	3,014	11.4 (36)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7A
2008 - 2010 Pediatric Nutrition Surveillance (1)
Kentucky

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)		
Wolfe Cty	549	31.3(101)	357	5.6 (108)	283	1.8 (125)	0	* *	0	* *	966	90.5 (76)	1,161	41.8 (120)
Woodford C	924	49.1 (15)	569	8.4 (66)	442	4.8 (44)	0	* *	0	* *	1,164	97.9 (15)	1,828	14.4 (43)
Kentucky	189,579	38.6	127,266	10.2	88,282	5.1	0	*	0	*	223,904	90.7	368,982	25.5

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

