

**Table 4B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Adair	988	83.9	2.4	7.1	0.0	0.4	6.2	0.0
Allen	628	89.5	1.3	5.6	0.0	0.3	3.3	0.0
Anderson	869	87.7	1.7	2.4	0.0	1.2	7.0	0.0
Ballard	342	83.6	5.6	2.0	0.0	0.6	8.2	0.0
Barren	109	81.7	6.4	5.5	0.0	0.0	6.4	0.0
Bath	815	94.1	0.7	3.7	0.0	0.5	1.0	0.0
Bell	2,471	95.6	1.9	1.1	0.1	0.2	1.2	0.0
Boone	4,302	70.5	6.1	17.9	1.0	2.1	2.3	0.0
Bourbon	1,056	63.4	7.1	25.9	0.0	0.2	3.5	0.0
Boyd	2,317	88.0	2.1	3.1	0.2	0.2	6.5	0.0
Boyle	1,274	80.5	12.0	6.8	0.0	0.2	0.6	0.0
Bracken	511	95.5	0.6	2.5	0.0	0.0	1.4	0.0
Breathitt	1,035	98.6	0.8	0.4	0.0	0.3	0.0	0.0
Breckinrid	912	91.2	2.7	1.9	0.0	0.0	4.2	0.0
Bullitt	2,713	90.0	0.7	4.5	0.1	0.4	4.3	0.0
Butler	108	92.6	0.9	5.6	0.0	0.0	0.9	0.0
Caldwell	550	83.1	8.5	1.3	0.0	0.5	6.5	0.0
Calloway	1,297	81.5	5.2	6.0	0.0	2.0	5.2	0.0
Campbell	2,889	85.2	6.7	5.6	0.0	0.6	1.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Carlisle	215	89.8	0.0	5.1	0.0	0.0	5.1	0.0
Carroll	1,002	72.3	0.5	21.4	0.1	0.1	5.7	0.0
Carter	2,034	92.8	0.6	5.3	0.0	0.2	1.0	0.0
Casey	985	86.0	0.0	12.5	0.0	0.1	1.4	0.0
Christian	7,218	59.4	23.3	10.4	0.1	1.3	5.4	0.1
Clark	1,829	83.7	6.2	7.8	0.1	0.4	1.8	0.0
Clay	1,850	98.5	0.5	0.7	0.0	0.0	0.3	0.0
Clinton	898	91.5	0.1	8.1	0.0	0.0	0.2	0.0
Crittenden	317	97.5	0.9	0.6	0.0	0.0	0.9	0.0
Cumberland	558	96.2	3.0	0.7	0.0	0.0	0.0	0.0
Daviess	3,773	73.6	6.6	11.0	0.0	1.1	7.7	0.1
Edmonson	87	*	*	*	*	*	*	*
Elliott	584	98.8	0.0	0.9	0.2	0.0	0.2	0.0
Estill	928	98.5	0.4	0.5	0.0	0.0	0.5	0.0
Fayette	11,578	34.9	26.1	30.7	0.1	1.5	6.7	0.0
Fleming	944	95.0	0.5	2.8	0.0	0.3	1.4	0.0
Floyd	3,073	97.2	0.5	1.9	0.0	0.0	0.4	0.0
Franklin	2,081	65.4	15.5	11.2	0.0	1.3	6.6	0.0
Fulton	518	49.2	38.8	2.5	0.0	1.2	8.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Gallatin	708	79.9	1.0	16.0	0.0	0.0	3.1	0.0
Garrard	1,049	90.9	1.8	3.8	0.0	0.4	3.1	0.0
Grant	1,891	93.3	0.6	4.7	0.0	0.3	1.2	0.0
Graves	1,814	64.6	7.0	21.8	0.1	0.4	6.1	0.0
Grayson	1,725	95.0	0.3	3.0	0.1	0.3	1.3	0.0
Green	682	92.7	1.5	3.7	0.0	0.1	2.1	0.0
Greenup	1,594	95.2	0.7	1.6	0.0	0.5	2.1	0.0
Hancock	300	90.7	0.0	3.3	0.0	1.0	5.0	0.0
Hardin	6,649	66.1	13.9	10.0	0.2	0.6	9.1	0.0
Harlan	2,351	92.9	2.0	2.0	0.0	0.0	3.1	0.0
Harrison	1,055	89.7	1.3	5.2	0.0	0.2	3.6	0.0
Hart	144	85.4	4.9	2.1	0.0	0.0	7.6	0.0
Henderson	1,565	75.3	11.6	3.2	0.0	0.8	9.1	0.0
Henry	781	83.7	2.0	8.1	0.0	2.3	3.8	0.0
Hickman	194	64.9	14.4	2.1	0.0	0.0	18.6	0.0
Hopkins	1,850	73.7	9.6	4.9	0.0	0.2	11.6	0.0
Jackson	898	97.8	0.1	1.0	0.0	0.1	1.0	0.0
Jefferson	31,196	37.8	43.4	11.4	0.1	2.0	5.2	0.0
Jessamine	2,503	80.7	4.6	7.8	0.0	1.6	5.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Johnson	1,473	98.2	0.2	0.3	0.0	0.2	1.1	0.0
Kenton	6,361	72.9	10.8	9.5	0.0	0.8	6.0	0.0
Knott	1,139	97.6	0.4	0.9	0.0	0.3	0.8	0.0
Knox	2,342	96.7	1.7	0.7	0.0	0.3	0.6	0.0
Larue	825	77.7	1.7	12.1	0.0	0.0	8.5	0.0
Laurel	2,979	97.9	0.7	1.0	0.0	0.2	0.2	0.0
Lawrence	1,079	98.6	0.2	0.6	0.0	0.0	0.6	0.0
Lee	509	96.5	1.8	1.4	0.0	0.0	0.4	0.0
Leslie	909	98.1	0.0	0.6	0.0	0.0	1.3	0.0
Letcher	1,269	97.1	1.0	1.3	0.1	0.0	0.6	0.0
Lewis	850	97.5	0.2	0.5	0.0	0.4	1.4	0.0
Lincoln	1,350	92.8	1.3	2.4	0.0	0.0	3.5	0.0
Livingston	376	95.5	0.5	2.1	0.0	0.0	1.9	0.0
Logan	166	75.9	10.2	6.6	0.0	0.6	6.6	0.0
Lyon	308	92.5	2.6	0.6	0.0	0.6	3.6	0.0
Madison	3,568	82.9	5.1	6.2	0.1	0.3	5.4	0.0
Magoffin	966	97.7	0.2	1.7	0.0	0.0	0.4	0.0
Marion	1,202	72.8	10.7	10.6	0.0	0.7	5.2	0.0
Marshall	1,289	97.7	0.3	1.3	0.0	0.5	0.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Martin	961	98.5	0.0	0.9	0.0	0.2	0.3	0.0
Mason	1,016	79.8	7.7	5.6	0.1	0.1	6.7	0.0
McCracken	2,235	57.7	24.2	7.2	0.0	1.1	9.7	0.0
McCreary	1,518	97.4	0.4	1.4	0.0	0.0	0.8	0.0
McLean	364	96.2	0.0	3.0	0.0	0.0	0.8	0.0
Meade	1,151	87.4	2.1	4.9	0.0	0.1	5.6	0.0
Menifee	521	98.1	1.0	1.0	0.0	0.0	0.0	0.0
Mercer	1,211	87.1	2.9	8.2	0.0	0.5	1.3	0.0
Metcalfe	85	*	*	*	*	*	*	*
Monroe	98	*	*	*	*	*	*	*
Montgomery	1,804	88.1	0.9	9.1	0.0	0.1	1.8	0.0
Morgan	922	99.5	0.2	0.1	0.0	0.0	0.2	0.0
Muhlenberg	1,222	91.0	3.2	1.6	0.0	0.2	4.0	0.1
Nelson	2,063	80.4	5.4	7.6	0.0	0.0	6.5	0.0
Nicholas	433	91.0	0.0	7.4	0.0	0.0	1.6	0.0
Ohio	1,156	79.7	1.3	18.6	0.0	0.0	0.4	0.0
Oldham	1,286	66.6	5.1	24.7	0.0	0.5	3.3	0.0
Owen	631	85.6	0.5	10.3	0.0	0.3	3.3	0.0
Owsley	466	98.7	0.0	0.0	0.0	0.0	1.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Pendleton	720	96.5	0.8	1.9	0.0	0.1	0.6	0.0
Perry	2,026	96.7	1.7	0.4	0.0	0.0	1.1	0.0
Pike	3,233	97.7	0.9	0.9	0.0	0.1	0.3	0.0
Powell	916	96.4	1.0	1.9	0.1	0.7	0.0	0.0
Pulaski	3,574	89.3	1.3	7.9	0.1	0.5	0.9	0.0
Robertson	224	92.0	0.0	6.7	0.0	0.0	1.3	0.0
Rockcastle	1,041	95.9	0.1	2.3	0.0	0.0	1.7	0.0
Rowan	1,276	95.6	2.0	0.6	0.0	1.6	0.2	0.0
Russell	1,271	82.5	0.6	15.6	0.0	0.0	1.3	0.0
Scott	1,749	76.4	6.8	15.2	0.0	1.1	0.5	0.0
Shelby	1,826	45.6	8.3	42.6	0.0	0.8	2.6	0.0
Simpson	144	76.4	13.9	2.1	0.0	0.0	7.6	0.0
Spencer	622	86.0	2.1	9.2	0.0	0.2	2.6	0.0
Taylor	1,369	79.6	5.5	4.8	0.0	0.5	9.6	0.0
Todd	613	66.1	12.4	16.5	0.0	0.3	4.7	0.0
Trigg	498	79.3	10.2	1.0	0.0	0.8	8.6	0.0
Trimble	498	90.6	0.4	6.2	0.0	1.0	1.8	0.0
Union	566	81.6	8.0	1.1	0.0	0.0	9.4	0.0
Warren	542	64.4	14.9	14.0	1.1	3.0	2.6	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Washington	611	65.5	8.8	19.1	0.0	0.0	6.5	0.0
Wayne	1,533	85.5	1.0	12.1	0.0	0.2	1.2	0.0
Webster	592	72.3	1.9	20.3	0.0	0.0	5.6	0.0
Whitley	3,689	97.6	0.4	1.2	0.0	0.3	0.5	0.0
Wolfe	715	98.5	0.0	0.8	0.0	0.0	0.7	0.0
Woodford	1,038	58.0	4.5	31.5	0.0	0.4	5.6	0.0
<b>Kentucky</b>	<b>203,596</b>	<b>73.8</b>	<b>12.3</b>	<b>9.1</b>	<b>0.1</b>	<b>0.8</b>	<b>4.0</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>8,938,527</b>	<b>31.8</b>	<b>18.7</b>	<b>40.6</b>	<b>0.9</b>	<b>2.6</b>	<b>2.5</b>	<b>3.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Age Distribution</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Adair	988	41.7	19.0	39.3
Allen	628	40.4	19.9	39.6
Anderson	869	36.1	22.0	41.9
Ballard	342	37.4	23.1	39.5
Barren	109	19.3	78.9	1.8
Bath	815	35.8	20.5	43.7
Bell	2,471	36.9	18.7	44.4
Boone	4,302	44.0	20.8	35.3
Bourbon	1,056	40.6	21.4	38.0
Boyd	2,317	45.9	19.3	34.7
Boyle	1,274	40.3	20.0	39.7
Bracken	511	39.5	19.8	40.7
Breathitt	1,035	34.2	17.0	48.8
Breckinrid	912	42.0	18.5	39.5
Bullitt	2,713	46.2	20.3	33.5
Butler	108	73.1	26.9	0.0
Caldwell	550	40.0	22.9	37.1
Calloway	1,297	41.6	20.9	37.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.





**Table 5B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Campbell	2,889	43.8	20.4	35.9
Carlisle	215	30.2	22.8	47.0
Carroll	1,002	40.5	19.1	40.4
Carter	2,034	37.4	18.2	44.3
Casey	985	39.0	20.0	41.0
Christian	7,218	44.2	16.9	38.9
Clark	1,829	42.9	19.2	37.9
Clay	1,850	41.8	17.7	40.5
Clinton	898	35.9	20.0	44.1
Crittenden	317	31.2	23.0	45.7
Cumberland	558	38.7	15.1	46.2
Daviess	3,773	46.2	19.3	34.5
Edmonson	87	*	*	*
Elliott	584	34.4	15.8	49.8
Estill	928	36.9	19.6	43.5
Fayette	11,578	44.7	19.1	36.3
Fleming	944	34.2	19.7	46.1
Floyd	3,073	39.2	18.7	42.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Franklin	2,081	47.3	19.6	33.2
Fulton	518	38.2	16.0	45.8
Gallatin	708	35.5	19.1	45.5
Garrard	1,049	36.5	18.3	45.2
Grant	1,891	34.2	20.9	44.9
Graves	1,814	39.0	20.1	40.8
Grayson	1,725	39.1	18.6	42.3
Green	682	34.0	19.6	46.3
Greenup	1,594	41.8	19.8	38.4
Hancock	300	47.0	22.7	30.3
Hardin	6,649	42.7	17.9	39.4
Harlan	2,351	39.5	17.4	43.1
Harrison	1,055	38.5	21.0	40.5
Hart	144	59.7	40.3	0.0
Henderson	1,565	47.8	20.6	31.6
Henry	781	42.0	19.8	38.2
Hickman	194	40.2	18.0	41.8
Hopkins	1,850	43.0	19.2	37.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Jackson	898	37.6	17.5	44.9
Jefferson	31,196	46.0	19.5	34.5
Jessamine	2,503	40.3	21.5	38.2
Johnson	1,473	37.0	18.2	44.8
Kenton	6,361	57.3	17.5	25.1
Knott	1,139	40.7	16.2	43.0
Knox	2,342	36.1	19.0	44.9
Larue	825	35.5	19.9	44.6
Laurel	2,979	44.8	18.5	36.7
Lawrence	1,079	40.7	18.0	41.3
Lee	509	34.0	19.1	47.0
Leslie	909	37.3	20.1	42.6
Letcher	1,269	47.8	17.7	34.5
Lewis	850	36.5	18.1	45.4
Lincoln	1,350	40.5	20.0	39.5
Livingston	376	37.8	18.4	43.9
Logan	166	67.5	31.9	0.6
Lyon	308	34.7	16.2	49.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Madison	3,568	42.6	20.9	36.5
Magoffin	966	35.3	17.1	47.6
Marion	1,202	41.8	17.8	40.3
Marshall	1,289	38.9	20.4	40.7
Martin	961	36.9	17.1	46.0
Mason	1,016	46.0	19.7	34.4
McCracken	2,235	42.3	21.8	35.9
McCreary	1,518	40.3	16.1	43.6
McLean	364	39.6	22.5	37.9
Meade	1,151	42.1	20.0	37.9
Menifee	521	35.3	17.5	47.2
Mercer	1,211	39.1	21.6	39.3
Metcalfe	85	*	*	*
Monroe	98	*	*	*
Montgomery	1,804	40.3	17.0	42.7
Morgan	922	36.0	17.6	46.4
Muhlenberg	1,222	38.8	21.4	39.9
Nelson	2,063	44.5	18.2	37.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Nicholas	433	38.6	20.3	41.1
Ohio	1,156	41.0	20.3	38.7
Oldham	1,286	44.7	18.9	36.4
Owen	631	38.8	20.3	40.9
Owsley	466	35.2	17.4	47.4
Pendleton	720	41.9	21.9	36.1
Perry	2,026	43.5	20.0	36.5
Pike	3,233	49.1	18.1	32.8
Powell	916	41.8	18.4	39.7
Pulaski	3,574	42.8	19.4	37.8
Robertson	224	29.5	18.8	51.8
Rockcastle	1,041	37.5	18.2	44.4
Rowan	1,276	43.5	17.9	38.6
Russell	1,271	39.7	21.5	38.8
Scott	1,749	43.0	18.0	39.1
Shelby	1,826	37.0	21.9	41.2
Simpson	144	65.3	34.7	0.0
Spencer	622	44.2	16.4	39.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Taylor	1,369	40.0	19.5	40.5
Todd	613	39.5	21.9	38.7
Trigg	498	38.4	22.7	39.0
Trimble	498	38.8	22.3	39.0
Union	566	42.9	20.1	36.9
Warren	542	67.3	32.7	0.0
Washington	611	38.3	18.0	43.7
Wayne	1,533	40.2	17.7	42.1
Webster	592	43.1	18.8	38.2
Whitley	3,689	40.6	18.2	41.2
Wolfe	715	33.4	15.5	51.0
Woodford	1,038	38.0	19.9	42.1
<b>Kentucky</b>	<b>203,596</b>	<b>42.7</b>	<b>19.3</b>	<b>38.0</b>
<b>Nation (Prior Year)</b>	<b>8,938,527</b>	<b>34.5</b>	<b>22.6</b>	<b>42.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adair	246	4.9 (4)	8.1 (80)	958	5.1 (49)	5.7 (51)	11.8 (36)	370	15.1 (36)	14.9 (42)	470	8.9 (43)
Allen	93	* *	* *	615	6.8 (85)	5.0 (38)	12.8 (54)	244	17.2 (65)	15.6 (47)	190	14.2 (86)
Anderson	172	19.8 (98)	1.7 (2)	824	6.4 (76)	4.9 (35)	11.8 (36)	355	14.6 (28)	14.4 (36)	529	10.2 (56)
Ballard	77	* *	* *	325	7.4 (92)	4.6 (27)	14.5 (75)	133	17.3 (67)	11.3 (11)	178	10.1 (55)
Barren	0	* *	* *	106	5.7 (61)	10.4(103)	2.8 (4)	2	* *	* *	1	* *
Bath	192	9.4 (44)	4.7 (23)	782	7.9 (95)	5.5 (44)	15.7 (85)	340	16.8 (59)	18.8 (79)	427	7.5 (32)
Bell	586	24.7 (99)	4.9 (24)	2,373	6.5 (79)	4.7 (30)	17.4(105)	1,052	16.9 (61)	20.6 (89)	1,395	3.0 (6)
Boone	1,050	6.5 (14)	7.9 (78)	4,112	5.0 (44)	7.4 (76)	10.4 (22)	1,496	16.2 (51)	13.3 (28)	1,950	12.4 (74)
Bourbon	278	12.9 (86)	8.3 (83)	996	5.0 (44)	5.8 (53)	16.2 (96)	392	13.5 (22)	18.9 (80)	650	9.5 (48)
Boyd	645	12.2 (81)	3.9 (13)	2,233	3.3 (10)	14.6(115)	8.2 (10)	786	14.5 (26)	14.0 (30)	1,101	12.4 (74)
Boyle	311	10.0 (54)	6.1 (47)	1,233	6.6 (82)	5.9 (56)	12.2 (47)	498	11.2 (5)	12.9 (25)	670	14.6 (88)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bracken	132	7.6 (23)	9.1 (85)	485	4.1 (25)	13.2(111)	14.0 (70)	203	15.3 (39)	19.2 (82)	289	1.0 (3)
Breathitt	211	11.8 (75)	7.1 (71)	963	5.0 (44)	4.8 (31)	14.8 (79)	474	14.8 (32)	12.9 (25)	552	7.1 (29)
Breckinrid	231	10.4 (59)	7.8 (76)	885	7.2 (90)	4.2 (18)	16.3 (98)	349	21.2(104)	18.9 (80)	569	7.9 (36)
Bullitt	779	9.0 (38)	6.5 (59)	2,631	7.0 (87)	4.8 (31)	11.9 (40)	896	19.2 (92)	14.4 (36)	1,112	8.4 (40)
Butler	0	* *	* *	102	2.0 (1)	15.7(116)	2.0 (2)	0	* *	* *	1	* *
Caldwell	114	14.9 (90)	5.3 (30)	520	6.0 (67)	4.2 (18)	13.8 (69)	198	18.2 (79)	14.1 (32)	263	15.6 (96)
Calloway	306	12.4 (83)	11.1 (95)	1,239	6.7 (84)	3.7 (16)	15.1 (82)	475	15.8 (45)	17.5 (67)	664	7.1 (29)
Campbell	636	5.8 (8)	6.9 (64)	2,563	4.0 (21)	9.6 (98)	8.0 (9)	975	12.6 (9)	10.3 (8)	1,175	15.1 (91)
Carlisle	33	* *	* *	204	5.9 (64)	4.4 (22)	15.7 (85)	100	22.0(107)	14.0 (30)	141	6.4 (25)
Carroll	276	9.4 (44)	2.2 (4)	984	4.3 (27)	8.2 (89)	16.1 (93)	401	20.0 (99)	24.9(104)	625	9.9 (50)
Carter	478	8.8 (34)	4.0 (16)	1,948	4.0 (21)	8.2 (89)	13.2 (58)	863	18.2 (79)	21.1 (91)	905	9.9 (50)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Casey	252	8.3 (25)	7.9 (78)	957	6.4 (76)	5.9 (56)	10.9 (27)	402	12.4 (8)	15.7 (49)	464	9.9 (50)
Christian	1,754	9.8 (50)	7.4 (73)	6,902	4.9 (42)	7.4 (76)	10.6 (24)	2,758	16.2 (51)	11.7 (13)	3,551	18.3 (105)
Clark	485	10.7 (63)	5.4 (34)	1,757	3.2 (7)	4.9 (35)	12.7 (52)	679	14.7 (29)	14.1 (32)	883	11.1 (65)
Clay	527	10.6 (62)	9.3 (86)	1,771	4.0 (21)	8.8 (96)	16.0 (91)	722	17.5 (69)	22.3 (97)	997	10.9 (61)
Clinton	209	13.4 (88)	9.6 (88)	863	7.2 (90)	6.5 (63)	16.0 (91)	379	21.4 (105)	21.1 (91)	447	4.3 (10)
Crittenden	48	* *	* *	305	5.9 (64)	5.6 (47)	12.5 (49)	142	20.4 (102)	12.0 (18)	204	21.6 (109)
Cumberland	144	18.1 (96)	6.9 (64)	537	4.3 (27)	3.5 (13)	12.7 (52)	249	15.7 (43)	21.7 (95)	266	15.4 (94)
Daviess	900	10.4 (59)	6.8 (62)	3,683	8.3 (100)	4.2 (18)	11.3 (32)	1,280	18.1 (76)	14.3 (35)	1,513	10.6 (60)
Edmonson	0	* *	* *	83	* *	* *	* *	0	* *	* *	0	* *
Elliott	146	17.1 (94)	6.2 (49)	548	3.6 (12)	7.5 (78)	18.2 (109)	279	19.4 (93)	25.8 (105)	284	17.6 (103)
Estill	215	9.8 (50)	2.8 (7)	905	6.3 (72)	5.6 (47)	10.7 (26)	401	15.0 (34)	16.7 (62)	498	4.4 (11)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)													
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Fayette	3,074	9.6 (48)	5.8 (41)	11,014	8.1 (98)	6.2 (62)	12.8 (54)	4,058	18.2 (79)	16.3 (59)		4,825	24.8 (111)
Fleming	211	10.4 (59)	6.2 (49)	908	4.6 (38)	11.1 (105)	11.1 (30)	418	16.5 (57)	13.4 (29)		537	15.3 (92)
Floyd	820	12.9 (86)	2.6 (6)	2,922	5.5 (56)	6.0 (59)	12.6 (51)	1,252	14.8 (32)	17.7 (70)		1,575	6.0 (19)
Franklin	603	11.4 (73)	4.0 (16)	2,007	12.4 (113)	4.9 (35)	17.3 (104)	682	18.3 (82)	21.3 (93)		921	21.4 (108)
Fulton	129	10.9 (68)	7.0 (68)	490	6.3 (72)	10.0 (100)	17.6 (106)	226	15.9 (46)	18.6 (78)		268	15.7 (98)
Gallatin	153	5.9 (9)	11.8 (97)	685	3.6 (12)	10.1 (102)	10.2 (19)	313	13.1 (15)	12.5 (21)		407	20.6 (107)
Garrard	219	14.6 (89)	8.2 (82)	1,001	4.3 (27)	6.0 (59)	12.0 (43)	463	18.1 (76)	16.2 (57)		529	11.0 (62)
Grant	386	11.9 (78)	4.4 (19)	1,830	4.8 (41)	5.6 (47)	9.8 (13)	839	12.6 (9)	10.4 (9)		1,083	15.3 (92)
Graves	413	6.3 (12)	10.2 (92)	1,759	3.9 (19)	6.5 (63)	15.6 (84)	721	19.1 (91)	19.8 (86)		961	15.0 (90)
Grayson	414	4.1 (2)	7.0 (68)	1,667	7.6 (93)	7.0 (73)	11.3 (32)	707	18.4 (84)	14.1 (32)		938	4.4 (11)
Green	135	5.9 (9)	13.3 (99)	667	3.9 (19)	2.7 (5)	14.7 (78)	313	22.4 (108)	16.9 (63)		375	8.3 (39)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Greenup	436	8.7 (33)	7.6 (75)	1,541	3.6 (12)	12.0(110)	10.6 (24)	593	16.0 (49)	15.2 (45)		713	7.3 (31)
Hancock	68	* *	* *	293	6.1 (68)	7.8 (84)	13.0 (56)	90	* *	* *		150	11.3 (67)
Hardin	1,724	8.6 (27)	6.4 (53)	6,493	6.2 (70)	6.1 (61)	10.1 (18)	2,547	13.0 (13)	9.9 (5)		3,347	15.5 (95)
Harlan	637	10.2 (57)	7.2 (72)	2,207	5.3 (54)	14.3(114)	16.4 (99)	973	19.0 (90)	26.5(107)		853	8.7 (41)
Harrison	267	10.9 (68)	6.7 (61)	991	5.1 (49)	3.1 (9)	11.5 (34)	420	15.5 (41)	14.5 (38)		519	11.8 (73)
Hart	0	* *	* *	139	2.9 (3)	7.9 (86)	5.8 (6)	0	* *	* *		1	* *
Henderson	369	5.4 (6)	4.6 (22)	1,524	5.2 (51)	11.7(108)	6.8 (7)	478	15.1 (36)	12.3 (19)		554	2.0 (4)
Henry	224	3.1 (1)	5.8 (41)	753	5.2 (51)	8.1 (88)	15.7 (85)	288	17.7 (71)	15.6 (47)		453	17.2(101)
Hickman	48	* *	* *	190	3.7 (15)	11.1(105)	14.2 (71)	76	* *	* *		100	11.0 (62)
Hopkins	394	7.1 (19)	3.6 (10)	1,798	8.1 (98)	7.5 (78)	12.0 (43)	691	18.7 (88)	14.6 (39)		1,093	8.9 (43)
Jackson	222	8.6 (27)	5.9 (44)	866	4.5 (34)	6.7 (69)	10.2 (19)	389	15.2 (38)	15.9 (54)		477	7.5 (32)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jefferson	8,606	10.2 (57)	5.9 (44)	29,528	5.5 (56)	10.0(100)	10.9 (27)	10,409	13.4 (17)	11.9 (15)	15,807	17.2(101)
Jessamine	597	7.9 (24)	6.4 (53)	2,416	8.0 (97)	7.7 (81)	9.8 (13)	955	12.0 (7)	11.6 (12)	1,274	15.8 (99)
Johnson	358	17.0 (93)	5.3 (30)	1,387	6.3 (72)	6.8 (71)	21.0(113)	642	18.5 (85)	22.3 (97)	820	8.7 (41)
Kenton	2,368	9.1 (39)	6.0 (46)	5,981	3.8 (17)	7.7 (81)	9.6 (12)	1,575	18.7 (88)	15.0 (44)	2,146	7.6 (34)
Knott	278	10.8 (65)	1.8 (3)	1,047	13.1(115)	4.8 (31)	18.4(110)	470	13.4 (17)	15.5 (46)	578	4.0 (8)
Knox	535	8.8 (34)	3.9 (13)	2,241	5.5 (56)	7.6 (80)	13.7 (67)	1,000	17.2 (65)	19.8 (86)	1,555	6.9 (28)
Larue	171	4.7 (3)	6.4 (53)	797	7.0 (87)	1.9 (3)	22.1(115)	353	21.5(106)	26.3(106)	542	13.7 (84)
Laurel	806	9.7 (49)	11.0 (93)	2,866	4.3 (27)	7.9 (86)	11.2 (31)	1,076	16.3 (55)	15.8 (50)	1,284	6.1 (20)
Lawrence	293	19.1 (97)	4.4 (19)	1,024	4.4 (33)	11.3(107)	14.9 (80)	437	19.9 (97)	19.5 (83)	577	4.2 (9)
Lee	77	* *	* *	488	3.5 (11)	8.4 (94)	11.7 (35)	230	12.6 (9)	10.0 (7)	287	17.8(104)
Leslie	203	8.9 (37)	4.4 (19)	848	3.1 (5)	13.2(111)	13.6 (65)	365	9.0 (3)	11.8 (14)	436	11.7 (70)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Letcher	369	7.0 (17)	5.1 (26)	1,233	6.1 (68)	4.5 (25)	13.4 (61)	422	23.2(109)	24.6(103)	538	0.9 (2)
Lewis	195	11.8 (75)	6.2 (49)	823	4.3 (27)	4.6 (27)	13.2 (58)	379	12.9 (12)	17.2 (64)	345	12.8 (81)
Lincoln	341	11.1 (70)	5.6 (38)	1,291	6.2 (70)	10.4(103)	9.8 (13)	517	14.5 (26)	9.9 (5)	709	12.4 (74)
Livingston	68	* *	* *	366	10.7(110)	5.5 (44)	13.4 (61)	166	4.8 (1)	3.6 (1)	174	6.3 (24)
Logan	0	* *	* *	156	2.6 (2)	5.1 (39)	2.6 (3)	1	* *	* *	1	* *
Lyon	54	* *	* *	298	14.1(117)	1.0 (2)	20.5(112)	144	18.1 (76)	27.8(108)	199	2.0 (4)
Madison	938	10.8 (65)	5.4 (34)	3,472	3.0 (4)	8.2 (89)	9.9 (17)	1,282	14.1 (25)	15.9 (54)	1,980	6.4 (25)
Magoffin	204	11.3 (71)	3.9 (13)	901	6.5 (79)	7.7 (81)	15.8 (89)	441	13.6 (23)	16.6 (61)	458	18.3(105)
Marion	298	9.4 (44)	9.4 (87)	1,177	8.5(102)	4.2 (18)	16.1 (93)	469	19.6 (95)	14.9 (42)	599	6.2 (21)
Marshall	308	9.1 (39)	6.8 (62)	1,201	11.7(111)	7.0 (73)	16.1 (93)	508	13.4 (17)	7.9 (3)	704	15.6 (96)
Martin	139	8.6 (27)	2.2 (4)	907	7.9 (95)	9.0 (97)	14.4 (73)	419	13.4 (17)	16.2 (57)	476	14.1 (85)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Mason	296	10.8 (65)	5.1 (26)	946	8.7(104)	8.2 (89)	12.4 (48)	338	18.3 (82)	16.0 (56)	469	11.7 (70)
McCracken	552	9.4 (44)	5.3 (30)	2,032	6.3 (72)	4.6 (27)	18.1(107)	783	14.7 (29)	11.9 (15)	1,158	14.3 (87)
McCreary	386	9.1 (39)	4.1 (18)	1,477	4.1 (25)	6.6 (66)	11.9 (40)	643	17.9 (74)	21.0 (90)	804	9.3 (46)
McLean	72	* *	* *	354	11.9(112)	2.8 (6)	18.1(107)	137	13.9 (24)	22.6 (99)	161	0.6 (1)
Meade	273	5.5 (7)	8.8 (84)	1,120	8.4(101)	3.9 (17)	13.4 (61)	424	13.2 (16)	12.3 (19)	667	11.1 (65)
Menifee	134	17.9 (95)	3.0 (8)	499	3.8 (17)	5.8 (53)	14.6 (76)	237	16.9 (61)	18.1 (74)	259	10.4 (58)
Mercer	298	6.7 (16)	5.0 (25)	1,182	5.8 (62)	5.3 (41)	11.8 (36)	475	16.2 (51)	14.7 (41)	718	10.3 (57)
Metcalfe	0	* *	* *	82	* *	* *	* *	0	* *	* *	0	* *
Monroe	0	* *	* *	95	* *	* *	* *	0	* *	* *	0	* *
Montgomery	452	7.1 (19)	7.5 (74)	1,740	4.5 (34)	4.4 (22)	14.4 (73)	748	18.6 (87)	18.3 (75)	903	5.0 (14)
Morgan	185	7.0 (17)	7.0 (68)	879	4.0 (21)	6.6 (66)	12.1 (45)	415	17.8 (72)	17.8 (72)	578	12.6 (80)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Muhlenberg	278	6.5 (14)	12.9 (98)	1,188	5.0 (44)	4.8 (31)	10.4 (22)	479	15.9 (46)	14.6 (39)	527	14.6 (88)
Nelson	540	9.1 (39)	5.7 (40)	2,016	8.6(103)	5.3 (41)	14.6 (76)	763	16.6 (58)	17.4 (66)	1,028	11.5 (69)
Nicholas	102	8.8 (34)	6.9 (64)	409	3.7 (15)	9.8 (99)	9.8 (13)	172	8.1 (2)	8.1 (4)	220	9.1 (45)
Ohio	262	10.7 (63)	6.5 (59)	1,117	4.5 (34)	3.0 (7)	12.1 (45)	440	16.4 (56)	18.4 (77)	510	3.1 (7)
Oldham	358	9.8 (50)	3.6 (10)	1,247	6.5 (79)	5.5 (44)	11.9 (40)	457	17.1 (64)	17.3 (65)	535	12.5 (77)
Owen	171	12.3 (82)	11.7 (96)	608	5.8 (62)	6.7 (69)	13.2 (58)	255	16.9 (61)	10.6 (10)	375	9.9 (50)
Owsley	104	12.5 (84)	9.6 (88)	433	9.2(106)	3.0 (7)	30.9(117)	213	20.2(101)	28.6(109)	308	9.7 (49)
Pendleton	185	11.4 (73)	8.1 (80)	690	5.9 (64)	5.9 (56)	12.5 (49)	254	13.0 (13)	21.3 (93)	368	13.6 (83)
Perry	541	12.6 (85)	7.8 (76)	1,889	8.9(105)	3.6 (14)	23.6(116)	718	17.5 (69)	21.9 (96)	897	11.0 (62)
Pike	947	11.3 (71)	6.4 (53)	3,070	5.6 (60)	11.8(109)	11.8 (36)	998	16.1 (50)	15.8 (50)	1,400	7.9 (36)
Powell	240	10.0 (54)	5.4 (34)	877	5.0 (44)	3.6 (14)	15.1 (82)	351	16.8 (59)	19.7 (84)	537	5.8 (17)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)													
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Pulaski	931	9.9 (53)	6.9 (64)	3,452	3.2 (7)	7.1 (75)	7.8 (8)	1,316	14.7 (29)	11.9 (15)		1,690	4.7 (13)
Robertson	33	* *	* *	219	4.6 (38)	7.8 (84)	9.1 (11)	111	9.9 (4)	6.3 (2)		129	6.2 (21)
Rockcastle	256	7.4 (22)	3.1 (9)	1,007	5.2 (51)	5.2 (40)	13.6 (65)	443	19.9 (97)	15.8 (50)		565	11.7 (70)
Rowan	336	10.1 (56)	9.8 (90)	1,229	6.9 (86)	8.6 (95)	13.0 (56)	470	17.4 (68)	18.3 (75)		579	7.8 (35)
Russell	309	9.1 (39)	5.8 (41)	1,228	6.4 (76)	5.6 (47)	10.2 (19)	481	18.5 (85)	17.5 (67)		637	5.8 (17)
Scott	452	8.6 (27)	5.1 (26)	1,667	9.8(108)	6.6 (66)	16.7(100)	673	13.4 (17)	12.8 (24)		758	16.6(100)
Shelby	422	7.1 (19)	3.8 (12)	1,770	9.7(107)	4.4 (22)	16.9(101)	734	15.9 (46)	17.6 (69)		949	12.5 (77)
Simpson	1	* *	* *	130	3.1 (5)	18.5(117)	1.5 (1)	0	* *	* *		1	* *
Spencer	187	15.0 (91)	5.3 (30)	584	13.7(116)	6.5 (63)	21.2(114)	235	15.7 (43)	23.0(101)		265	12.8 (81)
Taylor	360	6.1 (11)	10.0 (91)	1,335	5.5 (56)	4.5 (25)	13.7 (67)	545	15.4 (40)	18.0 (73)		680	8.2 (38)
Todd	130	16.9 (92)	1.5 (1)	574	7.7 (94)	6.8 (71)	17.2(103)	234	15.0 (34)	15.8 (50)		323	9.9 (50)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Trigg	73	* *	* *	489	4.5 (34)	3.3 (10)	14.9 (80)	185	11.9 (6)	13.0 (27)	279	9.3 (46)
Trimble	126	11.9 (78)	5.6 (38)	490	4.3 (27)	5.7 (51)	11.0 (29)	191	17.8 (72)	12.6 (22)	310	22.3 (110)
Union	127	11.8 (75)	6.3 (52)	551	12.7 (114)	2.2 (4)	13.4 (61)	205	15.6 (42)	12.7 (23)	238	5.5 (16)
Warren	1	* *	* *	501	3.2 (7)	14.0 (113)	5.4 (5)	0	* *	* *	1	* *
Washington	136	5.1 (5)	11.0 (93)	606	5.4 (55)	5.3 (41)	15.8 (89)	265	16.2 (51)	17.7 (70)	298	11.4 (68)
Wayne	370	8.6 (27)	5.4 (34)	1,495	4.6 (38)	5.8 (53)	15.7 (85)	630	17.9 (74)	22.9 (100)	783	12.5 (77)
Webster	125	6.4 (13)	6.4 (53)	581	10.3 (109)	3.3 (10)	18.6 (111)	224	20.1 (100)	20.1 (88)	324	6.2 (21)
Whitley	1,014	8.6 (27)	6.1 (47)	3,583	4.9 (42)	8.3 (93)	16.2 (96)	1,483	20.4 (102)	24.2 (102)	1,964	6.5 (27)
Wolfe	154	8.4 (26)	5.2 (29)	686	7.0 (87)	0.9 (1)	16.9 (101)	345	19.4 (93)	19.7 (84)	352	5.1 (15)
Woodford	249	12.0 (80)	6.4 (53)	1,002	6.6 (82)	3.4 (12)	14.3 (72)	429	19.6 (95)	16.3 (59)	601	10.5 (59)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
<b>Kentucky</b>	<b>51,846</b>	<b>9.9</b>	<b>6.3</b>	<b>194,714</b>	<b>5.9</b>	<b>7.3</b>	<b>12.6</b>	<b>75,189</b>	<b>16.0</b>	<b>15.6</b>	<b>99,280</b>	<b>12.2</b>
<b>Nation (Prior Year)</b>	<b>1,961,342</b>	<b>8.9</b>	<b>6.4</b>	<b>8,451,215</b>	<b>6.0</b>	<b>4.3</b>	<b>14.0</b>	<b>3,678,355</b>	<b>16.4</b>	<b>14.7</b>	<b>5,524,196</b>	<b>14.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B  
2010 Pediatric Nutrition Surveillance (1)  
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
<b>County</b>	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Adair	247	45.3 (14)	198	13.1 (23)	145	5.5 (32)	0	* *	0	* *	397	85.1 (88)	988	22.8 (46)
Allen	63	* *	36	* *	49	* *	0	* *	0	* *	249	83.5 (95)	628	22.9 (48)
Anderson	174	44.3 (19)	163	15.3 (15)	126	2.4 (66)	0	* *	0	* *	369	84.6 (92)	869	23.6 (52)
Ballard	71	* *	47	* *	42	* *	0	* *	0	* *	141	89.4 (62)	342	29.2 (64)
Barren	0	* *	0	* *	0	* *	0	* *	0	* *	2	* *	108	18.5 (39)
Bath	188	13.3 (95)	146	5.5 (74)	110	5.5 (32)	0	* *	0	* *	362	98.6 (7)	815	43.6 (90)
Bell	595	24.5 (76)	374	7.5 (58)	306	2.3 (69)	0	* *	0	* *	1,118	96.2 (20)	2,471	37.5 (79)
Boone	1,088	37.6 (34)	944	16.4 (12)	624	9.9 (4)	0	* *	0	* *	1,554	88.1 (75)	4,302	44.3 (91)
Bourbon	278	45.0 (16)	224	16.5 (11)	160	6.9 (14)	0	* *	0	* *	407	97.8 (10)	1,056	63.2 (109)
Boyd	630	25.4 (75)	457	8.8 (52)	299	7.7 (8)	0	* *	0	* *	820	98.2 (8)	2,317	56.1 (98)
Boyle	315	37.1 (38)	212	9.9 (41)	166	4.8 (41)	0	* *	0	* *	520	93.1 (40)	1,274	60.6 (104)
Bracken	130	45.4 (13)	88	* *	82	* *	0	* *	0	* *	211	90.5 (56)	511	63.2 (109)
Breathitt	210	12.4 (96)	175	2.9 (86)	121	1.7 (78)	0	* *	0	* *	515	87.6 (78)	1,035	52.1 (96)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B  
2010 Pediatric Nutrition Surveillance (1)  
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
<b>County</b>	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Breckinrid	227	42.7 (26)	157	6.4 (65)	108	3.7 (53)	0	* *	0	* *	371	84.1 (93)	912	1.9 (10)
Bullitt	766	44.4 (18)	553	9.0 (48)	414	4.1 (48)	0	* *	0	* *	926	92.8 (41)	2,713	30.0 (67)
Butler	0	* *	0	* *	1	* *	0	* *	0	* *	0	* *	108	0.9 (5)
Caldwell	103	44.7 (17)	81	* *	69	* *	0	* *	0	* *	212	69.8(109)	550	19.8 (41)
Calloway	301	68.4 (1)	178	21.9 (4)	174	7.5 (9)	0	* *	0	* *	506	91.5 (47)	1,297	10.5 (23)
Campbell	709	28.5 (64)	663	7.1 (61)	407	6.6 (17)	0	* *	0	* *	1,054	94.8 (27)	2,889	47.4 (93)
Carlisle	30	* *	25	* *	34	* *	0	* *	0	* *	102	81.4(101)	215	14.9 (30)
Carroll	271	36.9 (39)	170	15.3 (15)	147	6.8 (15)	0	* *	0	* *	414	87.4 (79)	1,002	34.0 (73)
Carter	476	34.0 (50)	341	14.1 (21)	229	7.0 (13)	0	* *	0	* *	915	90.7 (51)	2,034	56.1 (98)
Casey	251	38.6 (32)	178	13.5 (22)	132	6.1 (24)	0	* *	0	* *	410	89.8 (61)	985	26.1 (55)
Christian	1,772	56.2 (4)	1,233	20.9 (6)	712	8.4 (6)	0	* *	0	* *	2,882	83.6 (94)	7,217	21.3 (44)
Clark	480	38.1 (33)	331	15.1 (17)	254	7.5 (9)	0	* *	0	* *	713	95.2 (24)	1,829	1.1 (8)
Clay	524	20.8 (87)	307	6.2 (69)	240	2.9 (61)	0	* *	0	* *	719	87.2 (82)	1,850	62.1 (107)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B  
2010 Pediatric Nutrition Surveillance (1)  
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
	<b>Breastfeeding (6)</b>						<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>	
<b>County</b>	Number	% Ever Breastfed  (Rank)	Number	% Breastfed At Least 6 Months  (Rank)	Number	% Breastfed At Least 12 Months  (Rank)	Number	% Breastfed At Least 3 Months  (Rank)	Number	% Breastfed At Least 6 Months  (Rank)	Number	%   (Rank)	Number	%   (Rank)
Clinton	206	17.5 (94)	173	5.8 (72)	131	2.3 (69)	0	* *	0	* *	405	93.3 (36)	898	50.2 (94)
Crittenden	39	* *	30	* *	36	* *	0	* *	0	* *	149	81.2(102)	317	12.0 (26)
Cumberland	142	20.4 (88)	101	4.0 (84)	60	* *	0	* *	0	* *	260	93.8 (32)	558	31.0 (69)
Daviess	666	32.1 (57)	362	8.8 (52)	308	7.5 (9)	0	* *	0	* *	1,327	92.2 (43)	3,773	12.2 (27)
Edmonson	0	* *	0	* *	1	* *	0	* *	0	* *	0	* *	87	* *
Elliott	145	19.3 (89)	70	* *	63	* *	0	* *	0	* *	295	93.2 (39)	584	68.7 (113)
Estill	205	35.6 (46)	143	9.1 (45)	100	3.0 (59)	0	* *	0	* *	423	95.0 (26)	928	15.5 (31)
Fayette	3,069	56.5 (3)	2,308	25.5 (1)	1,390	14.1 (1)	0	* *	0	* *	4,292	90.8 (50)	11,578	0.4 (3)
Fleming	211	27.0 (68)	146	11.0 (30)	112	5.4 (34)	0	* *	0	* *	442	89.1 (66)	944	17.1 (34)
Floyd	801	9.9 (97)	481	4.8 (80)	350	3.4 (57)	0	* *	0	* *	1,330	99.9 (4)	3,073	58.0 (100)
Franklin	599	51.9 (8)	364	15.4 (14)	271	4.4 (44)	0	* *	0	* *	705	88.8 (70)	2,081	28.5 (63)
Fulton	119	26.1 (73)	73	* *	44	* *	0	* *	0	* *	245	82.0 (99)	518	36.3 (76)
Gallatin	153	42.5 (27)	115	10.4 (37)	108	8.3 (7)	0	* *	0	* *	325	89.2 (64)	708	83.1 (115)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)														
<b>County</b>	<b>Breastfeeding</b> (6)				<b>Exclusive Breastfeeding</b> (7)				<b>≤2 Hours TV Viewing/Day</b> (8)		<b>Smoking in Household</b>			
	Number	% Ever Breastfed  (Rank)	Number	% Breastfed At Least 6 Months  (Rank)	Number	% Breastfed At Least 12 Months  (Rank)	Number	% Breastfed At Least 3 Months  (Rank)	Number	% Breastfed At Least 6 Months  (Rank)	Number	%    (Rank)		
Garrard	220	36.4 (43)	189	12.2 (25)	130	5.4 (34)	0	* *	0	* *	485	96.7 (17)	1,049	30.7 (68)
Grant	392	28.1 (66)	327	10.4 (37)	251	6.0 (27)	0	* *	0	* *	867	88.0 (77)	1,891	64.4 (111)
Graves	406	50.2 (9)	269	11.9 (26)	240	6.3 (19)	0	* *	0	* *	764	94.8 (27)	1,814	23.8 (53)
Grayson	429	30.3 (61)	324	8.0 (54)	208	2.9 (61)	0	* *	0	* *	750	88.5 (72)	1,725	40.0 (86)
Green	134	43.3 (22)	106	4.7 (81)	111	6.3 (19)	0	* *	0	* *	327	93.6 (34)	682	17.3 (36)
Greenup	432	33.6 (54)	298	6.4 (65)	206	2.4 (66)	0	* *	0	* *	628	88.4 (74)	1,594	21.9 (45)
Hancock	42	* *	37	* *	22	* *	0	* *	0	* *	95	* *	300	31.7 (71)
Hardin	1,724	43.3 (22)	973	14.6 (19)	723	5.0 (39)	0	* *	0	* *	2,640	90.6 (54)	6,649	41.1 (88)
Harlan	627	17.7 (91)	325	5.2 (77)	258	2.3 (69)	0	* *	0	* *	1,044	90.3 (57)	2,351	38.2 (81)
Harrison	264	36.7 (40)	160	13.1 (23)	154	1.9 (76)	0	* *	0	* *	444	97.3 (15)	1,055	18.3 (37)
Hart	0	* *	0	* *	1	* *	0	* *	0	* *	0	* *	144	5.6 (15)
Henderson	224	23.7 (78)	120	7.5 (58)	128	6.3 (19)	0	* *	0	* *	503	87.3 (80)	1,565	27.0 (57)
Henry	220	43.2 (24)	132	4.5 (82)	115	1.7 (78)	0	* *	0	* *	302	97.7 (12)	781	1.2 (9)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B  
2010 Pediatric Nutrition Surveillance (1)  
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County  
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)												
County	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Hickman	45	* *	24	* *	23	* *	0	* *	83	* *	194	23.2 (49)
Hopkins	288	37.2 (37)	175	10.9 (31)	177	5.1 (36)	0	* *	714	82.8 (98)	1,850	33.3 (72)
Jackson	222	36.5 (41)	143	5.6 (73)	119	4.2 (47)	0	* *	412	85.2 (86)	898	59.2 (102)
Jefferson	8,667	47.3 (11)	6,156	18.4 (9)	3,899	9.4 (5)	0	* *	10,933	93.3 (36)	31,196	0.3 (1)
Jessamine	582	43.0 (25)	448	21.9 (4)	302	11.9 (2)	0	* *	986	95.1 (25)	2,503	8.7 (18)
Johnson	351	27.6 (67)	220	9.1 (45)	184	2.2 (73)	0	* *	675	99.0 (6)	1,473	47.3 (92)
Kenton	2,563	35.2 (47)	1,228	9.6 (42)	730	5.1 (36)	0	* *	1,649	97.8 (10)	6,361	43.1 (89)
Knott	272	24.3 (77)	188	5.3 (76)	113	6.2 (23)	0	* *	500	97.4 (13)	1,139	14.7 (29)
Knox	555	17.7 (91)	393	8.9 (50)	328	2.1 (74)	0	* *	1,073	93.8 (32)	2,342	0.6 (4)
Larue	171	48.0 (10)	142	7.7 (56)	102	5.9 (28)	0	* *	384	88.5 (72)	825	10.4 (21)
Laurel	826	30.4 (60)	564	11.2 (29)	384	3.9 (50)	0	* *	1,127	96.5 (19)	2,979	35.9 (74)
Lawrence	291	33.7 (52)	187	7.5 (58)	143	2.8 (64)	0	* *	458	83.2 (96)	1,079	61.3 (106)
Lee	106	34.0 (50)	66	* *	63	* *	0	* *	245	89.0 (68)	509	10.4 (21)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B  
2010 Pediatric Nutrition Surveillance (1)  
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
<b>County</b>	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Leslie	200	21.0 (85)	143	6.3 (67)	111	1.8 (77)	0	* *	0	* *	397	100.0 (1)	909	0.9 (5)
Letcher	359	29.2 (62)	206	17.5 (10)	112	6.3 (19)	0	* *	0	* *	447	87.0 (83)	1,269	3.2 (12)
Lewis	193	28.5 (64)	116	6.9 (63)	112	3.6 (56)	0	* *	0	* *	396	89.1 (66)	850	60.7 (105)
Lincoln	335	17.6 (93)	271	5.9 (70)	196	4.1 (48)	0	* *	0	* *	549	91.3 (49)	1,350	40.7 (87)
Livingston	54	* *	41	* *	48	* *	0	* *	0	* *	168	80.4(104)	376	36.7 (78)
Logan	0	* *	0	* *	0	* *	0	* *	0	* *	1	* *	166	27.1 (58)
Lyon	48	* *	28	* *	31	* *	0	* *	0	* *	154	97.4 (13)	308	26.9 (56)
Madison	921	40.3 (29)	693	11.7 (27)	563	7.3 (12)	0	* *	0	* *	1,339	90.7 (51)	3,568	13.3 (28)
Magoffin	202	22.3 (83)	158	7.0 (62)	123	2.4 (66)	0	* *	0	* *	473	85.2 (86)	966	18.4 (38)
Marion	297	35.7 (45)	199	9.5 (44)	145	4.8 (41)	0	* *	0	* *	497	95.6 (22)	1,202	64.9 (112)
Marshall	302	52.6 (6)	171	10.5 (35)	164	4.3 (45)	0	* *	0	* *	535	81.7(100)	1,289	23.5 (50)
Martin	222	22.5 (82)	155	2.6 (87)	115	0.9 (81)	0	* *	0	* *	448	87.3 (80)	961	29.6 (65)
Mason	317	23.3 (80)	181	5.5 (74)	135	3.7 (53)	0	* *	0	* *	360	76.1(106)	1,016	62.4 (108)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7B  
2010 Pediatric Nutrition Surveillance (1)  
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)  
Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>												
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)
McCracken	536	52.2 (7)	341	19.4 (7)	320	5.6 (31)	0	* *	0	* *	825	88.7 (71)
McCreary	391	18.4 (90)	251	5.2 (77)	176	1.1 (80)	0	* *	0	* *	671	85.1 (88)
McLean	47	* *	29	* *	37	* *	0	* *	0	* *	138	92.8 (41)
Meade	275	26.9 (70)	190	10.5 (35)	154	3.2 (58)	0	* *	0	* *	441	86.8 (84)
Menifee	132	28.8 (63)	77	* *	61	* *	0	* *	0	* *	232	91.4 (48)
Mercer	296	31.4 (58)	184	10.9 (31)	163	6.1 (24)	0	* *	0	* *	490	90.6 (54)
Metcalfe	0	* *	0	* *	0	* *	0	* *	0	* *	0	* *
Monroe	0	* *	0	* *	0	* *	0	* *	0	* *	0	* *
Montgomery	447	36.2 (44)	281	18.5 (8)	177	5.1 (36)	0	* *	0	* *	787	88.1 (75)
Morgan	211	27.0 (68)	135	6.7 (64)	104	5.8 (29)	0	* *	0	* *	375	100.0 (1)
Muhlenberg	204	23.0 (81)	142	6.3 (67)	148	0.7 (82)	0	* *	0	* *	506	90.7 (51)
Nelson	543	36.5 (41)	355	9.6 (42)	258	3.9 (50)	0	* *	0	* *	790	93.3 (36)
Nicholas	102	23.5 (79)	78	* *	59	* *	0	* *	0	* *	182	95.6 (22)

(1) Reporting period is January 1 through December 31.  
(2) TV Viewing and Smoking in Household data are not reported by all contributors.  
(3) Analyses based on one record per child.  
(4) Excludes records with unknown data or errors.  
(5) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
(8) Children aged 2 years and older included in the analyses.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B  
2010 Pediatric Nutrition Surveillance (1)  
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
<b>County</b>	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Ohio	162	32.7 (56)	108	10.2 (39)	101	5.0 (39)	0	* *	0	* *	446	75.8(107)	1,156	38.6 (83)
Oldham	351	53.3 (5)	212	22.6 (3)	164	6.7 (16)	0	* *	0	* *	463	94.2 (30)	1,286	82.9 (114)
Owen	169	33.7 (52)	110	10.0 (40)	70	* *	0	* *	0	* *	265	96.6 (18)	631	51.8 (95)
Owsley	103	22.3 (83)	74	* *	71	* *	0	* *	0	* *	226	90.3 (57)	466	20.4 (43)
Pendleton	184	45.1 (15)	136	5.9 (70)	133	2.3 (69)	0	* *	0	* *	267	93.6 (34)	720	29.6 (65)
Perry	540	26.9 (70)	374	5.1 (79)	295	2.7 (65)	0	* *	0	* *	775	91.7 (45)	2,026	0.3 (1)
Pike	973	20.9 (86)	650	7.7 (56)	331	2.1 (74)	0	* *	0	* *	1,095	80.3(105)	3,233	59.6 (103)
Powell	239	43.9 (20)	180	8.9 (50)	136	2.9 (61)	0	* *	0	* *	368	88.9 (69)	916	22.8 (46)
Pulaski	919	41.1 (28)	683	10.7 (34)	421	5.7 (30)	0	* *	0	* *	1,391	92.1 (44)	3,574	27.9 (61)
Robertson	33	* *	24	* *	22	* *	0	* *	0	* *	121	99.2 (5)	224	54.5 (97)
Rockcastle	255	37.3 (36)	151	14.6 (19)	136	3.7 (53)	0	* *	0	* *	469	81.0(103)	1,041	17.2 (35)
Rowan	335	33.4 (55)	268	9.0 (48)	153	4.6 (43)	0	* *	0	* *	508	83.1 (97)	1,276	2.7 (11)
Russell	312	34.6 (49)	230	10.9 (31)	180	3.9 (50)	0	* *	0	* *	512	86.5 (85)	1,271	19.2 (40)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B  
2010 Pediatric Nutrition Surveillance (1)  
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County  
Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
<b>County</b>	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Scott	449	39.0 (30)	319	11.3 (28)	198	6.6 (17)	0	* *	0	* *	694	96.1 (21)	1,749	16.0 (32)
Shelby	419	60.1 (2)	285	23.5 (2)	257	11.3 (3)	0	* *	0	* *	760	89.2 (64)	1,826	3.4 (13)
Simpson	1	* *	0	* *	2	* *	0	* *	0	* *	0	* *	144	27.8 (60)
Spencer	187	37.4 (35)	105	16.2 (13)	62	* *	0	* *	0	* *	249	94.8 (27)	622	1.0 (7)
Taylor	357	34.7 (48)	245	3.3 (85)	182	0.5 (83)	0	* *	0	* *	568	90.3 (57)	1,369	36.1 (75)
Todd	74	* *	51	* *	30	* *	0	* *	0	* *	240	97.1 (16)	613	6.0 (16)
Trigg	58	* *	64	* *	59	* *	0	* *	0	* *	199	89.4 (62)	498	39.4 (84)
Trimble	125	31.2 (59)	87	* *	84	* *	0	* *	0	* *	198	84.8 (91)	498	5.0 (14)
Union	74	* *	32	* *	36	* *	0	* *	0	* *	210	74.3(108)	566	31.1 (70)
Warren	1	* *	2	* *	2	* *	0	* *	0	* *	0	* *	542	16.8 (33)
Washington	134	46.3 (12)	89	* *	72	* *	0	* *	0	* *	276	100.0 (1)	611	10.5 (23)
Wayne	367	26.4 (72)	263	8.0 (54)	187	4.3 (45)	0	* *	0	* *	661	93.9 (31)	1,533	27.3 (59)
Webster	81	* *	38	* *	50	* *	0	* *	0	* *	228	85.1 (88)	592	23.8 (53)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)														
	<b>Breastfeeding</b> (6)						<b>Exclusive Breastfeeding</b> (7)				<b>≤2 Hours TV Viewing/Day</b> (8)		<b>Smoking in Household</b>	
<b>County</b>	Number	% Ever Breastfed  (Rank)	Number	% Breastfed At Least 6 Months  (Rank)	Number	% Breastfed At Least 12 Months  (Rank)	Number	% Breastfed At Least 3 Months  (Rank)	Number	% Breastfed At Least 6 Months  (Rank)	Number	%   (Rank)	Number	%   (Rank)
Whitley	1,006	25.8 (74)	569	9.1 (45)	462	3.0 (59)	0	* *	0	* *	1,562	91.6 (46)	3,689	8.7 (18)
Wolfe	162	38.9 (31)	110	4.5 (82)	86	* *	0	* *	0	* *	361	90.0 (60)	715	39.7 (85)
Woodford	246	43.5 (21)	147	15.0 (18)	147	6.1 (24)	0	* *	0	* *	443	98.0 (9)	1,038	20.2 (42)
<b>Kentucky</b>	<b>51,257</b>	<b>38.3</b>	<b>34,872</b>	<b>13.3</b>	<b>24,880</b>	<b>6.3</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>78,931</b>	<b>91.0</b>	<b>203,594</b>	<b>25.7</b>
<b>Nation (Prior Year)</b>	<b>1,769,160</b>	<b>61.7</b>	<b>911,779</b>	<b>27.0</b>	<b>1,092,573</b>	<b>18.5</b>	<b>317,037</b>	<b>9.9</b>	<b>420,655</b>	<b>5.3</b>	<b>1,022,933</b>	<b>77.3</b>	<b>4,355,723</b>	<b>10.2</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			Number	%
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Adair	631	6.0 (6)	7.3 (93)	2,496	5.2 (46)	5.8 (54)	11.2 (20)	993	13.7 (14)	14.8 (37)	1,392	10.1 (59)
Allen	578	7.8 (20)	6.2 (56)	2,521	6.2 (70)	5.8 (54)	11.4 (21)	1,060	15.0 (29)	14.3 (30)	1,131	17.3 (109)
Anderson	491	13.4 (113)	4.3 (12)	2,140	6.6 (81)	5.9 (58)	12.9 (52)	855	19.1 (99)	16.5 (62)	1,375	13.2 (83)
Ballard	250	10.4 (82)	7.6 (99)	880	8.5 (100)	4.8 (35)	15.6 (92)	348	17.0 (66)	9.8 (4)	558	9.5 (44)
Barren	830	9.6 (61)	8.6 (108)	3,645	4.6 (29)	5.6 (49)	12.1 (34)	1,336	16.7 (59)	18.3 (84)	2,081	9.0 (41)
Bath	457	9.8 (70)	6.3 (60)	2,014	9.0 (106)	6.3 (65)	17.7 (104)	869	18.9 (97)	22.1 (110)	1,236	10.0 (56)
Bell	1,432	18.0 (119)	4.5 (15)	6,210	6.2 (70)	4.0 (20)	16.4 (98)	2,799	17.1 (69)	20.0 (99)	4,081	3.2 (6)
Boone	2,278	9.0 (45)	7.8 (103)	10,160	5.6 (60)	6.8 (71)	12.3 (36)	3,804	15.5 (37)	14.1 (27)	5,684	14.0 (92)
Bourbon	751	9.7 (67)	7.2 (91)	2,569	5.3 (51)	5.4 (44)	17.2 (102)	933	16.4 (55)	19.0 (91)	1,661	10.9 (64)
Boyd	1,556	12.5 (108)	4.2 (8)	5,860	3.1 (2)	12.7 (119)	8.3 (2)	2,129	15.9 (41)	14.8 (37)	3,253	15.4 (100)
Boyle	796	9.9 (75)	6.8 (79)	3,172	5.9 (67)	5.6 (49)	12.9 (52)	1,222	13.3 (10)	13.0 (18)	1,830	14.0 (92)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bracken	337	7.7 (17)	7.1 (87)	1,288	5.3 (51)	11.6(115)	13.5 (58)	502	22.3(120)	19.3 (94)	813	3.1 (4)
Breathitt	539	9.6 (61)	5.2 (30)	2,513	4.5 (24)	4.5 (30)	15.3 (88)	1,200	14.9 (28)	14.3 (30)	1,625	6.1 (21)
Breckinrid	601	9.5 (58)	6.5 (69)	2,396	6.4 (78)	3.0 (8)	12.9 (52)	984	18.0 (82)	14.2 (29)	1,561	7.0 (31)
Bullitt	1,832	9.6 (61)	6.1 (53)	6,578	6.2 (70)	4.6 (33)	12.6 (44)	2,327	18.6 (93)	14.6 (35)	3,368	9.7 (46)
Butler	236	9.3 (49)	6.8 (79)	1,247	3.9 (11)	7.2 (79)	14.5 (77)	496	20.6(112)	20.2(101)	767	6.5 (25)
Caldwell	463	9.3 (49)	6.3 (60)	1,695	5.2 (46)	5.4 (44)	14.2 (71)	642	16.2 (48)	13.2 (20)	965	13.7 (89)
Calloway	1,031	8.8 (41)	9.4(113)	3,787	5.9 (67)	4.1 (22)	13.7 (60)	1,412	16.5 (57)	14.5 (33)	2,176	6.7 (27)
Campbell	1,413	8.8 (41)	6.1 (53)	6,812	4.3 (19)	8.0 (95)	9.1 (4)	2,643	11.7 (5)	10.0 (6)	3,898	14.7 (97)
Carlisle	163	6.1 (8)	4.9 (21)	687	4.7 (33)	3.5 (14)	14.1 (69)	321	22.1(119)	15.6 (47)	472	13.3 (86)
Carroll	703	8.1 (25)	6.3 (60)	2,436	4.9 (40)	7.9 (94)	14.9 (83)	936	20.3(110)	23.2(114)	1,541	12.2 (77)
Carter	1,166	10.2 (79)	4.8 (19)	5,206	3.7 (8)	9.5(107)	12.6 (44)	2,242	17.0 (66)	18.9 (88)	2,934	9.9 (53)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Casey	582	8.2 (29)	7.7 (101)	2,364	6.6 (81)	5.8 (54)	11.5 (23)	1,027	13.3 (10)	15.4 (45)	1,343	10.1 (59)
Christian	4,464	10.0 (76)	6.2 (56)	18,690	4.5 (24)	7.4 (85)	9.9 (10)	7,300	15.7 (38)	10.8 (8)	10,729	23.1 (118)
Clark	1,272	9.0 (45)	5.3 (32)	4,555	4.5 (24)	4.3 (26)	14.2 (71)	1,690	17.6 (77)	16.7 (65)	2,514	11.3 (69)
Clay	1,257	9.5 (58)	7.6 (99)	4,600	4.3 (19)	7.7 (88)	15.8 (96)	1,918	18.5 (91)	22.1 (110)	2,868	6.8 (30)
Clinton	504	11.1 (93)	8.7 (109)	2,250	6.3 (74)	6.9 (74)	16.4 (98)	958	21.1 (116)	21.9 (108)	1,335	4.4 (8)
Crittenden	223	13.5 (114)	1.8 (1)	1,006	5.7 (61)	4.4 (28)	12.5 (42)	445	20.9 (114)	12.6 (17)	707	20.8 (116)
Cumberland	308	13.3 (112)	4.9 (21)	1,282	4.7 (33)	5.1 (41)	12.6 (44)	587	17.2 (70)	21.3 (105)	776	12.5 (80)
Daviess	3,041	8.6 (36)	6.9 (82)	11,478	8.6 (103)	4.5 (30)	12.8 (50)	4,188	18.4 (88)	15.6 (47)	6,085	11.2 (67)
Edmonson	185	9.2 (48)	3.2 (3)	1,051	3.3 (4)	9.4 (106)	12.4 (39)	385	16.4 (55)	18.4 (85)	606	5.1 (11)
Elliott	359	12.3 (104)	7.0 (84)	1,455	3.0 (1)	7.8 (91)	13.9 (64)	678	17.7 (79)	19.6 (96)	834	17.0 (105)
Estill	548	10.2 (79)	4.2 (8)	2,516	5.7 (61)	5.0 (40)	11.9 (29)	1,103	15.1 (31)	18.1 (83)	1,568	7.4 (33)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Fayette	7,302	9.6 (61)	6.1 (53)	27,661	7.9 (95)	6.5 (66)	13.7 (60)	10,278	18.5 (91)	17.7 (77)	13,876	26.7 (120)
Fleming	570	9.8 (70)	7.5 (97)	2,347	5.8 (64)	10.8 (113)	12.6 (44)	1,061	14.7 (23)	15.0 (42)	1,493	17.0 (105)
Floyd	2,108	11.4 (95)	3.6 (6)	7,662	5.0 (43)	7.8 (91)	10.8 (15)	3,260	12.3 (8)	14.6 (35)	4,602	6.7 (27)
Franklin	1,413	11.8 (101)	4.5 (15)	5,312	11.7 (118)	4.9 (36)	16.7 (100)	1,862	19.3 (101)	20.5 (103)	2,845	18.9 (114)
Fulton	345	14.5 (116)	7.0 (84)	1,389	7.8 (94)	9.0 (104)	17.8 (105)	637	16.8 (62)	18.4 (85)	903	18.1 (112)
Gallatin	413	7.5 (15)	9.7 (114)	1,827	4.8 (38)	8.3 (98)	14.7 (79)	797	18.3 (86)	19.9 (97)	1,205	18.3 (113)
Garrard	555	13.2 (111)	6.5 (69)	2,508	4.8 (38)	5.5 (47)	12.4 (39)	1,089	18.2 (84)	16.7 (65)	1,474	13.4 (87)
Grant	978	9.8 (70)	6.0 (48)	4,750	4.1 (16)	5.9 (58)	9.5 (6)	2,085	15.2 (32)	11.0 (10)	3,082	14.0 (92)
Graves	1,379	8.1 (25)	7.0 (84)	5,275	4.4 (22)	8.0 (95)	15.0 (86)	2,144	20.2 (109)	17.9 (80)	3,184	17.3 (109)
Grayson	911	7.4 (12)	7.1 (87)	4,227	8.0 (96)	5.9 (58)	12.8 (50)	1,858	18.4 (88)	14.9 (40)	2,663	5.0 (10)
Green	427	5.9 (5)	11.2 (119)	1,804	4.1 (16)	3.7 (16)	13.9 (64)	777	21.1 (116)	17.8 (79)	1,077	12.2 (77)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Greenup	1,008	9.3 (49)	6.7 (76)	4,025	3.5 (7)	11.7(116)	11.4 (21)	1,577	16.2 (48)	17.0 (71)	2,198	6.2 (23)
Hancock	209	8.1 (25)	6.7 (76)	947	6.8 (85)	5.5 (47)	14.3 (75)	368	20.1(108)	21.2(104)	605	10.2 (62)
Hardin	3,741	8.0 (23)	6.6 (73)	15,279	6.6 (81)	4.7 (34)	12.0 (30)	6,044	14.2 (17)	11.5 (12)	9,023	13.2 (83)
Harlan	1,655	11.7 (99)	7.7(101)	6,030	5.0 (43)	12.3(118)	14.8 (80)	2,608	19.1 (99)	23.5(116)	2,791	9.3 (42)
Harrison	680	12.4(106)	5.9 (44)	2,642	4.7 (33)	3.3 (11)	12.1 (34)	1,100	16.8 (62)	14.5 (33)	1,552	11.4 (70)
Hart	365	7.4 (12)	8.2(105)	1,731	4.0 (14)	6.0 (62)	11.7 (25)	614	15.0 (29)	16.0 (51)	999	8.9 (40)
Henderson	1,417	9.3 (49)	3.3 (4)	5,113	5.5 (58)	10.1(112)	7.9 (1)	1,706	14.1 (16)	13.9 (26)	2,440	2.0 (3)
Henry	550	4.7 (2)	5.6 (38)	1,919	7.2 (88)	7.1 (77)	16.2 (97)	737	17.0 (66)	16.1 (53)	1,219	17.1(107)
Hickman	162	8.6 (36)	4.9 (21)	566	5.8 (64)	9.7(109)	18.7(112)	215	14.0 (15)	28.8(120)	345	13.6 (88)
Hopkins	1,450	10.6 (88)	5.5 (35)	5,975	7.6 (91)	5.1 (41)	12.3 (36)	2,354	19.4(103)	15.7 (49)	3,786	9.9 (53)
Jackson	579	8.3 (30)	7.1 (87)	2,304	3.9 (11)	6.8 (71)	11.8 (27)	1,041	14.4 (21)	17.4 (74)	1,467	5.9 (17)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Jefferson	19,832	10.5 (86)	5.8 (41)	74,640	5.7 (61)	8.5(101)	12.0 (30)	26,079	14.3 (20)	12.1 (14)	42,696	16.7 (104)
Jessamine	1,593	8.3 (30)	6.0 (48)	6,569	7.0 (86)	7.1 (77)	10.4 (12)	2,540	14.8 (26)	12.3 (16)	3,863	13.2 (83)
Johnson	1,043	14.0 (115)	4.2 (8)	3,827	6.6 (81)	6.6 (68)	19.1(113)	1,694	18.8 (96)	21.7(106)	2,351	9.7 (46)
Kenton	6,117	8.5 (34)	6.4 (67)	15,314	3.9 (11)	7.5 (86)	9.4 (5)	3,992	18.1 (83)	14.8 (37)	6,130	9.7 (46)
Knott	734	13.1 (110)	3.3 (4)	2,703	13.5(120)	4.4 (28)	19.9(115)	1,179	14.2 (17)	18.0 (82)	1,718	5.1 (11)
Knox	1,425	9.3 (49)	5.1 (27)	6,182	5.3 (51)	6.9 (74)	13.8 (63)	2,706	16.2 (48)	20.1(100)	4,226	8.2 (37)
Larue	480	7.7 (17)	8.5(107)	2,088	7.1 (87)	2.9 (5)	21.8(117)	893	20.3(110)	23.3(115)	1,443	15.9(103)
Laurel	2,047	8.9 (44)	10.8(117)	7,787	4.4 (22)	7.3 (82)	12.5 (42)	2,981	15.8 (39)	16.9 (70)	4,183	6.1 (21)
Lawrence	730	20.4(120)	4.7 (18)	2,664	4.7 (33)	11.0(114)	13.9 (64)	1,114	19.7(105)	18.9 (88)	1,582	7.0 (31)
Lee	214	12.6(109)	5.1 (27)	1,271	4.5 (24)	8.4 (99)	10.7 (14)	607	11.0 (4)	10.9 (9)	801	18.0(111)
Leslie	530	8.1 (25)	6.8 (79)	2,241	3.4 (6)	13.7(120)	13.2 (57)	942	9.3 (2)	10.3 (7)	1,260	11.9 (75)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Letcher	966	10.9 (91)	5.2 (30)	3,429	8.4 (99)	3.6 (15)	15.6 (92)	1,250	21.0(115)	19.0 (91)	1,697	1.6 (2)
Lewis	552	10.7 (90)	6.0 (48)	2,251	4.7 (33)	7.7 (88)	12.9 (52)	1,003	13.0 (9)	16.2 (56)	1,255	9.9 (53)
Lincoln	871	10.0 (76)	6.0 (48)	3,409	4.6 (29)	8.6(102)	10.8 (15)	1,397	16.2 (48)	11.6 (13)	2,164	11.7 (73)
Livingston	239	6.3 (9)	7.1 (87)	1,091	9.8(111)	3.9 (18)	17.1(101)	507	12.0 (7)	7.9 (1)	642	5.6 (16)
Logan	466	8.6 (36)	4.3 (12)	2,160	5.0 (43)	5.8 (54)	12.6 (44)	800	16.1 (45)	19.9 (97)	1,220	25.2(119)
Lyon	175	8.0 (23)	6.3 (60)	782	11.4(116)	2.3 (3)	22.8(118)	345	16.8 (62)	27.8(119)	549	3.1 (4)
Madison	2,521	10.0 (76)	5.7 (39)	9,179	3.8 (9)	8.8(103)	9.7 (8)	3,349	15.2 (32)	15.4 (45)	5,462	7.4 (33)
Magoffin	569	10.4 (82)	4.2 (8)	2,520	9.0(106)	6.6 (68)	19.8(114)	1,227	20.0(107)	22.0(109)	1,470	13.7 (89)
Marion	802	9.7 (67)	9.2(111)	3,165	8.5(100)	3.7 (16)	18.3(109)	1,243	17.8 (81)	17.9 (80)	1,835	5.9 (17)
Marshall	912	8.4 (33)	5.9 (44)	3,480	12.3(119)	7.6 (87)	15.7 (95)	1,427	11.8 (6)	8.8 (2)	2,170	14.9 (99)
Martin	450	14.7(118)	2.0 (2)	2,436	8.3 (97)	7.3 (82)	14.9 (83)	1,070	14.4 (21)	16.2 (56)	1,513	9.7 (46)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Mason	775	12.4 (106)	4.8 (19)	2,519	9.2(109)	9.7(109)	14.2 (71)	879	16.7 (59)	16.7 (65)	1,418	12.3 (79)
McCracken	1,865	9.4 (55)	5.5 (35)	6,356	6.2 (70)	4.2 (23)	18.4(110)	2,537	15.2 (32)	13.2 (20)	3,977	14.0 (92)
McCreary	904	10.3 (81)	4.3 (12)	3,814	4.5 (24)	6.5 (66)	11.5 (23)	1,706	16.2 (48)	18.5 (87)	2,396	7.5 (35)
McLean	242	5.0 (4)	7.4 (95)	1,197	11.3(115)	2.9 (5)	15.5 (90)	529	17.4 (73)	17.6 (76)	744	1.1 (1)
Meade	691	7.7 (17)	11.4(120)	2,859	8.3 (97)	4.3 (26)	14.6 (78)	1,065	13.4 (12)	11.1 (11)	1,770	11.1 (66)
Menifee	315	14.6(117)	6.3 (60)	1,259	3.1 (2)	6.7 (70)	14.1 (69)	581	16.5 (57)	17.0 (71)	739	11.0 (65)
Mercer	726	8.8 (41)	6.5 (69)	2,966	6.3 (74)	4.9 (36)	13.1 (56)	1,260	16.0 (43)	16.0 (51)	1,937	9.8 (51)
Metcalfe	183	6.0 (6)	6.6 (73)	974	4.0 (14)	7.7 (88)	10.6 (13)	410	16.1 (45)	14.4 (32)	594	12.0 (76)
Monroe	226	10.6 (88)	9.3(112)	1,090	7.2 (88)	6.1 (63)	18.0(107)	414	21.5(118)	21.7(106)	667	3.4 (7)
Montgomery	1,073	9.6 (61)	7.5 (97)	4,520	5.5 (58)	4.2 (23)	13.9 (64)	1,862	18.2 (84)	16.7 (65)	2,754	6.0 (19)
Morgan	433	10.4 (82)	6.7 (76)	2,250	3.8 (9)	6.8 (71)	11.8 (27)	1,074	16.8 (62)	16.4 (60)	1,556	15.7(101)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Muhlenberg	973	6.6 (10)	10.4 (116)	3,741	5.3 (51)	5.6 (49)	11.1 (17)	1,520	17.4 (73)	15.3 (44)	2,021	9.3 (42)
Nelson	1,256	10.4 (82)	5.3 (32)	5,225	8.5(100)	5.3 (43)	13.7 (60)	2,000	16.1 (45)	14.1 (27)	3,060	11.6 (72)
Nicholas	297	11.1 (93)	5.1 (27)	1,078	5.2 (46)	9.5(107)	10.2 (11)	457	6.3 (1)	9.8 (4)	651	11.2 (67)
Ohio	908	8.3 (30)	5.9 (44)	3,626	4.6 (29)	3.4 (13)	11.1 (17)	1,481	17.3 (71)	16.1 (53)	2,070	4.5 (9)
Oldham	854	9.3 (49)	3.7 (7)	3,135	7.5 (90)	3.9 (18)	13.9 (64)	1,206	17.4 (73)	16.5 (62)	1,588	11.5 (71)
Owen	379	12.1 (103)	8.4 (106)	1,426	5.4 (56)	7.2 (79)	14.3 (75)	577	18.7 (95)	15.9 (50)	948	13.0 (81)
Owsley	265	11.7 (99)	6.4 (67)	1,052	9.0(106)	2.9 (5)	31.1(120)	523	19.3(101)	27.7(118)	766	10.2 (62)
Pendleton	447	11.0 (92)	6.0 (48)	1,715	6.5 (80)	6.2 (64)	11.7 (25)	627	15.9 (41)	17.7 (77)	1,010	15.7 (101)
Perry	1,313	12.3 (104)	5.8 (41)	4,920	8.8(104)	3.1 (10)	23.2(119)	1,840	17.3 (71)	22.5(113)	2,688	10.0 (56)
Pike	2,261	11.5 (96)	6.2 (56)	8,233	4.2 (18)	12.0(117)	11.1 (17)	2,852	13.4 (12)	13.0 (18)	4,367	10.0 (56)
Powell	616	12.0 (102)	6.2 (56)	2,349	5.8 (64)	4.0 (20)	14.9 (83)	1,005	16.2 (48)	19.0 (91)	1,562	5.5 (14)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)													
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Pulaski	2,287	9.4 (55)	6.3 (60)	9,137	3.3 (4)	7.2 (79)	8.3 (2)	3,468	14.7 (23)	12.1 (14)		5,100	5.2 (13)
Robertson	119	3.4 (1)	5.0 (26)	547	4.6 (29)	7.3 (82)	9.5 (6)	253	10.3 (3)	9.5 (3)		344	5.5 (14)
Rockcastle	714	9.0 (45)	4.5 (15)	2,833	5.2 (46)	5.6 (49)	14.2 (71)	1,224	19.5(104)	16.3 (59)		1,761	9.8 (51)
Rowan	845	8.5 (34)	10.1(115)	3,263	4.9 (40)	8.4 (99)	12.3 (36)	1,255	17.6 (77)	16.4 (60)		1,860	7.5 (35)
Russell	801	9.5 (58)	5.5 (35)	3,093	7.7 (92)	7.0 (76)	12.0 (30)	1,172	18.6 (93)	20.4(102)		1,744	6.0 (19)
Scott	1,122	9.4 (55)	7.3 (93)	4,300	8.9(105)	4.9 (36)	17.8(105)	1,695	14.7 (23)	13.2 (20)		2,409	17.1(107)
Shelby	1,083	7.6 (16)	6.6 (73)	4,425	9.8(111)	4.2 (23)	17.5(103)	1,828	16.0 (43)	16.1 (53)		2,657	13.7 (89)
Simpson	378	7.4 (12)	5.8 (41)	1,588	6.3 (74)	9.7(109)	9.8 (9)	498	17.7 (79)	15.1 (43)		841	19.5(115)
Spencer	362	10.5 (86)	6.9 (82)	1,475	10.2(114)	5.4 (44)	18.6(111)	630	14.8 (26)	19.4 (95)		857	14.7 (97)
Taylor	965	7.0 (11)	8.7(109)	3,399	5.3 (51)	4.9 (36)	13.5 (58)	1,313	16.3 (54)	16.7 (65)		1,916	9.7 (46)
Todd	404	9.7 (67)	7.4 (95)	1,832	9.7(110)	5.9 (58)	18.0(107)	793	15.4 (35)	14.9 (40)		1,232	9.6 (45)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Trigg	369	7.9 (22)	6.5 (69)	1,558	6.4 (78)	3.0 (8)	14.8 (80)	632	14.2 (17)	13.8 (25)	968	8.4 (38)
Trimble	326	9.8 (70)	4.9 (21)	1,230	5.4 (56)	9.2(105)	12.0 (30)	479	15.4 (35)	13.2 (20)	792	22.2(117)
Union	448	8.7 (39)	6.3 (60)	1,786	10.0(113)	2.7 (4)	12.4 (39)	670	15.8 (39)	13.6 (24)	1,036	6.4 (24)
Warren	1,453	11.5 (96)	5.4 (34)	7,175	4.9 (40)	7.8 (91)	12.6 (44)	2,415	16.7 (59)	17.5 (75)	3,904	14.0 (92)
Washington	324	4.9 (3)	10.8(117)	1,532	6.1 (69)	4.5 (30)	15.3 (88)	683	18.9 (97)	16.5 (62)	872	10.1 (59)
Wayne	971	8.7 (39)	5.7 (39)	3,848	4.3 (19)	5.7 (53)	15.1 (87)	1,592	17.5 (76)	22.2(112)	2,240	13.0 (81)
Webster	410	7.8 (20)	4.9 (21)	1,792	11.5(117)	2.2 (2)	20.5(116)	704	19.7(105)	18.9 (88)	1,162	6.5 (25)
Whitley	2,647	9.6 (61)	5.9 (44)	9,586	5.2 (46)	8.2 (97)	15.6 (92)	3,893	20.8(113)	23.5(116)	5,815	8.8 (39)
Wolfe	398	9.8 (70)	7.8(103)	1,813	6.3 (74)	1.9 (1)	15.5 (90)	888	18.4 (88)	17.2 (73)	1,098	6.7 (27)
Woodford	655	11.6 (98)	7.2 (91)	2,634	7.7 (92)	3.3 (11)	14.8 (80)	1,092	18.3 (86)	16.2 (56)	1,697	11.7 (73)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
<b>Kentucky</b>	<b>136,845</b>	<b>9.9</b>	<b>6.2</b>	<b>533,190</b>	<b>6.0</b>	<b>6.8</b>	<b>13.1</b>	<b>206,471</b>	<b>16.3</b>	<b>15.7</b>	<b>306,414</b>	<b>12.5</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
<b>County</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)		
Adair	926	41.8 (31)	614	9.6 (32)	429	4.0 (45)	0	* *	0	* *	1,087	89.1 (72)	1,705	22.6 (38)
Allen	715	46.4 (13)	454	11.0 (24)	393	4.3 (38)	0	* *	0	* *	1,137	83.1(108)	1,560	27.6 (55)
Anderson	775	40.4 (39)	576	8.9 (40)	396	3.3 (67)	0	* *	0	* *	926	81.3(112)	1,472	22.9 (40)
Ballard	311	42.8 (22)	218	11.5 (15)	175	2.9 (76)	0	* *	0	* *	384	91.1 (55)	581	33.6 (68)
Barren	1,002	32.8 (75)	664	6.8 (72)	534	5.1 (26)	0	* *	0	* *	1,481	90.6 (61)	2,633	24.5 (42)
Bath	643	14.8(120)	465	4.1 (107)	341	3.8 (48)	0	* *	0	* *	954	98.3 (9)	1,340	38.9 (85)
Bell	2,046	22.6(108)	1,245	4.7 (98)	997	1.3 (111)	0	* *	0	* *	3,078	96.8 (18)	4,098	31.1 (63)
Boone	3,534	38.0 (51)	2,771	11.5 (15)	1,839	6.9 (12)	0	* *	0	* *	4,070	89.6 (69)	7,227	39.4 (87)
Bourbon	1,033	43.1 (20)	674	10.8 (26)	496	5.2 (25)	0	* *	0	* *	1,028	93.0 (40)	1,795	40.8 (91)
Boyd	2,156	27.7 (91)	1,514	8.9 (40)	935	6.8 (13)	0	* *	0	* *	2,306	95.8 (23)	4,088	41.8 (94)
Boyle	1,115	28.3 (89)	740	8.8 (43)	509	3.9 (47)	0	* *	0	* *	1,311	94.2 (32)	2,181	46.6 (100)
Bracken	462	35.9 (61)	290	8.3 (50)	219	2.3 (85)	0	* *	0	* *	550	88.9 (73)	894	63.6 (117)
Breathitt	816	17.8(117)	586	2.7 (116)	424	0.9 (116)	0	* *	0	* *	1,344	83.0(109)	1,717	50.4 (105)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Breckinrid	843	38.2 (49)	514	6.6 (74)	358	4.5 (33)	0	* *	0	* *	1,068	83.9(105)	1,630	1.8 (7)
Bullitt	2,512	40.5 (37)	1,691	7.2 (65)	1,218	3.8 (48)	0	* *	0	* *	2,523	90.9 (57)	4,592	26.2 (49)
Butler	275	32.0 (78)	214	5.1 (90)	194	2.1 (94)	0	* *	0	* *	548	85.8 (94)	785	18.0 (28)
Caldwell	583	43.4 (19)	378	8.5 (47)	292	3.4 (60)	0	* *	0	* *	708	72.5(120)	1,121	25.2 (48)
Calloway	1,389	63.1 (1)	855	16.0 (4)	677	7.7 (4)	0	* *	0	* *	1,533	94.5 (30)	2,549	10.2 (17)
Campbell	2,375	27.3 (93)	1,964	6.1 (79)	1,266	5.0 (29)	0	* *	0	* *	2,914	92.7 (44)	5,011	30.7 (62)
Carlisle	210	49.5 (6)	142	7.7 (57)	123	1.6 (106)	0	* *	0	* *	342	85.7 (95)	439	21.2 (36)
Carroll	949	33.1 (73)	557	11.1 (21)	442	7.0 (11)	0	* *	0	* *	990	88.0 (80)	1,716	32.3 (66)
Carter	1,658	34.1 (67)	1,190	8.3 (50)	854	3.7 (51)	0	* *	0	* *	2,452	88.7 (78)	3,494	50.0 (104)
Casey	775	38.1 (50)	572	9.6 (32)	418	4.3 (38)	0	* *	0	* *	1,092	89.7 (68)	1,555	33.0 (67)
Christian	6,671	55.0 (4)	4,945	15.3 (5)	3,066	7.1 (9)	0	* *	0	* *	7,775	84.0(103)	13,693	21.4 (37)
Clark	1,775	37.6 (53)	1,127	10.4 (27)	791	5.8 (19)	0	* *	0	* *	1,827	95.4 (26)	3,192	1.4 (5)
Clay	1,686	20.9(113)	1,018	3.7 (109)	798	2.3 (85)	0	* *	0	* *	1,987	88.8 (75)	3,179	69.7 (118)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>County</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Clinton	754	19.9(114)	561	3.7 (109)	412	1.5 (109)	0	* *	0	* *	1,051	91.2 (53)	1,536	47.7 (102)
Crittenden	276	36.2 (58)	201	2.5 (117)	193	0.5 (118)	0	* *	0	* *	478	84.3(100)	629	19.6 (30)
Cumberland	419	19.1(116)	275	2.2 (119)	193	0.5 (118)	0	* *	0	* *	645	93.0 (40)	838	33.7 (69)
Daviess	3,828	33.8 (69)	2,277	7.2 (65)	1,647	3.0 (74)	0	* *	0	* *	4,505	90.3 (64)	7,657	18.6 (29)
Edmonson	260	39.6 (44)	233	13.3 (9)	150	6.0 (17)	0	* *	0	* *	419	84.2(101)	719	34.5 (72)
Elliott	452	22.6(108)	271	4.4 (105)	217	2.3 (85)	0	* *	0	* *	755	94.0 (35)	957	46.7 (101)
Estill	774	30.9 (83)	528	4.7 (98)	370	1.9 (99)	0	* *	0	* *	1,198	90.3 (64)	1,656	21.1 (34)
Fayette	10,324	60.6 (3)	7,505	23.2 (1)	4,599	12.9 (2)	0	* *	0	* *	11,185	91.1 (55)	19,569	0.4 (1)
Fleming	767	27.5 (92)	453	7.1 (67)	386	3.4 (60)	0	* *	0	* *	1,160	85.9 (93)	1,566	21.0 (33)
Floyd	2,708	15.1(119)	1,473	3.7 (109)	1,217	2.3 (85)	0	* *	0	* *	3,599	99.9 (2)	5,215	55.9 (109)
Franklin	1,984	48.4 (9)	1,348	9.6 (32)	913	3.4 (60)	0	* *	0	* *	2,006	88.8 (75)	3,760	41.6 (93)
Fulton	442	30.5 (84)	276	6.2 (78)	225	1.3 (111)	0	* *	0	* *	691	79.5(115)	885	39.1 (86)
Gallatin	576	42.5 (24)	408	10.3 (28)	333	6.0 (17)	0	* *	0	* *	866	90.0 (66)	1,225	62.8 (116)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years** (3)

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)														
<b>County</b>	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Garrard	832	36.2 (58)	609	8.7 (44)	412	3.4 (60)	0	* *	0	* *	1,174	97.4 (13)	1,674	31.2 (64)
Grant	1,531	37.4 (55)	1,152	8.6 (46)	897	4.1 (44)	0	* *	0	* *	2,251	87.7 (85)	3,222	54.2 (107)
Graves	1,799	40.8 (36)	1,099	9.0 (39)	941	3.7 (51)	0	* *	0	* *	2,323	96.5 (19)	3,393	25.1 (47)
Grayson	1,360	31.3 (81)	1,023	7.9 (55)	707	3.4 (60)	0	* *	0	* *	2,011	79.2(117)	2,795	48.7 (103)
Green	599	45.6 (14)	382	6.3 (77)	326	2.8 (77)	0	* *	0	* *	848	88.8 (75)	1,148	22.8 (39)
Greenup	1,429	31.7 (79)	1,023	7.4 (62)	711	3.0 (74)	0	* *	0	* *	1,679	93.0 (40)	2,795	20.3 (32)
Hancock	263	41.4 (35)	199	6.5 (76)	131	3.8 (48)	0	* *	0	* *	402	85.3 (96)	628	27.1 (52)
Hardin	5,353	42.4 (25)	3,545	9.3 (37)	2,568	4.2 (41)	0	* *	0	* *	6,448	90.7 (60)	10,751	41.8 (94)
Harlan	2,151	21.7(111)	1,152	3.1 (115)	974	1.7 (104)	0	* *	0	* *	2,858	90.8 (59)	4,111	29.3 (60)
Harrison	944	42.4 (25)	631	9.5 (35)	476	5.3 (24)	0	* *	0	* *	1,205	97.0 (16)	1,822	20.2 (31)
Hart	476	35.9 (61)	357	8.7 (44)	287	4.2 (41)	0	* *	0	* *	675	88.0 (80)	1,199	24.9 (45)
Henderson	1,689	24.6(100)	967	6.1 (79)	733	4.0 (45)	0	* *	0	* *	1,833	88.1 (79)	3,499	30.3 (61)
Henry	726	42.8 (22)	450	5.8 (82)	365	3.3 (67)	0	* *	0	* *	799	97.0 (16)	1,341	6.3 (11)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
	<b>Breastfeeding (6)</b>						<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>	
<b>County</b>	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)	(Rank)
Hickman	215	32.1 (77)	123	4.9 (95)	110	1.8 (102)	0	* *	0	* *	241	95.0 (28)	372	27.2 (53)
Hopkins	1,843	40.0 (42)	1,100	7.1 (67)	838	3.7 (51)	0	* *	0	* *	2,527	82.0(111)	3,880	40.3 (89)
Jackson	764	31.4 (80)	439	4.8 (97)	372	3.5 (56)	0	* *	0	* *	1,126	90.9 (57)	1,506	56.5 (111)
Jefferson	28,202	47.3 (11)	21,230	14.3 (6)	12,770	7.5 (7)	0	* *	0	* *	28,089	92.3 (49)	52,952	0.4 (1)
Jessamine	2,281	44.1 (16)	1,649	16.3 (3)	1,101	9.0 (3)	0	* *	0	* *	2,729	94.2 (32)	4,542	13.7 (24)
Johnson	1,348	24.9 (98)	749	5.2 (87)	605	2.1 (94)	0	* *	0	* *	1,841	99.1 (6)	2,608	38.6 (83)
Kenton	7,776	33.9 (68)	4,214	7.3 (63)	2,247	3.5 (56)	0	* *	0	* *	4,290	96.1 (22)	11,960	40.1 (88)
Knott	986	23.1(107)	568	3.5 (113)	381	2.6 (81)	0	* *	0	* *	1,302	96.5 (19)	1,883	16.0 (26)
Knox	2,017	21.0(112)	1,265	4.9 (95)	996	1.6 (106)	0	* *	0	* *	2,981	93.9 (36)	4,107	0.7 (3)
Larue	712	43.8 (18)	484	8.9 (40)	361	4.4 (36)	0	* *	0	* *	991	85.0 (99)	1,413	13.2 (22)
Laurel	2,967	35.7 (63)	1,916	8.1 (52)	1,270	3.4 (60)	0	* *	0	* *	3,222	95.1 (27)	5,350	40.4 (90)
Lawrence	964	25.3 (97)	573	4.4 (105)	443	1.6 (106)	0	* *	0	* *	1,215	92.5 (47)	1,820	36.5 (79)
Lee	405	29.4 (87)	247	7.7 (57)	185	3.2 (70)	0	* *	0	* *	666	87.7 (85)	844	12.0 (20)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>County</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Leslie	776	24.9 (98)	536	5.0 (92)	367	2.5 (82)	0	* *	0	* *	1,052	99.7 (4)	1,538	2.9 (8)
Letcher	1,281	34.2 (66)	725	12.4 (11)	425	6.1 (16)	0	* *	0	* *	1,360	87.4 (89)	2,411	6.9 (12)
Lewis	743	32.4 (76)	407	5.2 (87)	375	1.9 (99)	0	* *	0	* *	1,093	87.6 (87)	1,498	59.3 (113)
Lincoln	1,174	23.3(104)	783	5.2 (87)	595	2.5 (82)	0	* *	0	* *	1,530	95.6 (24)	2,298	38.6 (83)
Livingston	298	44.0 (17)	196	4.6 (101)	169	2.4 (84)	0	* *	0	* *	545	78.0(118)	659	37.3 (80)
Logan	585	33.5 (72)	375	6.7 (73)	322	2.2 (91)	0	* *	0	* *	885	93.4 (37)	1,530	24.5 (42)
Lyon	234	47.0 (12)	146	13.7 (8)	136	5.1 (26)	0	* *	0	* *	373	97.3 (15)	478	28.0 (57)
Madison	3,480	39.8 (43)	2,303	9.5 (35)	1,655	5.8 (19)	0	* *	0	* *	3,614	91.8 (50)	6,327	16.4 (27)
Magoffin	797	19.6(115)	508	4.5 (103)	381	1.3 (111)	0	* *	0	* *	1,348	94.1 (34)	1,717	24.5 (42)
Marion	1,080	36.1 (60)	626	7.7 (57)	479	4.2 (41)	0	* *	0	* *	1,356	97.6 (12)	2,071	55.7 (108)
Marshall	1,200	49.6 (5)	774	9.2 (38)	630	4.4 (36)	0	* *	0	* *	1,546	79.4(116)	2,378	26.2 (49)
Martin	872	16.1(118)	488	2.5 (117)	416	0.7 (117)	0	* *	0	* *	1,173	85.3 (96)	1,663	35.6 (76)
Mason	1,055	24.5(101)	545	3.5 (113)	439	2.3 (85)	0	* *	0	* *	982	90.0 (66)	1,815	57.3 (112)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>County</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
McCracken	2,408	47.5 (10)	1,493	11.3 (18)	1,199	4.5 (33)	0	* *	0	* *	2,760	88.0 (80)	4,563	13.3 (23)
McCreary	1,317	26.3 (95)	839	4.6 (101)	587	1.7 (104)	0	* *	0	* *	1,857	85.1 (98)	2,581	26.2 (49)
McLean	304	40.5 (37)	223	5.8 (82)	189	3.7 (51)	0	* *	0	* *	558	88.9 (73)	767	36.2 (77)
Meade	1,051	28.1 (90)	693	7.5 (61)	485	3.5 (56)	0	* *	0	* *	1,151	83.7(106)	2,019	61.6 (115)
Menifee	415	35.2 (64)	275	8.4 (48)	216	3.2 (70)	0	* *	0	* *	615	92.7 (44)	819	12.8 (21)
Mercer	952	40.2 (40)	667	9.7 (31)	500	3.6 (55)	0	* *	0	* *	1,343	90.5 (62)	1,966	34.9 (73)
Metcalfe	225	33.8 (69)	180	11.1 (21)	128	6.3 (15)	0	* *	0	* *	447	89.3 (70)	660	34.2 (71)
Monroe	258	23.3(104)	161	1.9 (120)	173	2.3 (85)	0	* *	0	* *	469	100.0 (1)	688	28.2 (58)
Montgomery	1,531	37.1 (56)	1,071	12.2 (12)	682	4.8 (30)	0	* *	0	* *	2,030	87.8 (84)	3,059	37.8 (81)
Morgan	738	28.6 (88)	469	11.1 (21)	341	7.6 (6)	0	* *	0	* *	1,038	99.9 (2)	1,527	11.5 (19)
Muhlenberg	1,190	25.4 (96)	757	3.6 (112)	595	1.0 (115)	0	* *	0	* *	1,663	83.5(107)	2,396	43.1 (98)
Nelson	1,877	38.4 (48)	1,275	6.9 (70)	862	3.4 (60)	0	* *	0	* *	2,165	93.1 (39)	3,555	87.8 (120)
Nicholas	412	22.1(110)	247	4.5 (103)	191	2.1 (94)	0	* *	0	* *	504	95.6 (24)	760	52.1 (106)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>County</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Ohio	1,046	40.2 (40)	660	7.9 (55)	518	3.3 (67)	0	* *	0	* *	1,583	76.2(119)	2,350	42.0 (97)
Oldham	1,167	48.7 (8)	694	11.5 (15)	498	5.6 (23)	0	* *	0	* *	1,275	93.4 (37)	2,246	81.9 (119)
Owen	527	33.8 (69)	356	5.9 (81)	227	3.1 (72)	0	* *	0	* *	622	96.3 (21)	990	38.2 (82)
Owsley	353	23.2(106)	209	5.7 (84)	177	1.1 (114)	0	* *	0	* *	571	94.6 (29)	695	25.0 (46)
Pendleton	654	42.4 (25)	479	5.0 (92)	330	2.1 (94)	0	* *	0	* *	687	91.3 (52)	1,198	36.2 (77)
Perry	1,951	30.5 (84)	1,213	5.1 (90)	875	2.2 (91)	0	* *	0	* *	2,037	91.2 (53)	3,467	0.9 (4)
Pike	3,195	23.4(103)	2,142	4.7 (98)	1,280	1.4 (110)	0	* *	0	* *	3,265	80.5(114)	5,897	61.2 (114)
Powell	832	41.6 (33)	518	6.6 (74)	399	2.0 (98)	0	* *	0	* *	1,092	87.5 (88)	1,533	28.3 (59)
Pulaski	3,259	41.9 (30)	2,289	10.0 (30)	1,439	5.1 (26)	0	* *	0	* *	3,781	92.8 (43)	6,323	35.1 (74)
Robertson	164	41.5 (34)	101	10.9 (25)	92	* *	0	* *	0	* *	278	99.6 (5)	343	56.3 (110)
Rockcastle	957	41.8 (31)	579	11.2 (19)	472	5.7 (22)	0	* *	0	* *	1,335	86.8 (92)	1,897	7.5 (14)
Rowan	1,178	37.5 (54)	796	8.0 (53)	524	2.7 (79)	0	* *	0	* *	1,400	81.1(113)	2,206	4.8 (10)
Russell	1,184	38.6 (47)	820	8.0 (53)	575	3.5 (56)	0	* *	0	* *	1,294	84.2(101)	2,133	27.7 (56)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
**Children Aged < 5 Years (3)**

(2)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>County</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Scott	1,508	42.3 (28)	1,124	11.2 (19)	702	7.3 (8)	0	* *	0	* *	1,823	97.4 (13)	2,968	23.4 (41)
Shelby	1,434	62.8 (2)	1,022	17.4 (2)	852	13.5 (1)	0	* *	0	* *	1,993	87.9 (83)	2,978	2.9 (8)
Simpson	492	29.9 (86)	350	10.3 (28)	278	5.8 (19)	0	* *	0	* *	546	98.5 (7)	1,128	41.3 (92)
Spencer	460	38.0 (51)	309	13.3 (9)	254	6.7 (14)	0	* *	0	* *	689	92.5 (47)	967	1.4 (5)
Taylor	1,266	33.0 (74)	781	3.8 (108)	602	2.7 (79)	0	* *	0	* *	1,432	91.6 (51)	2,297	35.2 (75)
Todd	493	39.1 (45)	330	11.8 (14)	259	4.6 (32)	0	* *	0	* *	878	97.7 (11)	1,201	10.5 (18)
Trigg	483	42.0 (29)	312	7.7 (57)	244	4.5 (33)	0	* *	0	* *	679	89.2 (71)	993	32.1 (65)
Trimble	447	36.5 (57)	286	7.3 (63)	231	4.3 (38)	0	* *	0	* *	514	82.5(110)	827	6.9 (12)
Union	528	34.7 (65)	325	7.1 (67)	254	2.8 (77)	0	* *	0	* *	733	87.0 (91)	1,165	34.1 (70)
Warren	1,968	45.0 (15)	1,456	11.9 (13)	1,092	7.1 (9)	0	* *	0	* *	2,623	87.2 (90)	5,150	21.1 (34)
Washington	483	42.9 (21)	315	14.3 (6)	222	7.7 (4)	0	* *	0	* *	735	98.4 (8)	992	8.6 (15)
Wayne	1,339	26.4 (94)	874	6.9 (70)	608	3.1 (72)	0	* *	0	* *	1,743	92.6 (46)	2,556	46.2 (99)
Webster	513	39.0 (46)	328	5.5 (86)	274	2.2 (91)	0	* *	0	* *	763	84.0(103)	1,160	27.2 (53)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)**  
**Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
	Breastfeeding (6)						Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Whitley	3,541	24.5(101)	1,977	5.0 (92)	1,496	1.9 (99)	0	* *	0	* *	4,247	94.5 (30)	6,516	9.2 (16)
Wolfe	549	31.3 (81)	357	5.6 (85)	283	1.8 (102)	0	* *	0	* *	966	90.5 (62)	1,161	41.8 (94)
Woodford	924	49.1 (7)	569	8.4 (48)	442	4.8 (30)	0	* *	0	* *	1,164	97.9 (10)	1,828	14.4 (25)
<b>Kentucky</b>	<b>189,579</b>	<b>38.6</b>	<b>127,266</b>	<b>10.2</b>	<b>88,282</b>	<b>5.1</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>223,904</b>	<b>90.7</b>	<b>368,982</b>	<b>25.5</b>

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

