

**Table 4F**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
3 Rivers	3,061	82.5	0.7	13.3	0.0	0.1	3.4	0.0
Allen	628	89.5	1.3	5.6	0.0	0.3	3.3	0.0
Anderson	869	87.7	1.7	2.4	0.0	1.2	7.0	0.0
Barren Riv	1,385	76.9	9.6	7.7	0.4	1.2	4.1	0.0
Bourbon	1,056	63.4	7.1	25.9	0.0	0.2	3.5	0.0
Boyd	2,317	88.0	2.1	3.1	0.2	0.2	6.5	0.0
Boyle	1,274	80.5	12.0	6.8	0.0	0.2	0.6	0.0
Bracken	511	95.5	0.6	2.5	0.0	0.0	1.4	0.0
Breathitt	1,035	98.6	0.8	0.4	0.0	0.3	0.0	0.0
Breckinrid	912	91.2	2.7	1.9	0.0	0.0	4.2	0.0
Buffalo Tr	1,240	82.0	6.3	5.8	0.1	0.1	5.7	0.0
Bullitt	2,713	90.0	0.7	4.5	0.1	0.4	4.3	0.0
C & Y	2,503	2.0	96.1	0.7	0.2	0.9	0.1	0.0
Christian	7,218	59.4	23.3	10.4	0.1	1.3	5.4	0.1
Clark	1,829	83.7	6.2	7.8	0.1	0.4	1.8	0.0
Cumb Val	8,611	95.7	1.2	1.4	0.0	0.1	1.6	0.0
Estill	928	98.5	0.4	0.5	0.0	0.0	0.5	0.0
Fayette	11,578	34.9	26.1	30.7	0.1	1.5	6.7	0.0
Fleming	944	95.0	0.5	2.8	0.0	0.3	1.4	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4F**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**

**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Floyd	3,073	97.2	0.5	1.9	0.0	0.0	0.4	0.0
Franklin	2,081	65.4	15.5	11.2	0.0	1.3	6.6	0.0
Garrard	1,049	90.9	1.8	3.8	0.0	0.4	3.1	0.0
Gateway	3,534	96.6	1.1	1.2	0.0	0.7	0.3	0.0
Green Riv	8,316	76.8	6.0	9.9	0.0	0.7	6.5	0.0
Greenup	1,594	95.2	0.7	1.6	0.0	0.5	2.1	0.0
Hopkins	1,850	73.7	9.6	4.9	0.0	0.2	11.6	0.0
Jefferson	25,902	44.4	35.4	12.1	0.1	2.1	5.9	0.0
Jessamine	2,503	80.7	4.6	7.8	0.0	1.6	5.3	0.0
Johnson	1,473	98.2	0.2	0.3	0.0	0.2	1.1	0.0
Knox	2,342	96.7	1.7	0.7	0.0	0.3	0.6	0.0
KY River	7,033	97.4	0.9	0.7	0.0	0.1	0.9	0.0
Lake Cumb	13,376	88.1	1.5	7.8	0.0	0.2	2.2	0.0
Laurel	2,979	97.9	0.7	1.0	0.0	0.2	0.2	0.0
Lawrence	1,079	98.6	0.2	0.6	0.0	0.0	0.6	0.0
Lewis	850	97.5	0.2	0.5	0.0	0.4	1.4	0.0
Lincoln	1,350	92.8	1.3	2.4	0.0	0.0	3.5	0.0
Lincoln Tr	14,226	74.6	8.9	8.9	0.1	0.4	7.0	0.0
Little San	2,618	94.2	0.5	4.3	0.1	0.2	0.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4F**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**

**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Madison	3,568	82.9	5.1	6.2	0.1	0.3	5.4	0.0
Magoffin	966	97.7	0.2	1.7	0.0	0.0	0.4	0.0
Marshall	1,289	97.7	0.3	1.3	0.0	0.5	0.2	0.0
Martin	961	98.5	0.0	0.9	0.0	0.2	0.3	0.0
Mercer	1,211	87.1	2.9	8.2	0.0	0.5	1.3	0.0
Monroe	98	*	*	*	*	*	*	*
Montgomery	1,804	88.1	0.9	9.1	0.0	0.1	1.8	0.0
Muhlenberg	1,222	91.0	3.2	1.6	0.0	0.2	4.0	0.1
N Central	3,727	66.4	4.9	24.9	0.0	1.0	2.8	0.0
N KY	15,443	77.0	7.5	10.5	0.3	1.0	3.6	0.0
Oldham	1,286	66.6	5.1	24.7	0.0	0.5	3.3	0.0
Park DuV	2,791	9.4	69.7	14.8	0.0	2.3	3.8	0.0
Pennyrile	3,346	85.5	5.3	3.0	0.0	1.0	5.0	0.0
Pike	3,233	97.7	0.9	0.9	0.0	0.1	0.3	0.0
Powell	916	96.4	1.0	1.9	0.1	0.7	0.0	0.0
Purchase	5,318	62.5	17.2	11.1	0.1	0.8	8.4	0.0
Todd	613	66.1	12.4	16.5	0.0	0.3	4.7	0.0
WEDCO	3,237	82.7	4.1	10.9	0.0	0.6	1.7	0.0
Whitley	3,689	97.6	0.4	1.2	0.0	0.3	0.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4F**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Local Agency</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaska Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Woodford	1,038	58.0	4.5	31.5	0.0	0.4	5.6	0.0
<b>Kentucky</b>	<b>203,596</b>	<b>73.8</b>	<b>12.3</b>	<b>9.1</b>	<b>0.1</b>	<b>0.8</b>	<b>4.0</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>8,938,527</b>	<b>31.8</b>	<b>18.7</b>	<b>40.6</b>	<b>0.9</b>	<b>2.6</b>	<b>2.5</b>	<b>3.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5F**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
3 Rivers	3,061	39.3	20.0	40.7
Allen	628	40.4	19.9	39.6
Anderson	869	36.1	22.0	41.9
Barren Riv	1,385	62.9	36.9	0.2
Bourbon	1,056	40.6	21.4	38.0
Boyd	2,317	45.9	19.3	34.7
Boyle	1,274	40.3	20.0	39.7
Bracken	511	39.5	19.8	40.7
Breathitt	1,035	34.2	17.0	48.8
Breckinrid	912	42.0	18.5	39.5
Buffalo Tr	1,240	43.0	19.5	37.5
Bullitt	2,713	46.2	20.3	33.5
C & Y	2,503	47.5	21.5	31.0
Christian	7,218	44.2	16.9	38.9
Clark	1,829	42.9	19.2	37.9
Cumb Val	8,611	38.8	17.9	43.3
Estill	928	36.9	19.6	43.5
Fayette	11,578	44.7	19.1	36.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5F**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Fleming	944	34.2	19.7	46.1
Floyd	3,073	39.2	18.7	42.0
Franklin	2,081	47.3	19.6	33.2
Garrard	1,049	36.5	18.3	45.2
Gateway	3,534	38.6	18.3	43.1
Green Riv	8,316	45.1	20.0	35.0
Greenup	1,594	41.8	19.8	38.4
Hopkins	1,850	43.0	19.2	37.8
Jefferson	25,902	46.6	19.1	34.3
Jessamine	2,503	40.3	21.5	38.2
Johnson	1,473	37.0	18.2	44.8
Knox	2,342	36.1	19.0	44.9
KY River	7,033	40.8	18.3	40.9
Lake Cumb	13,376	40.2	18.9	40.9
Laurel	2,979	44.8	18.5	36.7
Lawrence	1,079	40.7	18.0	41.3
Lewis	850	36.5	18.1	45.4
Lincoln	1,350	40.5	20.0	39.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5F**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Lincoln Tr	14,226	41.8	18.3	39.9
Little San	2,618	36.7	17.7	45.6
Madison	3,568	42.6	20.9	36.5
Magoffin	966	35.3	17.1	47.6
Marshall	1,289	38.9	20.4	40.7
Martin	961	36.9	17.1	46.0
Mercer	1,211	39.1	21.6	39.3
Monroe	98	*	*	*
Montgomery	1,804	40.3	17.0	42.7
Muhlenberg	1,222	38.8	21.4	39.9
N Central	3,727	39.5	20.6	40.0
N KY	15,443	48.2	19.4	32.4
Oldham	1,286	44.7	18.9	36.4
Park DuV	2,791	38.5	21.7	39.8
Pennyrile	3,346	38.8	21.0	40.2
Pike	3,233	49.1	18.1	32.8
Powell	916	41.8	18.4	39.7
Purchase	5,318	39.9	20.6	39.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5F**  
**2010 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by Local Agency**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Age Distribution</b>				
<b>Local Agency</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Todd	613	39.5	21.9	38.7
WEDCO	3,237	40.9	19.3	39.8
Whitley	3,689	40.6	18.2	41.2
Woodford	1,038	38.0	19.9	42.1
<b>Kentucky</b>	<b>203,596</b>	<b>42.7</b>	<b>19.3</b>	<b>38.0</b>
<b>Nation (Prior Year)</b>	<b>8,938,527</b>	<b>34.5</b>	<b>22.6</b>	<b>42.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.





**Table 6F**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3 Rivers	785	9.8 (23)	7.5 (46)	2,967	4.8 (16)	7.8 (40)	13.3 (32)	1,223	16.1 (26)	18.0 (41)	1,775	13.1 (40)
Allen	93	* *	* *	615	6.8 (40)	5.0 (13)	12.8 (29)	244	17.2 (40)	15.6 (23)	190	14.2 (44)
Anderson	172	19.8 (55)	1.7 (2)	824	6.4 (35)	4.9 (10)	11.8 (16)	355	14.6 (13)	14.4 (15)	529	10.2 (26)
Barren Riv	2	* *	* *	1,299	3.4 (4)	12.5 (55)	4.1 (1)	3	* *	* *	6	* *
Bourbon	278	12.9 (47)	8.3 (51)	996	5.0 (19)	5.8 (21)	16.2 (49)	392	13.5 (8)	18.9 (45)	650	9.5 (22)
Boyd	645	12.2 (45)	3.9 (9)	2,233	3.3 (3)	14.6 (57)	8.2 (2)	786	14.5 (11)	14.0 (13)	1,101	12.4 (36)
Boyle	311	10.0 (27)	6.1 (27)	1,233	6.6 (38)	5.9 (22)	12.2 (25)	498	11.2 (1)	12.9 (8)	670	14.6 (45)
Bracken	132	7.6 (5)	9.1 (53)	485	4.1 (7)	13.2 (56)	14.0 (35)	203	15.3 (21)	19.2 (48)	289	1.0 (1)
Breathitt	211	11.8 (41)	7.1 (42)	963	5.0 (19)	4.8 (7)	14.8 (41)	474	14.8 (16)	12.9 (8)	552	7.1 (12)
Breckinrid	231	10.4 (31)	7.8 (49)	885	7.2 (43)	4.2 (4)	16.3 (51)	349	21.2 (56)	18.9 (45)	569	7.9 (15)
Buffalo Tr	329	10.0 (27)	5.2 (18)	1,165	7.9 (49)	8.2 (43)	11.8 (16)	449	16.3 (30)	13.6 (12)	598	10.5 (28)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bullitt	779	9.0 (16)	6.5 (37)	2,631	7.0 (41)	4.8 (7)	11.9 (20)	896	19.2 (52)	14.4 (15)	1,112	8.4 (19)
C & Y	687	12.2 (45)	3.9 (9)	2,383	8.2 (54)	10.7 (50)	15.0 (44)	768	18.4 (47)	18.8 (44)	1,327	29.5 (56)
Christian	1,754	9.8 (23)	7.4 (45)	6,902	4.9 (17)	7.4 (34)	10.6 (9)	2,758	16.2 (28)	11.7 (5)	3,551	18.3 (52)
Clark	485	10.7 (34)	5.4 (20)	1,757	3.2 (2)	4.9 (10)	12.7 (28)	679	14.7 (15)	14.1 (14)	883	11.1 (31)
Cumb Val	2,228	13.6 (50)	6.5 (37)	8,224	5.3 (24)	8.4 (46)	15.6 (46)	3,579	17.8 (43)	21.5 (53)	4,287	7.6 (14)
Estill	215	9.8 (23)	2.8 (5)	905	6.3 (32)	5.6 (19)	10.7 (11)	401	15.0 (18)	16.7 (35)	498	4.4 (3)
Fayette	3,074	9.6 (20)	5.8 (24)	11,014	8.1 (52)	6.2 (28)	12.8 (29)	4,058	18.2 (45)	16.3 (32)	4,825	24.8 (55)
Fleming	211	10.4 (31)	6.2 (29)	908	4.6 (14)	11.1 (51)	11.1 (12)	418	16.5 (32)	13.4 (10)	537	15.3 (48)
Floyd	820	12.9 (47)	2.6 (4)	2,922	5.5 (26)	6.0 (25)	12.6 (26)	1,252	14.8 (16)	17.7 (40)	1,575	6.0 (6)
Franklin	603	11.4 (40)	4.0 (13)	2,007	12.4 (57)	4.9 (10)	17.3 (55)	682	18.3 (46)	21.3 (52)	921	21.4 (54)
Garrard	219	14.6 (51)	8.2 (50)	1,001	4.3 (8)	6.0 (25)	12.0 (22)	463	18.1 (44)	16.2 (30)	529	11.0 (30)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Gateway	847	10.5 (33)	7.0 (40)	3,389	5.9 (30)	7.0 (31)	13.6 (33)	1,462	17.3 (42)	18.3 (42)	1,843	9.6 (23)
Green Riv	1,923	8.9 (15)	6.3 (31)	8,103	7.7 (46)	5.3 (15)	11.6 (14)	2,854	17.0 (38)	15.8 (25)	3,450	6.9 (10)
Greenup	436	8.7 (13)	7.6 (48)	1,541	3.6 (5)	12.0 (54)	10.6 (9)	593	16.0 (25)	15.2 (22)	713	7.3 (13)
Hopkins	394	7.1 (3)	3.6 (7)	1,798	8.1 (52)	7.5 (35)	12.0 (22)	691	18.7 (51)	14.6 (17)	1,093	8.9 (21)
Jefferson	7,270	9.7 (21)	6.4 (32)	24,467	5.2 (23)	10.3 (48)	10.3 (7)	8,566	12.8 (3)	10.9 (3)	12,774	16.7 (51)
Jessamine	597	7.9 (7)	6.4 (32)	2,416	8.0 (51)	7.7 (37)	9.8 (4)	955	12.0 (2)	11.6 (4)	1,274	15.8 (50)
Johnson	358	17.0 (53)	5.3 (19)	1,387	6.3 (32)	6.8 (29)	21.0 (57)	642	18.5 (48)	22.3 (55)	820	8.7 (20)
Knox	535	8.8 (14)	3.9 (9)	2,241	5.5 (26)	7.6 (36)	13.7 (34)	1,000	17.2 (40)	19.8 (51)	1,555	6.9 (10)
KY River	1,726	10.3 (30)	6.0 (26)	6,624	7.7 (46)	5.2 (14)	18.5 (56)	2,763	16.6 (34)	19.1 (47)	3,396	8.2 (18)
Lake Cumb	3,342	9.1 (17)	7.2 (43)	12,969	4.7 (15)	5.9 (22)	11.6 (14)	5,328	16.7 (35)	17.3 (37)	6,616	7.9 (15)
Laurel	806	9.7 (21)	11.0 (54)	2,866	4.3 (8)	7.9 (41)	11.2 (13)	1,076	16.3 (30)	15.8 (25)	1,284	6.1 (7)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lawrence	293	19.1 (54)	4.4 (14)	1,024	4.4 (12)	11.3 (52)	14.9 (42)	437	19.9 (54)	19.5 (49)	577	4.2 (2)
Lewis	195	11.8 (41)	6.2 (29)	823	4.3 (8)	4.6 (6)	13.2 (31)	379	12.9 (4)	17.2 (36)	345	12.8 (39)
Lincoln	341	11.1 (37)	5.6 (23)	1,291	6.2 (31)	10.4 (49)	9.8 (4)	517	14.5 (11)	9.9 (2)	709	12.4 (36)
Lincoln Tr	3,556	7.7 (6)	7.0 (40)	13,876	7.1 (42)	5.5 (17)	12.6 (26)	5,528	15.5 (22)	13.5 (11)	7,419	12.1 (35)
Little San	624	10.7 (34)	4.5 (15)	2,496	3.9 (6)	8.0 (42)	14.3 (37)	1,142	18.5 (48)	22.2 (54)	1,189	11.8 (33)
Madison	938	10.8 (36)	5.4 (20)	3,472	3.0 (1)	8.2 (43)	9.9 (6)	1,282	14.1 (10)	15.9 (29)	1,980	6.4 (8)
Magoffin	204	11.3 (38)	3.9 (9)	901	6.5 (36)	7.7 (37)	15.8 (47)	441	13.6 (9)	16.6 (34)	458	18.3 (52)
Marshall	308	9.1 (17)	6.8 (39)	1,201	11.7 (56)	7.0 (31)	16.1 (48)	508	13.4 (5)	7.9 (1)	704	15.6 (49)
Martin	139	8.6 (11)	2.2 (3)	907	7.9 (49)	9.0 (47)	14.4 (39)	419	13.4 (5)	16.2 (30)	476	14.1 (43)
Mercer	298	6.7 (2)	5.0 (17)	1,182	5.8 (29)	5.3 (15)	11.8 (16)	475	16.2 (28)	14.7 (19)	718	10.3 (27)
Monroe	0	* *	* *	95	* *	* *	* *	0	* *	* *	0	* *

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Montgomery	452	7.1 (3)	7.5 (46)	1,740	4.5 (13)	4.4 (5)	14.4 (39)	748	18.6 (50)	18.3 (42)	903	5.0 (4)
Muhlenberg	278	6.5 (1)	12.9 (55)	1,188	5.0 (19)	4.8 (7)	10.4 (8)	479	15.9 (24)	14.6 (17)	527	14.6 (45)
N Central	959	8.3 (9)	4.8 (16)	3,597	8.6 (55)	5.7 (20)	16.5 (52)	1,448	16.5 (32)	17.4 (39)	1,977	15.2 (47)
N KY	4,440	8.3 (9)	6.4 (32)	14,486	4.3 (8)	7.7 (37)	9.6 (3)	4,885	15.7 (23)	12.8 (7)	6,354	11.8 (33)
Oldham	358	9.8 (23)	3.6 (7)	1,247	6.5 (36)	5.5 (17)	11.9 (20)	457	17.1 (39)	17.3 (37)	535	12.5 (38)
Park DuV	649	13.4 (49)	3.4 (6)	2,678	6.3 (32)	7.3 (33)	12.1 (24)	1,075	14.6 (13)	14.9 (20)	1,706	11.2 (32)
Pennyrile	663	11.9 (43)	8.6 (52)	3,217	7.3 (44)	3.9 (3)	14.9 (42)	1,310	15.0 (18)	15.1 (21)	1,783	9.7 (24)
Pike	947	11.3 (38)	6.4 (32)	3,070	5.6 (28)	11.8 (53)	11.8 (16)	998	16.1 (26)	15.8 (25)	1,400	7.9 (15)
Powell	240	10.0 (27)	5.4 (20)	877	5.0 (19)	3.6 (2)	15.1 (45)	351	16.8 (36)	19.7 (50)	537	5.8 (5)
Purchase	1,252	8.2 (8)	7.3 (44)	5,000	5.4 (25)	6.0 (25)	16.7 (53)	2,039	16.9 (37)	15.7 (24)	2,806	13.9 (42)
Todd	130	16.9 (52)	1.5 (1)	574	7.7 (46)	6.8 (29)	17.2 (54)	234	15.0 (18)	15.8 (25)	323	9.9 (25)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
WEDCO	821	9.4 (19)	5.8 (24)	3,067	7.5 (45)	5.9 (22)	14.1 (36)	1,265	13.4 (5)	12.7 (6)	1,497	13.8 (41)
Whitley	1,014	8.6 (11)	6.1 (27)	3,583	4.9 (17)	8.3 (45)	16.2 (49)	1,483	20.4 (55)	24.2 (56)	1,964	6.5 (9)
Woodford	249	12.0 (44)	6.4 (32)	1,002	6.6 (38)	3.4 (1)	14.3 (37)	429	19.6 (53)	16.3 (32)	601	10.5 (28)
<b>Kentucky</b>	<b>51,846</b>	<b>9.9</b>	<b>6.3</b>	<b>194,714</b>	<b>5.9</b>	<b>7.3</b>	<b>12.6</b>	<b>75,189</b>	<b>16.0</b>	<b>15.6</b>	<b>99,280</b>	<b>12.2</b>
<b>Nation (Prior Year)</b>	<b>1,961,342</b>	<b>8.9</b>	<b>6.4</b>	<b>8,451,215</b>	<b>6.0</b>	<b>4.3</b>	<b>14.0</b>	<b>3,678,355</b>	<b>16.4</b>	<b>14.7</b>	<b>5,524,196</b>	<b>14.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F  
2010 Pediatric Nutrition Surveillance (1)  
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)  
Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Local Agency</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
3 Rivers	777	39.3 (19)	531	10.7 (26)	458	5.5 (17)	0	* *	0	* *	1,271	91.1 (27)	3,061	48.0 (44)
Allen	63	* *	36	* *	49	* *	0	* *	0	* *	249	83.5 (51)	628	22.9 (27)
Anderson	174	44.3 (13)	163	15.3 (12)	126	2.4 (45)	0	* *	0	* *	369	84.6 (48)	869	23.6 (29)
Barren Riv	2	* *	2	* *	7	* *	0	* *	0	* *	3	* *	1,384	16.3 (16)
Bourbon	278	45.0 (11)	224	16.5 (8)	160	6.9 (10)	0	* *	0	* *	407	97.8 (7)	1,056	63.2 (55)
Boyd	630	25.4 (44)	457	8.8 (35)	299	7.7 (6)	0	* *	0	* *	820	98.2 (5)	2,317	56.1 (47)
Boyle	315	37.1 (23)	212	9.9 (28)	166	4.8 (25)	0	* *	0	* *	520	93.1 (17)	1,274	60.6 (51)
Bracken	130	45.4 (10)	88	* *	82	* *	0	* *	0	* *	211	90.5 (33)	511	63.2 (55)
Breathitt	210	12.4 (53)	175	2.9 (52)	121	1.7 (51)	0	* *	0	* *	515	87.6 (43)	1,035	52.1 (46)
Breckinrid	227	42.7 (17)	157	6.4 (46)	108	3.7 (35)	0	* *	0	* *	371	84.1 (49)	912	1.9 (7)
Buffalo Tr	350	25.1 (45)	205	8.3 (38)	157	4.5 (27)	0	* *	0	* *	481	81.9 (54)	1,240	61.0 (53)
Bullitt	766	44.4 (12)	553	9.0 (32)	414	4.1 (31)	0	* *	0	* *	926	92.8 (18)	2,713	30.0 (34)
C & Y	679	34.5 (29)	513	5.5 (50)	291	3.1 (39)	0	* *	0	* *	798	100.0 (1)	2,503	0.0 (1)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency** (2)  
**Children Aged < 5 Years** (3)

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household</b> (4,5)																
<b>Local Agency</b>	<b>Breastfeeding</b> (6)						<b>Exclusive Breastfeeding</b> (7)						<b>≤2 Hours TV Viewing/Day</b> (8)		<b>Smoking in Household</b>	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Christian	1,772	56.2 (3)	1,233	20.9 (4)	712	8.4 (4)	0	* *	0	* *	2,882	83.6 (50)	7,217	21.3 (22)		
Clark	480	38.1 (21)	331	15.1 (13)	254	7.5 (7)	0	* *	0	* *	713	95.2 (12)	1,829	1.1 (6)		
Cumb Val	2,223	24.4 (46)	1,300	7.2 (42)	1,059	2.8 (43)	0	* *	0	* *	3,762	89.7 (36)	8,611	42.8 (41)		
Estill	205	35.6 (28)	143	9.1 (29)	100	3.0 (40)	0	* *	0	* *	423	95.0 (14)	928	15.5 (15)		
Fayette	3,069	56.5 (2)	2,308	25.5 (1)	1,390	14.1 (1)	0	* *	0	* *	4,292	90.8 (29)	11,578	0.4 (3)		
Fleming	211	27.0 (41)	146	11.0 (22)	112	5.4 (19)	0	* *	0	* *	442	89.1 (37)	944	17.1 (17)		
Floyd	801	9.9 (54)	481	4.8 (51)	350	3.4 (38)	0	* *	0	* *	1,330	99.9 (3)	3,073	58.0 (48)		
Franklin	599	51.9 (6)	364	15.4 (10)	271	4.4 (28)	0	* *	0	* *	705	88.8 (40)	2,081	28.5 (32)		
Garrard	220	36.4 (24)	189	12.2 (16)	130	5.4 (19)	0	* *	0	* *	485	96.7 (9)	1,049	30.7 (35)		
Gateway	866	26.8 (42)	626	8.3 (38)	428	5.1 (22)	0	* *	0	* *	1,477	92.5 (20)	3,534	14.5 (14)		
Green Riv	1,296	30.6 (35)	726	8.7 (36)	682	6.2 (14)	0	* *	0	* *	2,947	87.0 (45)	8,316	22.6 (25)		
Greenup	432	33.6 (32)	298	6.4 (46)	206	2.4 (45)	0	* *	0	* *	628	88.4 (41)	1,594	21.9 (23)		
Hopkins	288	37.2 (22)	175	10.9 (24)	177	5.1 (22)	0	* *	0	* *	714	82.8 (53)	1,850	33.3 (36)		

(1) Reporting period is January 1 through December 31.  
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.  
 (3) Analyses based on one record per child.  
 (4) Excludes records with unknown data or errors.  
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.  
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.  
 (8) Children aged 2 years and older included in the analyses.  
 \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 7F  
2010 Pediatric Nutrition Surveillance (1)  
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)  
Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Local Agency</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Jefferson	7,343	49.5 (7)	5,148	20.3 (5)	3,247	10.3 (3)	0	* *	0	* *	8,997	91.9 (22)	25,902	0.4 (3)
Jessamine	582	43.0 (16)	448	21.9 (3)	302	11.9 (2)	0	* *	0	* *	986	95.1 (13)	2,503	8.7 (10)
Johnson	351	27.6 (39)	220	9.1 (29)	184	2.2 (48)	0	* *	0	* *	675	99.0 (4)	1,473	47.3 (43)
Knox	555	17.7 (51)	393	8.9 (33)	328	2.1 (49)	0	* *	0	* *	1,073	93.8 (16)	2,342	0.6 (5)
KY River	1,742	27.6 (39)	1,161	7.2 (42)	851	3.6 (36)	0	* *	0	* *	2,951	92.5 (20)	7,033	9.3 (12)
Lake Cumb	3,326	33.4 (33)	2,428	8.6 (37)	1,725	4.0 (33)	0	* *	0	* *	5,602	90.4 (34)	13,376	27.9 (30)
Laurel	826	30.4 (37)	564	11.2 (20)	384	3.9 (34)	0	* *	0	* *	1,127	96.5 (10)	2,979	35.9 (37)
Lawrence	291	33.7 (31)	187	7.5 (41)	143	2.8 (43)	0	* *	0	* *	458	83.2 (52)	1,079	61.3 (54)
Lewis	193	28.5 (38)	116	6.9 (45)	112	3.6 (36)	0	* *	0	* *	396	89.1 (37)	850	60.7 (52)
Lincoln	335	17.6 (52)	271	5.9 (49)	196	4.1 (31)	0	* *	0	* *	549	91.3 (24)	1,350	40.7 (40)
Lincoln Tr	3,573	39.1 (20)	2,272	12.0 (17)	1,662	4.8 (25)	0	* *	0	* *	5,778	91.1 (27)	14,226	51.4 (45)
Little San	621	30.6 (35)	411	12.4 (15)	292	5.5 (17)	0	* *	0	* *	1,210	91.3 (24)	2,618	58.9 (49)
Madison	921	40.3 (18)	693	11.7 (18)	563	7.3 (8)	0	* *	0	* *	1,339	90.7 (30)	3,568	13.3 (13)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F  
2010 Pediatric Nutrition Surveillance (1)  
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)  
Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Local Agency</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Magoffin	202	22.3 (49)	158	7.0 (44)	123	2.4 (45)	0	* *	0	* *	473	85.2 (47)	966	18.4 (18)
Marshall	302	52.6 (5)	171	10.5 (27)	164	4.3 (30)	0	* *	0	* *	535	81.7 (55)	1,289	23.5 (28)
Martin	222	22.5 (48)	155	2.6 (53)	115	0.9 (52)	0	* *	0	* *	448	87.3 (44)	961	29.6 (33)
Mercer	296	31.4 (34)	184	10.9 (24)	163	6.1 (15)	0	* *	0	* *	490	90.6 (32)	1,211	28.1 (31)
Monroe	0	* *	0	* *	0	* *	0	* *	0	* *	0	* *	98	* *
Montgomery	447	36.2 (26)	281	18.5 (6)	177	5.1 (22)	0	* *	0	* *	787	88.1 (42)	1,804	38.0 (39)
Muhlenberg	204	23.0 (47)	142	6.3 (48)	148	0.7 (53)	0	* *	0	* *	506	90.7 (30)	1,222	36.5 (38)
N Central	951	47.9 (9)	609	16.4 (9)	518	8.1 (5)	0	* *	0	* *	1,509	91.3 (24)	3,727	2.7 (8)
N KY	4,752	34.2 (30)	3,162	11.2 (20)	2,012	7.0 (9)	0	* *	0	* *	5,124	92.6 (19)	15,443	46.8 (42)
Oldham	351	53.3 (4)	212	22.6 (2)	164	6.7 (11)	0	* *	0	* *	463	94.2 (15)	1,286	82.9 (57)
Park DuV	645	35.8 (27)	495	11.3 (19)	361	6.4 (13)	0	* *	0	* *	1,138	100.0 (1)	2,791	0.0 (1)
Pennyrile	603	56.7 (1)	422	17.1 (7)	417	6.5 (12)	0	* *	0	* *	1,388	86.1 (46)	3,346	20.9 (21)
Pike	973	20.9 (50)	650	7.7 (40)	331	2.1 (49)	0	* *	0	* *	1,095	80.3 (56)	3,233	59.6 (50)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F  
2010 Pediatric Nutrition Surveillance (1)  
Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)  
Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
	<b>Breastfeeding (6)</b>						<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>	
<b>Local Agency</b>	Number	% Ever Breastfed  (Rank)	Number	% Breastfed At Least 6 Months  (Rank)	Number	% Breastfed At Least 12 Months  (Rank)	Number	% Breastfed At Least 3 Months  (Rank)	Number	% Breastfed At Least 6 Months  (Rank)	Number	%   (Rank)	Number	%   (Rank)
Powell	239	43.9 (14)	180	8.9 (33)	136	2.9 (42)	0	* *	0	* *	368	88.9 (39)	916	22.8 (26)
Purchase	1,207	48.3 (8)	779	15.4 (10)	703	5.4 (19)	0	* *	0	* *	2,160	90.0 (35)	5,318	19.9 (19)
Todd	74	* *	51	* *	30	* *	0	* *	0	* *	240	97.1 (8)	613	6.0 (9)
WEDCO	815	36.3 (25)	557	11.0 (22)	411	4.4 (28)	0	* *	0	* *	1,320	96.4 (11)	3,237	22.4 (24)
Whitley	1,006	25.8 (43)	569	9.1 (29)	462	3.0 (40)	0	* *	0	* *	1,562	91.6 (23)	3,689	8.7 (10)
Woodford	246	43.5 (15)	147	15.0 (14)	147	6.1 (15)	0	* *	0	* *	443	98.0 (6)	1,038	20.2 (20)
<b>Kentucky</b>	<b>51,257</b>	<b>38.3</b>	<b>34,872</b>	<b>13.3</b>	<b>24,880</b>	<b>6.3</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>78,931</b>	<b>91.0</b>	<b>203,594</b>	<b>25.7</b>
<b>Nation (Prior Year)</b>	<b>1,769,160</b>	<b>61.7</b>	<b>911,779</b>	<b>27.0</b>	<b>1,092,573</b>	<b>18.5</b>	<b>317,037</b>	<b>9.9</b>	<b>420,655</b>	<b>5.3</b>	<b>1,022,933</b>	<b>77.3</b>	<b>4,355,723</b>	<b>10.2</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3 Rivers	1,942	9.4 (19)	7.4 (50)	7,404	5.4 (25)	7.5 (41)	14.0 (38)	2,937	18.5 (46)	19.7 (51)	4,704	14.7 (47)
Allen	578	7.8 (4)	6.2 (29)	2,521	6.2 (33)	5.8 (23)	11.4 (10)	1,060	15.0 (12)	14.3 (12)	1,131	17.3 (54)
Anderson	491	13.4 (54)	4.3 (10)	2,140	6.6 (37)	5.9 (24)	12.9 (23)	855	19.1 (51)	16.5 (32)	1,375	13.2 (41)
Barren Riv	4,096	9.6 (21)	6.3 (35)	19,571	4.7 (12)	7.2 (35)	12.2 (15)	6,954	16.8 (33)	17.7 (41)	11,012	13.1 (40)
Bourbon	751	9.7 (27)	7.2 (47)	2,569	5.3 (20)	5.4 (18)	17.2 (53)	933	16.4 (31)	19.0 (47)	1,661	10.9 (30)
Boyd	1,556	12.5 (51)	4.2 (6)	5,860	3.1 (1)	12.7 (58)	8.3 (1)	2,129	15.9 (21)	14.8 (18)	3,253	15.4 (50)
Boyle	796	9.9 (31)	6.8 (45)	3,172	5.9 (32)	5.6 (20)	12.9 (23)	1,222	13.3 (4)	13.0 (7)	1,830	14.0 (45)
Bracken	337	7.7 (2)	7.1 (46)	1,288	5.3 (20)	11.6 (55)	13.5 (30)	502	22.3 (58)	19.3 (50)	813	3.1 (1)
Breathitt	539	9.6 (21)	5.2 (15)	2,513	4.5 (7)	4.5 (8)	15.3 (47)	1,200	14.9 (11)	14.3 (12)	1,625	6.1 (5)
Breckinrid	601	9.5 (20)	6.5 (38)	2,396	6.4 (36)	3.0 (1)	12.9 (23)	984	18.0 (41)	14.2 (11)	1,561	7.0 (10)
Buffalo Tr	894	11.2 (43)	4.8 (13)	3,066	8.4 (53)	9.3 (52)	13.4 (29)	1,132	15.3 (15)	15.1 (21)	1,762	11.0 (32)

- (1) Reporting period is January 1 through December 31.
  - (2) Analyses based on one record per child.
  - (3) Excludes records with unknown data or errors.
  - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
  - (5) Infants born during the reporting period included in the analysis.
  - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
  - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
  - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bullitt	1,832	9.6 (21)	6.1 (27)	6,578	6.2 (33)	4.6 (9)	12.6 (21)	2,327	18.6 (48)	14.6 (16)	3,368	9.7 (22)
C & Y	1,697	13.2 (52)	2.9 (2)	6,227	7.2 (43)	8.1 (46)	14.1 (39)	1,912	19.0 (50)	17.4 (40)	3,520	32.4 (58)
Christian	4,464	10.0 (32)	6.2 (29)	18,690	4.5 (7)	7.4 (40)	9.9 (3)	7,300	15.7 (18)	10.8 (2)	10,729	23.1 (56)
Clark	1,272	9.0 (14)	5.3 (16)	4,555	4.5 (7)	4.3 (7)	14.2 (40)	1,690	17.6 (40)	16.7 (34)	2,514	11.3 (34)
Cumb Val	5,637	12.1 (50)	6.4 (37)	21,977	5.1 (18)	7.5 (41)	15.1 (46)	9,590	18.0 (41)	20.6 (54)	12,968	6.5 (8)
Estill	548	10.2 (36)	4.2 (6)	2,516	5.7 (28)	5.0 (13)	11.9 (14)	1,103	15.1 (13)	18.1 (44)	1,568	7.4 (13)
Fayette	7,302	9.6 (21)	6.1 (27)	27,661	7.9 (50)	6.5 (29)	13.7 (31)	10,278	18.5 (46)	17.7 (41)	13,876	26.7 (57)
Fleming	570	9.8 (29)	7.5 (53)	2,347	5.8 (29)	10.8 (53)	12.6 (21)	1,061	14.7 (9)	15.0 (20)	1,493	17.0 (53)
Floyd	2,108	11.4 (44)	3.6 (3)	7,662	5.0 (17)	7.8 (45)	10.8 (6)	3,260	12.3 (2)	14.6 (16)	4,602	6.7 (9)
Franklin	1,413	11.8 (48)	4.5 (11)	5,312	11.7 (57)	4.9 (11)	16.7 (50)	1,862	19.3 (52)	20.5 (53)	2,845	18.9 (55)
Garrard	555	13.2 (52)	6.5 (38)	2,508	4.8 (15)	5.5 (19)	12.4 (19)	1,089	18.2 (43)	16.7 (34)	1,474	13.4 (43)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Gateway	2,050	10.1 (35)	8.0 (55)	8,786	5.3 (20)	7.3 (37)	13.7 (31)	3,779	17.5 (38)	17.8 (43)	5,391	10.9 (30)
Green Riv	6,675	8.5 (8)	5.9 (21)	25,939	7.8 (49)	5.1 (16)	12.3 (16)	9,646	17.4 (35)	15.8 (25)	14,142	7.3 (12)
Greenup	1,008	9.3 (15)	6.7 (43)	4,025	3.5 (2)	11.7 (56)	11.4 (10)	1,577	16.2 (27)	17.0 (38)	2,198	6.2 (7)
Hopkins	1,450	10.6 (38)	5.5 (18)	5,975	7.6 (47)	5.1 (16)	12.3 (16)	2,354	19.4 (53)	15.7 (24)	3,786	9.9 (26)
Jefferson	16,647	9.8 (29)	6.3 (35)	61,665	5.4 (25)	8.7 (49)	11.7 (12)	21,520	13.7 (6)	11.4 (3)	34,753	16.0 (52)
Jessamine	1,593	8.3 (5)	6.0 (24)	6,569	7.0 (40)	7.1 (34)	10.4 (5)	2,540	14.8 (10)	12.3 (5)	3,863	13.2 (41)
Johnson	1,043	14.0 (55)	4.2 (6)	3,827	6.6 (37)	6.6 (30)	19.1 (57)	1,694	18.8 (49)	21.7 (55)	2,351	9.7 (22)
Knox	1,425	9.3 (15)	5.1 (14)	6,182	5.3 (20)	6.9 (33)	13.8 (33)	2,706	16.2 (27)	20.1 (52)	4,226	8.2 (15)
KY River	4,420	11.4 (44)	5.5 (18)	17,429	8.2 (51)	5.0 (13)	18.7 (56)	7,229	16.1 (26)	18.3 (45)	10,028	8.3 (17)
Lake Cumb	8,380	8.9 (11)	6.7 (43)	33,487	4.8 (15)	6.2 (27)	11.8 (13)	13,593	16.5 (32)	17.1 (39)	19,319	8.2 (15)
Laurel	2,047	8.9 (11)	10.8 (58)	7,787	4.4 (6)	7.3 (37)	12.5 (20)	2,981	15.8 (19)	16.9 (37)	4,183	6.1 (5)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Lawrence	730	20.4 (58)	4.7 (12)	2,664	4.7 (12)	11.0 (54)	13.9 (34)	1,114	19.7 (54)	18.9 (46)	1,582	7.0 (10)
Lewis	552	10.7 (41)	6.0 (24)	2,251	4.7 (12)	7.7 (44)	12.9 (23)	1,003	13.0 (3)	16.2 (28)	1,255	9.9 (26)
Lincoln	871	10.0 (32)	6.0 (24)	3,409	4.6 (11)	8.6 (48)	10.8 (6)	1,397	16.2 (27)	11.6 (4)	2,164	11.7 (37)
Lincoln Tr	8,205	8.3 (5)	7.4 (50)	34,375	7.4 (45)	4.7 (10)	13.9 (34)	13,786	15.9 (21)	13.9 (10)	20,666	11.1 (33)
Little San	1,525	10.7 (41)	5.3 (16)	6,661	3.6 (3)	9.1 (51)	12.9 (23)	2,920	17.2 (34)	19.1 (49)	3,768	11.5 (35)
Madison	2,521	10.0 (32)	5.7 (20)	9,179	3.8 (4)	8.8 (50)	9.7 (2)	3,349	15.2 (14)	15.4 (23)	5,462	7.4 (13)
Magoffin	569	10.4 (37)	4.2 (6)	2,520	9.0 (55)	6.6 (30)	19.8 (58)	1,227	20.0 (55)	22.0 (57)	1,470	13.7 (44)
Marshall	912	8.4 (7)	5.9 (21)	3,480	12.3 (58)	7.6 (43)	15.7 (49)	1,427	11.8 (1)	8.8 (1)	2,170	14.9 (48)
Martin	450	14.7 (57)	2.0 (1)	2,436	8.3 (52)	7.3 (37)	14.9 (42)	1,070	14.4 (8)	16.2 (28)	1,513	9.7 (22)
Mercer	726	8.8 (9)	6.5 (38)	2,966	6.3 (35)	4.9 (11)	13.1 (28)	1,260	16.0 (24)	16.0 (27)	1,937	9.8 (25)
Monroe	226	10.6 (38)	9.3 (56)	1,090	7.2 (43)	6.1 (26)	18.0 (54)	414	21.5 (57)	21.7 (55)	667	3.4 (2)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6F**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Montgomery	1,073	9.6 (21)	7.5 (53)	4,520	5.5 (27)	4.2 (6)	13.9 (34)	1,862	18.2 (43)	16.7 (34)	2,754	6.0 (4)
Muhlenberg	973	6.6 (1)	10.4 (57)	3,741	5.3 (20)	5.6 (20)	11.1 (8)	1,520	17.4 (35)	15.3 (22)	2,021	9.3 (19)
N Central	2,321	7.7 (2)	6.2 (29)	9,049	8.7 (54)	5.7 (22)	16.7 (50)	3,674	15.9 (21)	16.3 (31)	5,525	15.8 (51)
N KY	10,786	8.8 (9)	6.6 (42)	37,036	4.5 (7)	7.2 (35)	10.2 (4)	12,524	15.5 (17)	12.9 (6)	18,794	12.7 (39)
Oldham	854	9.3 (15)	3.7 (4)	3,135	7.5 (46)	3.9 (3)	13.9 (34)	1,206	17.4 (35)	16.5 (32)	1,588	11.5 (35)
Park DuV	1,488	14.5 (56)	3.8 (5)	6,748	7.1 (42)	6.7 (32)	12.3 (16)	2,647	15.8 (19)	14.3 (12)	4,423	10.2 (29)
Pennyrile	2,500	8.9 (11)	7.3 (49)	9,919	6.7 (39)	4.0 (4)	14.9 (42)	3,983	16.0 (24)	14.3 (12)	6,007	9.3 (19)
Pike	2,261	11.5 (46)	6.2 (29)	8,233	4.2 (5)	12.0 (57)	11.1 (8)	2,852	13.4 (5)	13.0 (7)	4,367	10.0 (28)
Powell	616	12.0 (49)	6.2 (29)	2,349	5.8 (29)	4.0 (4)	14.9 (42)	1,005	16.2 (27)	19.0 (47)	1,562	5.5 (3)
Purchase	4,164	9.3 (15)	6.2 (29)	15,153	5.8 (29)	6.2 (27)	16.8 (52)	6,202	17.5 (38)	15.8 (25)	9,439	15.2 (49)
Todd	404	9.7 (27)	7.4 (50)	1,832	9.7 (56)	5.9 (24)	18.0 (54)	793	15.4 (16)	14.9 (19)	1,232	9.6 (21)

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.  
(5) Infants born during the reporting period included in the analysis.  
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.  
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.  
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.





**Table 6F**  
**2008 - 2010 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Local Agency**  
**Children Aged < 5 Years** (2)

<b>Comparison of Growth and Anemia Indicators</b> (3,4)												
<b>Local Agency</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
WEDCO	2,099	10.6 (38)	6.5 (38)	8,020	7.0 (40)	5.0 (13)	14.9 (42)	3,252	14.2 (7)	13.2 (9)	4,612	14.4 (46)
Whitley	2,647	9.6 (21)	5.9 (21)	9,586	5.2 (19)	8.2 (47)	15.6 (48)	3,893	20.8 (56)	23.5 (58)	5,815	8.8 (18)
Woodford	655	11.6 (47)	7.2 (47)	2,634	7.7 (48)	3.3 (2)	14.8 (41)	1,092	18.3 (45)	16.2 (28)	1,697	11.7 (37)
<b>Kentucky</b>	<b>136,845</b>	<b>9.9</b>	<b>6.2</b>	<b>533,190</b>	<b>6.0</b>	<b>6.8</b>	<b>13.1</b>	<b>206,471</b>	<b>16.3</b>	<b>15.7</b>	<b>306,414</b>	<b>12.5</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)**  
**Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Local Agency</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
3 Rivers	2,706	37.5 (27)	1,800	8.3 (28)	1,332	4.9 (15)	0	* *	0	* *	3,165	90.9 (30)	5,129	41.6 (45)
Allen	715	46.4 (10)	454	11.0 (10)	393	4.3 (22)	0	* *	0	* *	1,137	83.1 (53)	1,560	27.6 (29)
Anderson	775	40.4 (16)	576	8.9 (21)	396	3.3 (36)	0	* *	0	* *	926	81.3 (56)	1,472	22.9 (22)
Barren Riv	5,283	37.8 (25)	3,829	9.7 (15)	2,985	5.4 (12)	0	* *	0	* *	7,624	89.3 (40)	13,804	25.3 (24)
Bourbon	1,033	43.1 (12)	674	10.8 (12)	496	5.2 (13)	0	* *	0	* *	1,028	93.0 (20)	1,795	40.8 (44)
Boyd	2,156	27.7 (43)	1,514	8.9 (21)	935	6.8 (7)	0	* *	0	* *	2,306	95.8 (10)	4,088	41.8 (47)
Boyle	1,115	28.3 (42)	740	8.8 (23)	509	3.9 (25)	0	* *	0	* *	1,311	94.2 (15)	2,181	46.6 (49)
Bracken	462	35.9 (30)	290	8.3 (28)	219	2.3 (43)	0	* *	0	* *	550	88.9 (41)	894	63.6 (57)
Breathitt	816	17.8 (56)	586	2.7 (56)	424	0.9 (57)	0	* *	0	* *	1,344	83.0 (54)	1,717	50.4 (52)
Breckinrid	843	38.2 (24)	514	6.6 (39)	358	4.5 (20)	0	* *	0	* *	1,068	83.9 (51)	1,630	1.8 (7)
Buffalo Tr	1,219	26.7 (45)	646	4.6 (50)	531	2.8 (40)	0	* *	0	* *	1,260	92.1 (24)	2,158	57.1 (54)
Bullitt	2,512	40.5 (15)	1,691	7.2 (35)	1,218	3.8 (26)	0	* *	0	* *	2,523	90.9 (30)	4,592	26.2 (25)
C & Y	2,435	34.1 (34)	1,934	3.7 (53)	958	2.1 (46)	0	* *	0	* *	2,072	100.0 (1)	4,470	0.0 (1)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)**  
**Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Local Agency</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Christian	6,671	55.0 (2)	4,945	15.3 (4)	3,066	7.1 (6)	0	* *	0	* *	7,775	84.0 (50)	13,693	21.4 (20)
Clark	1,775	37.6 (26)	1,127	10.4 (13)	791	5.8 (8)	0	* *	0	* *	1,827	95.4 (12)	3,192	1.4 (6)
Cumb Val	7,604	25.3 (47)	4,433	4.9 (46)	3,613	2.4 (42)	0	* *	0	* *	10,384	91.7 (28)	14,791	38.5 (38)
Estill	774	30.9 (39)	528	4.7 (48)	370	1.9 (49)	0	* *	0	* *	1,198	90.3 (35)	1,656	21.1 (18)
Fayette	10,324	60.6 (1)	7,505	23.2 (1)	4,599	12.9 (1)	0	* *	0	* *	11,185	91.1 (29)	19,569	0.4 (3)
Fleming	767	27.5 (44)	453	7.1 (36)	386	3.4 (31)	0	* *	0	* *	1,160	85.9 (48)	1,566	21.0 (17)
Floyd	2,708	15.1 (58)	1,473	3.7 (53)	1,217	2.3 (43)	0	* *	0	* *	3,599	99.9 (4)	5,215	55.9 (53)
Franklin	1,984	48.4 (9)	1,348	9.6 (18)	913	3.4 (31)	0	* *	0	* *	2,006	88.8 (42)	3,760	41.6 (45)
Garrard	832	36.2 (29)	609	8.7 (24)	412	3.4 (31)	0	* *	0	* *	1,174	97.4 (8)	1,674	31.2 (32)
Gateway	2,974	30.1 (40)	2,005	7.9 (31)	1,422	4.2 (23)	0	* *	0	* *	4,007	91.8 (26)	5,892	15.4 (14)
Green Riv	8,171	33.6 (35)	4,979	6.9 (38)	3,746	3.2 (37)	0	* *	0	* *	10,377	86.8 (47)	17,226	26.9 (28)
Greenup	1,429	31.7 (37)	1,023	7.4 (33)	711	3.0 (38)	0	* *	0	* *	1,679	93.0 (20)	2,795	20.3 (16)
Hopkins	1,843	40.0 (18)	1,100	7.1 (36)	838	3.7 (27)	0	* *	0	* *	2,527	82.0 (55)	3,880	40.3 (42)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)**  
**Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Local Agency</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Jefferson	23,526	49.4 (6)	17,498	15.6 (3)	10,691	8.0 (4)	0	* *	0	* *	23,124	90.7 (32)	43,717	0.5 (4)
Jessamine	2,281	44.1 (11)	1,649	16.3 (2)	1,101	9.0 (2)	0	* *	0	* *	2,729	94.2 (15)	4,542	13.7 (12)
Johnson	1,348	24.9 (49)	749	5.2 (42)	605	2.1 (46)	0	* *	0	* *	1,841	99.1 (5)	2,608	38.6 (39)
Knox	2,017	21.0 (54)	1,265	4.9 (46)	996	1.6 (52)	0	* *	0	* *	2,981	93.9 (18)	4,107	0.7 (5)
KY River	6,301	29.0 (41)	3,855	6.5 (41)	2,693	2.9 (39)	0	* *	0	* *	7,954	92.4 (23)	11,999	10.9 (11)
Lake Cumb	11,838	34.9 (32)	8,007	7.4 (33)	5,589	3.4 (31)	0	* *	0	* *	14,830	90.1 (36)	22,672	33.8 (33)
Laurel	2,967	35.7 (31)	1,916	8.1 (30)	1,270	3.4 (31)	0	* *	0	* *	3,222	95.1 (13)	5,350	40.4 (43)
Lawrence	964	25.3 (47)	573	4.4 (52)	443	1.6 (52)	0	* *	0	* *	1,215	92.5 (22)	1,820	36.5 (36)
Lewis	743	32.4 (36)	407	5.2 (42)	375	1.9 (49)	0	* *	0	* *	1,093	87.6 (44)	1,498	59.3 (55)
Lincoln	1,174	23.3 (52)	783	5.2 (42)	595	2.5 (41)	0	* *	0	* *	1,530	95.6 (11)	2,298	38.6 (39)
Lincoln Tr	11,916	38.8 (23)	7,961	8.6 (25)	5,684	4.1 (24)	0	* *	0	* *	14,857	89.6 (39)	23,596	49.4 (51)
Little San	2,110	31.6 (38)	1,461	7.6 (32)	1,071	3.5 (30)	0	* *	0	* *	3,207	90.0 (37)	4,451	49.3 (50)
Madison	3,480	39.8 (19)	2,303	9.5 (19)	1,655	5.8 (8)	0	* *	0	* *	3,614	91.8 (26)	6,327	16.4 (15)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)**  
**Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Local Agency</b>	<b>Breastfeeding (6)</b>				<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Magoffin	797	19.6 (55)	508	4.5 (51)	381	1.3 (55)	0	* *	0	* *	1,348	94.1 (17)	1,717	24.5 (23)
Marshall	1,200	49.6 (5)	774	9.2 (20)	630	4.4 (21)	0	* *	0	* *	1,546	79.4 (58)	2,378	26.2 (25)
Martin	872	16.1 (57)	488	2.5 (57)	416	0.7 (58)	0	* *	0	* *	1,173	85.3 (49)	1,663	35.6 (35)
Mercer	952	40.2 (17)	667	9.7 (15)	500	3.6 (28)	0	* *	0	* *	1,343	90.5 (33)	1,966	34.9 (34)
Monroe	258	23.3 (52)	161	1.9 (58)	173	2.3 (43)	0	* *	0	* *	469	100.0 (1)	688	28.2 (30)
Montgomery	1,531	37.1 (28)	1,071	12.2 (7)	682	4.8 (17)	0	* *	0	* *	2,030	87.8 (43)	3,059	37.8 (37)
Muhlenberg	1,190	25.4 (46)	757	3.6 (55)	595	1.0 (56)	0	* *	0	* *	1,663	83.5 (52)	2,396	43.1 (48)
N Central	3,067	50.5 (4)	2,067	12.9 (6)	1,702	9.0 (2)	0	* *	0	* *	3,995	89.8 (38)	6,113	4.0 (8)
N KY	15,216	34.2 (33)	10,101	8.4 (26)	6,249	4.9 (15)	0	* *	0	* *	13,525	92.0 (25)	27,420	39.9 (41)
Oldham	1,167	48.7 (8)	694	11.5 (9)	498	5.6 (11)	0	* *	0	* *	1,275	93.4 (19)	2,246	81.9 (58)
Park DuV	2,241	39.1 (21)	1,798	13.2 (5)	1,121	7.8 (5)	0	* *	0	* *	2,893	100.0 (1)	4,765	0.0 (1)
Pennyrile	3,263	51.3 (3)	2,088	10.9 (11)	1,711	5.0 (14)	0	* *	0	* *	4,316	87.1 (46)	6,429	21.2 (19)
Pike	3,195	23.4 (51)	2,142	4.7 (48)	1,280	1.4 (54)	0	* *	0	* *	3,265	80.5 (57)	5,897	61.2 (56)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F**  
**2008 - 2010 Pediatric Nutrition Surveillance (1)**  
**Kentucky**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)**  
**Children Aged < 5 Years (3)**

<b>Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)</b>														
<b>Local Agency</b>	<b>Breastfeeding (6)</b>						<b>Exclusive Breastfeeding (7)</b>				<b>≤2 Hours TV Viewing/Day (8)</b>		<b>Smoking in Household</b>	
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Powell	832	41.6 (14)	518	6.6 (39)	399	2.0 (48)	0	* *	0	* *	1,092	87.5 (45)	1,533	28.3 (31)
Purchase	5,385	43.1 (12)	3,351	9.7 (15)	2,773	3.6 (28)	0	* *	0	* *	6,741	90.4 (34)	10,233	21.4 (20)
Todd	493	39.1 (21)	330	11.8 (8)	259	4.6 (19)	0	* *	0	* *	878	97.7 (7)	1,201	10.5 (10)
WEDCO	2,864	39.4 (20)	2,002	9.8 (14)	1,369	5.8 (8)	0	* *	0	* *	3,532	97.0 (9)	5,550	26.3 (27)
Whitley	3,541	24.5 (50)	1,977	5.0 (45)	1,496	1.9 (49)	0	* *	0	* *	4,247	94.5 (14)	6,516	9.2 (9)
Woodford	924	49.1 (7)	569	8.4 (26)	442	4.8 (17)	0	* *	0	* *	1,164	97.9 (6)	1,828	14.4 (13)
<b>Kentucky</b>	<b>189,579</b>	<b>38.6</b>	<b>127,266</b>	<b>10.2</b>	<b>88,282</b>	<b>5.1</b>	<b>0</b>	<b>*</b>	<b>0</b>	<b>*</b>	<b>223,904</b>	<b>90.7</b>	<b>368,982</b>	<b>25.5</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

