




Audiology Diagnostics: Standard of Care for Infants



*Results/risk factors reported to EHDI via KY-CHILD/Routine follow-up with PCP/Audiology as recommended

**New JCIH guidelines state that rescreen can be with either OAE or AABR due to the low incidence of ANSD in well babies

Resources Utilized in Developing the Audiology Diagnostics Standard of Care

AAA – American Academy of Audiology

<https://www.audiology.org/wp-content/uploads/2021/05/Clin-Guid-Doc-Assess-Hear-Infants-Children-1.23.20-1.pdf>

AG Bell – Alexander Graham Bell Association for the Deaf and Hard of Hearing

<http://www.agbell.org/Protocol.Audiological.Assessment/>

ASHA – American Speech-Language-Hearing Association

<http://www.asha.org/policy/ks2006-00259.htm>

CDC – Centers for Disease Control and Prevention

<http://www.cdc.gov/ncbddd/hearingloss/index.html>

EHDI – Early Hearing Detection and Intervention

<https://chfs.ky.gov/agencies/ccshcn/Pages/newbornscreening.aspx>

JCIH – Joint Committee on Infant Hearing

<https://digitalcommons.usu.edu/jehdi/vol4/iss2/1/>

NCHAM – National Center for Hearing Assessment and Management

<http://www.infantheating.org/index.html>