

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/21/2020  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  185042	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  C 05/12/2020
NAME OF PROVIDER OR SUPPLIER  THE GRANDVIEW NURSING AND REHABILITATION FACILITY			STREET ADDRESS, CITY, STATE, ZIP CODE 640 WATER TOWER BYPASS CAMPBELLSVILLE, KY 42719		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS  An abbreviated standard survey (KY31666) and a COVID-19 focused infection control survey was initiated on 05/11/2020 and concluded on 05/12/2020. The complaint was unsubstantiated and no deficient practice was identified. The facility was found to be in compliance with 42 CFR 483.80 Infection Control and has implemented the Centers for Medicare & Medicaid Services (CMS) and Centers for Disease Control and Prevention (CDC) recommended practices to prepare for COVID-19. The total census was 65.	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Office of Inspector General

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  100393	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING: _____	(X3) DATE SURVEY COMPLETED  C 05/12/2020
--	--	--	---

NAME OF PROVIDER OR SUPPLIER  THE GRANDVIEW NURSING AND REHABILITATION F	STREET ADDRESS, CITY, STATE, ZIP CODE 640 WATER TOWER BYPASS CAMPBELLSVILLE, KY 42719
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
N 000	<p>Initial Comments</p> <p>A complaint investigation (KY31666) and a COVID-19 focused infection control survey was initiated on 05/11/2020 and concluded on 05/12/2020. The complaint was unsubstantiated and no deficient practice was identified. The facility was found to be in compliance pursuant to 42 CFR 483.80.</p>	N 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/21/2020  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  185042	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  C 05/12/2020
NAME OF PROVIDER OR SUPPLIER  THE GRANDVIEW NURSING AND REHABILITATION FACILITY			STREET ADDRESS, CITY, STATE, ZIP CODE 640 WATER TOWER BYPASS CAMPBELLSVILLE, KY 42719		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
E 000	Initial Comments  A COVID-19 focused Emergency Preparedness survey was initiated on 05/11/2020 and concluded on 05/12/2020. The facility was found to be in compliance with 42 CFR 483.73 Emergency Preparedness related to E0024. No deficient practice was identified.	E 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.