

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/27/2020  
FORM APPROVED  
OMB NO. 0938-0391

|   |  |  |   |                      |  |
|---|--|--|---|----------------------|--|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION            |  | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:<br><br>185160 | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING _____<br><br>B. WING _____  |                      | (X3) DATE SURVEY COMPLETED<br><br>07/23/2020 |
| NAME OF PROVIDER OR SUPPLIER<br><br>LEXINGTON COUNTRY PLACE |  |  | STREET ADDRESS, CITY, STATE, ZIP CODE<br>700 MASON HEADLEY ROAD<br>LEXINGTON, KY 40504                          |                      |  |
| (X4) ID PREFIX TAG  | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)   | ID PREFIX TAG  | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |  |
| F 000   | <p><b>INITIAL COMMENTS</b></p> <p>A COVID-19 focused infection control survey was initiated on 07/22/2020 and concluded on 07/23/2020. The facility was found to be in compliance with 42 CFR 483.80 Infection Control and has implemented the Centers for Medicare &amp; Medicaid Services (CMS) and Centers for Disease Control and Prevention (CDC) recommended practices to prepare for COVID-19. No deficient practice was identified. The total census was 75.</p> | F 000  |   |                      |  |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/27/2020  
FORM APPROVED  
OMB NO. 0938-0391

|   |  |  |   |                      |  |
|---|--|--|---|----------------------|--|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION            |  | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:<br><br>185160 | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING _____<br><br>B. WING _____  |                      | (X3) DATE SURVEY COMPLETED<br><br>07/23/2020 |
| NAME OF PROVIDER OR SUPPLIER<br><br>LEXINGTON COUNTRY PLACE |  |  | STREET ADDRESS, CITY, STATE, ZIP CODE<br>700 MASON HEADLEY ROAD<br>LEXINGTON, KY 40504                          |                      |  |
| (X4) ID PREFIX TAG  | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)   | ID PREFIX TAG  | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |  |
| E 000   | Initial Comments<br><br>A COVID-19 focused Emergency Preparedness survey was initiated on 07/22/2020 and concluded on 07/23/2020. The facility was found to be in compliance with 42 CFR 483.73 Emergency Preparedness related to E0024. No deficient practice was identified. | E 000  |   |                      |  |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Office of Inspector General

|  |  |  |  |
|--|--|--|--|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:<br><br>100527 | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING: _____<br><br>B. WING: _____ | (X3) DATE SURVEY COMPLETED<br><br>07/23/2020 |
|--|--|--|--|

|   |  |
|---|--|
| NAME OF PROVIDER OR SUPPLIER<br><br>LEXINGTON COUNTRY PLACE | STREET ADDRESS, CITY, STATE, ZIP CODE<br>700 MASON HEADLEY ROAD<br>LEXINGTON, KY 40504 |
|---|--|

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)  | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETE DATE |
|--------------------|---|---------------|---|--------------------|
| N 000              | <p>Initial Comments</p> <p>A COVID-19 focused infection control survey was initiated on 07/22/2020 and concluded on 07/23/2020. The facility was found to be in compliance pursuant to 42 CFR 483.80. No deficient practice was identified.</p> | N 000         |   |                    |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X5) DATE